

[1921-46]

PYROCIDE BOOSTER CONCENTRATE H, EMULSIFIABLE

*McLaughlin Gormley King Company*

1715 S.E. Park Street / Minneapolis, Minnesota

Effective as a surface spray against exposed stages of confused flour beetles, grain weevils, caterpillars, and many other insects infesting grain and food storage plants.

ACTIVE INGREDIENTS:

- Pyrethrins
- \*Piperonyl butoxide, technical
- Petroleum distillate

1.2%
12.0%
73.8%
52.0%
5.0%
100.0%

INERT INGREDIENTS:

Total

\*Consists of 9.6% (butylcarbityl)(6-propylpiperonyl) ether and 2.4% related compounds.

DIRECTIONS FOR USE

Dilute with water. Add some water to the sprayer tank first, then add PYROCIDE BOOSTER CONCENTRATE H, EMULSIFIABLE, make up to volume with water and agitate the emulsion vigorously until a complete emulsion is obtained. Spray the water emulsion as directed below on grain storage bins, elevator boots, mill walls and floors, etc., paying special attention to cracks, crevices and other insect hiding places.

For making a heavy deposit, dilute one gallon of PYROCIDE BOOSTER CONCENTRATE H, EMULSIFIABLE with four gallons of water. The resulting water emulsion should be used fresh the same day, and should not be allowed to stand overnight or longer.

To obtain a deposit of about 75 mg. of piperonyl butoxide per sq. ft. use one gallon of the water emulsion per 1000 sq. surface. To obtain a deposit of about 100 mg. of piperonyl butoxide per sq. ft. use one and one-third gallons of the water emulsion per 1000 sq. ft.

If more frequent applications are to be made, for example, once every two weeks, dilute one plus nine. If daily applications are to be used for contact spraying a more dilute emulsion may be used.

Alkaline surfaces such as cement, mortar or calcimined wood or metal may require more frequent applications than neutral surfaces. **CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

Harmful if swallowed. Cover or remove food and feedstuffs during spraying. In food processing plants do not spray while processing is underway. After spraying in food processing plants, etc. wash with potable water all equipment, benches, shelving and surfaces where exposed food will be handled. Do not store, pour or spill near heat or open flame. Keep container closed.

Manufactured by  
MCLAUGHLIN GORMLEY KING COMPANY  
MINNEAPOLIS, MINNESOTA, U.S.A. 55414

USDA Reg. No. 1021-46

**ACCEPTED**

JUN 3 1968

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO. 1021-46