

PYROCID® FACE FLY TREATMENT NO. 5867

ACTIVE INGREDIENTS:

	100%
Permethrin	.050%
* Piperonyl butoxide, technical	.120%
** N-octyl bicycloheptene dicarboximide	.200%
** Di-n-propyl isocinchomeronate	.400%
Petroleum distillate	99.220%

*Consists of .096% (butylcarbityl)(6-propylpiperonyl) ether and .024% related compounds.

†MGK 264 Insecticide Synergist, U.S. Pat. Nos. 2,545,283 and 2,545,287.

**MGK Repellent 326, U.S. Pat. No. 2,757,120.

DIRECTIONS FOR USE

Apply PYROCID FACE FLY TREATMENT NO. 5867 on the faces of cattle at the rate of 1.0 fl. oz. per animal, paying particular attention to the areas near the eyes and nostrils. Wipe on with a heavy cloth or sponge, or spray on with a sprayer that delivers coarse droplets. Avoid spraying directly into the animal's eyes. Treatment should be made daily while the cattle are stanchioned for morning milking to give protection from face flies for 24 hours.

CAUTION

KEEP OUT OF REACH OF CHILDREN!

Harmful if swallowed.

Do not spray entire animal with this spray. Do not contaminate milk or milk handling equipment. Do not store, pour or spill near heat or open flame.

MC LAUGHLIN GORMLEY KING COMPANY

MINNEAPOLIS, MINN., U.S.A. 55414

USDA Reg. No. 1021-580

To make the above formulation -

Use a white mineral oil of National Formulary grade having the following physical characteristics:

Flash Point	345° F min.
Pour Point	25° F max.
Viscosity, Saybolt at 100° F	85-90 sec.
Color, Saybolt	30
MF Grade	
Specific Gravity	.856

