

1021-752

08/18/1971

1/2

John Doe Label

Best Available copy

WATER BASE HOME & GARDEN PRESSURIZED SPRAY
From Pyrocid[®] Intermediate 6443

ACTIVE INGREDIENTS:

Pyrethrins	.250%
*Piperonyl butoxide, technical	.500%
†N-octyl bicycloheptene dicarboximide	.500%
Petroleum distillate	8.750%
INERT INGREDIENTS:	90.000%
Total	100.000%

*Consists of .400% (butylcarbityl)(6-propylpiperonyl) ether and .100% related compounds.

†MGE 264, Insecticide Synergist.

DIRECTIONS

SHAKE BEFORE USE. Remove plastic cap. Hold container upright. Point spray opening away from you and press button. Apply sparingly in short bursts.

INDOORS:

To Kill Flies, Mosquitoes, Gnats, Wasps, Flying Moths: Close all doors and windows and direct spray upward into center of room with a slow, sweeping motion. Spray 5 to 10 seconds for average room (1,000 cu. ft.). Keep nozzle three feet away from surfaces. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry.

To Kill Roaches, Waterbugs, Silverfish, Crickets, Ants: Spray baseboards, cracks, crevices, moist areas, and openings around sinks and pipes and other hiding places, hitting the insects directly. Spray ant hills and ant trails over window and door sills and other locations.

For House Plants, spray in short bursts, holding the can 18 inches from foliage for such plants as English Ivy and African Violets. Spray both sides of the leaves lightly. Do not wet. Repeat as often as necessary. Kills Aphids (Plant Lice), Spider Mites, Exposed Thrips, Lace Bugs.

OUTDOORS:

For insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses and Snapdragons. Also, for insects on evergreens and small ornamental deciduous trees, shrubs and vines.

When sprayed directly on insects this spray kills sucking insects: Aphids, Leafhoppers, Spotted Mites, Thrips (exposed) and Lace Bugs. Kills chewing insects: Southern Army Worm Larvae (caterpillars), Mexican Bean Beetles, Climbing Cutworms and Japanese Beetles when sprayed directly on them.

For best results spray in evening or on a cloudy day when air is still. Use slow, sweeping motion. Keep can 18 inches from plants. Avoid wetting foliage with the spray. Spray rows at the rate of 1 foot per second. For heavy growth spray row on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray when temperature exceeds 90°F.

CAUTION

Keep Out of Reach of Children

Cover exposed food and utensils before spraying; this product can be used around foodstuffs and utensils if they are protected from direct contact during spraying. May stain finished surfaces if sprayed too closely.

WARNING: CONTENTS UNDER PRESSURE. Store upright in a cool place (not over 120°F.). Do not place on hot surface. Do not puncture the can. Never throw in fire or incinerator.

Net Wt. _____

MC LAUGHLIN GORMLEY KING COMPANY
MINNEAPOLIS, MINN., U.S.A. 55414

For Reference Only:
USDA Reg. No. 1021-752

Above Formulation Made From by Wt.:
3.75% Intermediate 6443
7.75% Light Isoparaffinic Oil
53.50% Deionized water
35.00% Technical, Aerosol Grade

Wording of proposed label for formulation described hereon appears acceptable under the provisions of the Federal Insecticide, Fungicide and Rodenticide Act. This does not constitute registration.

Date: 8-18-71