

**ACTIVE INGREDIENTS:****100%**

Pyrethrins	.50%
*Piperonyl butoxide, technical	1.00%
<sup>1</sup> N-octyl bicycloheptene dicarboximide	1.67%
Petroleum distillate	96.83%

\*Equivalent to .80% (butylcarbityl)(6-propylpiperonyl) ether  
and .20% related compounds.

<sup>1</sup>MGK-264, Insecticide Synergist.

**DIRECTIONS FOR USE****IN FOGGING EQUIPMENT AND HAND SPRAYERS**

**To Kill Accessible Stages of Insects\* Infesting Dried Fruit Products in Storage or Being Processed:** Close room or warehouse and shut off all ventilating systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications as necessary for insect control, but do not exceed more than ten applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part P-6630 plus 5.6 parts oil.

\*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle,  
Saw-Toothed Grain Beetle and Roaches.

**To Kill the Adult and Accessible Forms of Insect Pests\* of Stored Food (Stored in Multiwall Paper Bags or in Cloth Bags) in Warehouses, Storage Rooms and Similar Locations:** Close room or warehouse and shut off all ventilating systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic feet of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

\*Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle,  
Saw-Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean  
Flour Moth and Indian Meal Moth.

**To Kill Flies, Mosquitoes and Gnats:** Close room and discharge spray mist as described above. Use a dosage of 1/2 to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

**IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS**

**As a Surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils:** Apply as a coarse, wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1000 square feet. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. (For Flying Moths and Beetles, treat as for Flies, Mosquitoes and Gnats. See above.) **Do not apply this spray to surfaces that may come in contact with food; excessive residues in food may result.**

**To Kill Roaches, Silverfish and Waterbugs in Sheltered Situations:** Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

## CAUTION

KEEP OUT OF REACH OF CHILDREN

Remove pets and cover fish bowls before spraying.

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not pour, store or spill near heat or open flame.

Note: This spray, when applied per the directions and cautions above, conforms with Food Additive Regulations 193.320, 193.360 and 193.390 and the food additive tolerances established thereunder.

### STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Net Contents \_\_\_\_\_

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis MN 55427

EPA Reg. No. 1021-922

EPA Est. No. 1021-MN-1

