## Sample Lahel (3) Food Additive Petition 6H1946 SYNERGIZED PYRETHRIN HOME AND INDUSTRIAL SPRAY, F-6631

## ACTIVE INGREDIENTS:

100%

Pyrethrins .075%
\*Piperonyl butoxide, technical .150%
-IN-octyl bicycloheptene dicarboximide .250%
Petroleum distillate .25%

\*Consists of 0.120% (butylcarbity) (6-propylpiperonyl) ether and 0.030% related compounds.

MGK 264 Insecticide Synergist, U.S. Pat. Nos. 2,545,183 and 2,545,287.

## DIRECTIONS FOR USE

In Kill Flies, Mosquitoes and Gnats: Close room and discharge spray mist vigorously in all parts of room, using about 2 or 3 ounces for each 1000 cubic feet of space.

Leave room closed for at least ten minutes. Sweep up and destroy fallen insects.

Repeat as needed.

To Kill Fleas (Infesting Premises): Remove and destroy animals' bedding and spray sleeping quarters freely, forcing the spray into all cracks and about the room.

Repeat when re-infested.

To Kill Grain Weevils, Cadelles, Grain Moths, Flour Beetles and Grain Mites (Accessible Stages): Wet surfaces thoroughly and treat all infested surface areas, insect hiding places and insect runways at the rate of 1 gallon of this material on 750 square feet of area, equivalent to spraying to the point of run-off. Repeat when necessary. For Flying Moths and Beetles, treat as for Flies, Mosquitoes and Coats (see above).

To Will Roaches and Waterbugs: Apply in all creeks and crevices in woodwork, underneat's sinks, dark places behind pipes, and in all places where roaches and waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

To Kill Clothes Moths, Carpet Beetles: Spray all articles to be protected, giving particular attention to folds and seams. Interior surfaces of storage containers such as closets, chests and tuunks should be regularly sprayed. The treatment should be repeated every thirty days unless the articles are stored in a mothtight container.

## MOITUM

... e. BEACH OF CHILDRES

Harmful if swallowed. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply while food processing is underway. After spraying in meat packing plants, bakeries and other food processing plants, wash with potable water all equipment, benches, shelving, etc. The exposed food will be handled. In case washing is impractical, do not allow food to come in contact with treated surfaces for at least 48 hours. Remove bird cages and fish bowls during spray application. Do not store, pour or spill near heat or open flame. Keep container closed.

Net contents----

MC LAUGHLIN GORMLEY KING COMPANY MINNEAPOLIS, MINN., U.S.A. 55414

For Reference Only: USDA Reg. No. 1021-923 ACCEPTED

AUL 15 1967

UNDER THE PEDERAL IN ACTION FUNDICIDE AND RODERTIGUE ACT