6/1/2004

6632-504



ACCEPTED

JUN 1 200

Under the Rederal Passet Ling Pungloids, and lendunking of the as amended, for the posterior registered under 1874 Red No. 1021-924

Synergized Pyrethrin Spray for Mills, Food Plants and Home 6632

8810 Fenth Avenue N / Minneapolis, Staticson, 554, 5-4 (194) See

TELEPHONE (Too) WASHIELD

This spray is especially designed for use in Cafes, Restaurants, Food Storage Warehouses, Flour Mills, Meat Packing Plants and the like. This spray is designed for use in fogging equipment, hand sprayers or in pressurized tank sprayers that give coarse, wetting particles for contact spray.

ACTIVE INGREDIENTS:

	Pyrethrins	0.100%
*	Piperonyl butoxide, Technical	0.200%
**	N-Octyl bicycloheptene dicarboximide	0.333%
OTHER	NGREDIENTS	99.367%
		100.000%

- Equivalent to 00.16% (butylcarbityl) (6-propylpiperonyl) ether and 00.04% related compounds
- ** MGK® 264, Insecticide Synergist
- *** Contains petroleum distillate

MGK® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID		
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. 	
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice. 	
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.	
IFINHALED:	 Move person to fresh air. If person is not breathing, call 911or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. 	

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs.

Remove pets and birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment wash waters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.







DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

IN FOGGING EQUIPMENT AND HAND SPRAYERS:

TO KILL GNATS, MOSQUITOES, AND SMALL FLYING MOTHS: Close room and vigorously discharge mist in all parts of room, using 1 1/2 to 2 ounces for each 1,000 cubic feet of space. Leave room closed for at least ten minutes. Do not remain in treated areas. Ventilate room thoroughly before re-entry. Sweep up and discard fallen insects. Repeat as needed.

IN PRESSURIZED TANK SPRAYERS FOR WETTING CONTACT SPRAYS:

TO KILL FLEAS (Infesting Premises): Remove and destroy animal's bedding and spray sleeping quarters freely, forcing the spray into all cracks in the floor and about the room. Repeat as needed. Pets should be treated with a registered flea and tick control product before allowing them to enter treated area.

TO KILL COCKROACHES AND WATERBUGS: Apply in all cracks and crevices in woodwork, underneath sinks, in dark places behind pipes, and in all places where Cockroaches and Waterbugs infest, contacting as many insects as possible. Repeat the operation as often as necessary.

TO KILL CARPET BEETLES AND CLOTHES MOTHS: Spray all articles to be protected, giving particular attention to folds and seams. For Carpet Beetles, thoroughly treat the under sides and edges of carpeting and rugs and along baseboards and under furniture. Interior surfaces of storage containers such as closets, chests and trunks should be sprayed regularly. The treatment should be repeated every 30 days unless the articles are stored in moth-tight containers.

TO KILL CADELLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, DRUG STORE BEETLES, GRAIN MITES (Accessible Stages), RUST RED FLOUR BEETLES AND SAW-TOOTHED GRAIN BEETLES: Wet surfaces thoroughly and treat all infested surface areas, insect runways and hiding places at the rate of 1 gallon of this material to 1,000 square feet of area, or to the point of run-off. Repeat when necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse or equivalent and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

Net Contents ______ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-924

EPA Est. No. 1021-MN-2