




PYROCID Intermediate 6316

1715 S.E. Fifth Street / Minneapolis, Minnesota

ACTIVE INGREDIENTS:	
Pyrethrins	2.50%
*Piperonyl butoxide, technical	5.00%
†N-octyl bicycloheptene dicarboximide	8.34%
**Ronnel (0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothioate	33.34%
***2,2-Dichlorovinyl dimethyl phosphate	15.81%
***Other related compounds	1.19%
Aromatic petroleum distillate	5.70%
Petroleum distillate	10.00%
INERT INGREDIENTS:	18.12%
Total	100.00%



*Equivalent to 4.00% (butylcarbityl) (6-propylpiperonyl) ether and 1.00% related compounds.
†MGK 264, Insecticide Synergist.
**U.S. Pat. No. 2,599,516; The Dow Chemical Company.
***From 17.0% (wt.) dichlorvos, technical (DDVP).

DIRECTIONS
FOR MANUFACTURING USE ONLY

Use 3% Intermediate 6316 with approved solvents and propellents to produce a residual roach and ant spray.

DANGER  **POISON**
KEEP OUT OF REACH OF CHILDREN

This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate feed or food-stuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against DDVP. Keep all unprotected persons out of operational areas.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and keep him warm and quiet. Call a physician immediately. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.


If on the skin wash with large amounts of soap and water. If inhaled remove the victim to fresh air. Keep him warm and quiet. Call a physician immediately.

This product is toxic to fish, wildlife, and birds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Whenever possible, DDVP formulations should be stored in full containers. Warm contents thoroughly to room temperature and agitate thoroughly before using if this drum has been exposed to below


*N-octyl bicycloheptene dicarboximide	8.34%
**Ronnel (O,O-dimethyl O-(2,4,5-trichlorophenyl) phosphorothioate	33.34%
***2,2-Dichlorovinyl dimethyl phosphate	15.81%
***Other related compounds	1.19%
Aromatic petroleum distillate	5.70%
Petroleum distillate	10.00%
INERT INGREDIENTS:	18.12%
Total	100.00%



*Equivalent to 4.00% (butylcarbityl)(6-propylpiperonyl) ether and 1.00% related compounds.
 †MGK 264, Insecticide Synergist.
 **U.S. Pat. No. 2,599,516; The Dow Chemical Company.
 ***From 17.0% (wt.) dichlorvos, technical (DDVP).

DIRECTIONS
 FOR MANUFACTURING USE ONLY

Use 3% Intermediate 6816 with approved solvents and propellents to produce a residual roach and ant spray.



This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate feed or food-stuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against DDVP. Keep all unprotected persons out of operational areas.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and keep him warm and quiet. Call a physician immediately. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

If on the skin wash with large amounts of soap and water. If inhaled remove the victim to fresh air. Keep him warm and quiet. Call a physician immediately.

This product is toxic to fish, wildlife, and birds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Whenever possible, DDVP formulations should be stored in full containers. Warm contents thoroughly to room temperature and agitate thoroughly before using if this drum has been exposed to below freezing weather. Keep away from open flame. Keep containers tightly closed. Mix well in drum before sampling and each use.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. This warranty is in lieu of all other warranties, express or implied, including warranties of merchantability and fitness for a particular purpose.

Manufactured by

MC LAUGHLIN GORMLEY KING COMPANY
 MINNEAPOLIS, MINN., U.S.A. 55414