

1021-1060

2/2/2012

1 of 3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Mr. Thomas A. Lennan
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427

February 2, 2012

**Subject: Amended Reregistration Label
D-TRANS ALLETHRIN 90% CONCENTRATE
EPA Registration No. 1021-1060**

Dear Mr. Lennan;

The Agency, in accordance with the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, has completed reviewing all of the information submitted with your application to support the reregistration of the referenced product in connection with the ALLETHRIN RED, and has concluded that your submission is acceptable.

PLEASE NOTE: This product is not being reregistered under sections 3(c)5 and 4(g) of FIFRA at this time.

PLEASE NOTE: That the record for this product currently contains the Confidential Statements of Formulation (CSFs) listed below. Any previously dated CSF's are superseded.

-Basic CSF, dated: February 7, 2011

A copy of your label stamped "Acceptable" is enclosed along with copies of the acute toxicity and product chemistry reviews completed for the subject product. Products shipped after 12 months from the date of this amendment or the next printing of the label whichever occurs first, must bear the new revised label. Your release for shipment of the product bearing the amended label constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e).

If you have any questions about this letter, please contact Regina Foushee-Smith at (703) 605-0780 or via e-mail at foushee-smith.regina@epa.gov.

Sincerely Yours,

A handwritten signature in black ink, appearing to be "Richard Gebken", written over a horizontal line.

Richard Gebken
Product Manager 10
Insecticide Branch
Registration Division (7505P)

*Enclosures: Label stamped "Accepted" dated: February 2, 2012
Acute Toxicity Review dated: October 5, 2010
Product Chemistry Review dated: November 9, 2011*



McLAUGHLIN
GORMLEY
KING COMPANY

D-TRANS® Allethrin 90% Concentrate
An Insecticide for Manufacturing Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

ACTIVE INGREDIENT:

d-trans allethrin	90.00%
OTHER INGREDIENTS	10.00%
	100.00%


* Contains petroleum distillate
D-TRANS® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not give any liquid to the person. ▪ Do not induce vomiting unless told to do so by a poison control center or a doctor. ▪ Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. ▪ Call a poison control center or doctor for treatment advice.
NOTE TO PHYSICIAN:	Contains petroleum distillates. Vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Contents
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427
EPA Est. No. 1021-MN-2

EPA Reg. No. 1021-1060



PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Causes moderate eye irritation. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

USER SAFETY RECOMMENDATIONS

User should wash hands before eating drinking, chewing gum, using tobacco, or using the toilet. User should remove clothing /PPE immediately if pesticide gets inside. Then was thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

COMBUSTIBLE. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ONLY FOR FORMULATION INTO INSECTICIDES FOR THE FOLLOWING USES: Domestic Indoor (household), Domestic outdoor (household/ornamentals), Greenhouses, Commercial Industrial uses, and Terrestrial Non-food uses (lawns and grounds).

This product may be used to formulate products for specific use(s) not listed on the MP label if the formulator, user group, or grower has complied with U.S. EPA submission requirements regarding support of such uses.

Not for formulation into end use products with directions for use as an application directly to pets.

Formulation into ready-to-use total release foggers with directions for use outdoors is limited to a maximum of 1.5 ounces of product per container.

2093

Formulation into products with directions for use as a spot treatment is limited to a maximum 0.25% a.i. dilution strength.

Formulations with greater than 0.1 % a.i. dilution strength must contain directions for use limiting applications in indoor residential settings to spot treatments only.

Formulations into products with directions for use as a broadcast spray outdoors is prohibited. Outdoor use is limited to spot treatments only. (NOTE: outdoor broadcast use with ready-to-use total release foggers is permitted)

Not for formulation into products for use in or on drainage systems, golf course turf, airports/landing fields, uncultivated agricultural areas, boat/ship hulls, and paved areas such as sidewalks and roads.

Formulations with greater than 0.1% dilution strength must contain direction for use limiting applications in indoor residential setting to spot treatment only. **Indoor broadcast use must be prohibited.**

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING:

Nonrefillable container. Do not reuse or refill this container.

Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Then offer for recycling or reconditioning, or puncture and dispose of container in a sanitary landfill, or by other procedures approved by state and local authorities.

Triple Rinse as follow for containers of 5 Gallons or less: Empty the remaining contents in to application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with diluent and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use of disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times.

Triple rinse as follows for containers greater than 5 Gallons: Empty the remaining contents into application equipment or mix tank. Fill the container ¼ full with diluent. Replace and tighten closures. Tip container on its side and roll in back and forth, ensuring at least one complete revolution, for 20 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times.

Pressure rinse as follows: Empty the remaining contents in to application equipment or a mix tank. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rise at about 40 PSI for at least 30 seconds. Drain for 10 seconds after the flow begins to drip