

1021-1091

09/29/2009

1/8



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

Steven K. Ditto
Registration Specialist
McLAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

SEP 29 2009

SUBJECT: Applications for Pesticide Notification – Labeling Changes per PR Notice 2007-4
EVERGREEN® Emulsifiable 60-6 EPA Reg. No. 1021-1091
Application Dated May 20, 2009
EVERCIDE® Emulsifiable Concentrate 28061 EPA Reg. No. 1021-1778
Applications Dated May 22, 2009

Dear Mr. Ditto:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 2007-4 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 2007-4 and finds that the actions requested fall within the scope of PRN 2007-4. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on nonrefillable containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10) or durably marked on the container itself.

If you have any questions, please call me directly at 703-305-6249, or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs



United States
 Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 1021-1091	2. EPA Product Manager Richard Gebken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERGREEN® Emulsifiable 60-6	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLaughlin Gormley King Company 8810 10TH AVE N MINNEAPOLIS, MN 55427 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated NOTIFICATION
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below. SEP 29 2009

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
 Notification pursuant PR Notice 2007-4

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
*Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Glass
					<input type="checkbox"/> Paper
					<input type="checkbox"/> Other (Specify)
3. Location of Net Contents information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 1 qt. - 55 gal		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Steven K. Ditto	Title Registration Specialist	Telephone No. (Include Area Code) (763)-544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Steven K. Ditto	5. Date 5/20/2009	



McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

May 20, 2009

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (H7504P)
Room S-4900, One Potomac Yard
2777 South Crystal Dr.
Arlington, VA 22202-4501

Via Courier

Subject: EVERGREEN® Emulsifiable 60-6
EPA Reg. No. 1021-1091
Notification Per PR-Notice 2007-4

Dear Sir or Madam:

By Notification we are changing the storage and disposal language to comply with the Final Rule "Pesticide Management and Disposal; Standards for Pesticide Containers and Containment".

Enclosed are 2 copies of the label. One copy has changes highlighted.

Notification of label change per PR Notice 2007-4. This notification is consistent with the guidance in PR Notice 2007-4 and the requirements of EPA's regulations at 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156. No other changes have been made to the labeling or the Confidential Statement of Formula for this product. I understand that it is a violation of 18 U.S.C Sec. 1001 to willfully make any false statement to EPA. I further understand that if the amended label is not consistent with the requirements of 40 CFR §§ 156.10, 156.140, 156.144, 156.146, and 156.156, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.


If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto
Registration Specialist

Enclosure





McLAUGHLIN GORMLEY KING COMPANY

EVERGREEN® Emulsifiable 60-6

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

Multi-purpose Insecticide

For use on growing crops, ornamentals, stored products, and livestock and for fruit fly control on harvested fruits and vegetables

Used alone as a clean-up spray or a pre-harvest spray

NOTIFICATION

SEP 29 2009

ACTIVE INGREDIENTS:

Table with 2 columns: Ingredient Name and Percentage. Includes Pyrethrins (6.00%), Piperonyl butoxide, Technical (60.00%), and OTHER INGREDIENTS (34.00%).

* Equivalent to 48.00% (butylcarbityl) (6-propylpiperonyl) ether and 12.00% related compounds

** Contains petroleum distillates

EVERGREEN® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

Table with 2 columns: Exposure Scenario (IF SWALLOWED, IF IN EYES, IF ON SKIN OR CLOTHING, IF INHALED) and First Aid instructions.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Contents _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

EPA Reg. No. 1021-1091

EPA Est. No. 1021-MN-2

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Causes moderate eye irritation. Harmful if inhaled or absorbed through skin. Avoid contact with skin, eyes, or clothing. Avoid breathing vapor or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Some materials that are chemical-resistant to this product are listed below. If you want more options, follow the instructions for category E on an EPA chemical resistance category selection chart.

Applicators and other handlers who may be exposed to the dilute and/or concentrate through application or other tasks must wear the following:

- Long-sleeved shirt and long pants;
Chemical-resistant gloves such as Barrier Lamine, Nitrile Rubber, Neoprene Rubber, or Viton;
Shoe plus socks; and
Protective eyewear.

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

When handlers use aircraft in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides 40 CFR 170.240 (d) (4-6), the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendation:

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Remove PPE immediately after handling EVERGREEN® Emulsifiable 60-6. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination Systems (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use EVERGREEN® Emulsifiable 60-6 in a manner inconsistent with its labeling.

Avoid contamination of food and feedstuffs.

Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal Meat, Poultry, and Shell Egg grading and Egg Products inspection programs.

Remove pets and birds and cover fish aquariums before spraying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirement specific to your State or Tribe, consult the agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR, Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, are:

- Coveralls;
- Chemical-resistant gloves, such as Barrier Laminate, Nitrile Rubber, Neoprene Rubber, or Viton;
- Shoes plus socks; and
- Protective eyewear.

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR, Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep unprotected persons out of treated areas until sprays have dried.

USED ALONE: EVERGREEN® Emulsifiable 60-6 can be used alone as a clean up or a pre-harvest spray where other materials cannot be used because of residue restrictions. Contains natural pyrethrins.

Apply 2 to 16 ounces EVERGREEN® Emulsifiable 60-6 per acre and repeat if required to maintain effective control. Dilute in sufficient water for thorough coverage of upper and lower leaf surfaces (maximum of 100 gallons of water per acre) unless otherwise noted. EVERGREEN® Emulsifiable 60-6 may be applied by air in no less than 2 gallons of water per acre and by ground in no less than 10 gallons of water per acre. It is recommended that the final spray mix be buffered to a pH of 5.5 – 7.0.

Do not apply EVERGREEN® Emulsifiable 60-6 through any type of irrigation system.

USE AS A TANK MIX WITH OTHER INSECTICIDES: Where resistance is a problem, EVERGREEN® Emulsifiable 60-6 may be combined with other insecticides or acaricides, thereby flushing insects from hiding and into contact with spray residues. This application should conform to accepted use precautions and directions for both products.

EVERGREEN® Emulsifiable 60-6 is relatively non-toxic to honey bees. Apply EVERGREEN® Emulsifiable 60-6 in the early morning or late evening hours to avoid possible harm to honey bees.

GROWING CROPS (OUTDOORS AND IN GREENHOUSES):

ROOT AND TUBER VEGETABLES: Including (but not limited to) Arracacha, Arrowroot, Purple Arrowroot, Japanese Artichoke, Jerusalem Artichoke, Beet, Sugar Beet, Edible Burdock, Carrot, Cassava (bitter or sweet), Celeriac (celery root), Chervil (turnip rooted), Chicory, Chuffa, Dasheen, Ginger, Ginseng, Horseradish, Leren, Parsley (turnip rooted), Parsnip, Potato, Radish, Japanese Radish (Daikon), Rutabaga, Salsify, Black Salsify, Spanish Salsify, Sweet Potato, Tanier, Turmeric, Turnip, Yam (true), and Yam Bean.

LEAVES OF ROOT AND TUBER VEGETABLES: Including (but not limited to) Beet, Sugar Beet, Edible Burdock, Carrot, Cassava (bitter or sweet), Celeriac (celery root), Chervil (Turnip Rooted), Chicory, Dasheen, Parsnip, Radish, Japanese Radish (Daikon), Rutabaga, Black Salsify, Sweet Potato, Tanier, Turnip, and Yam (true).

LEAFY VEGETABLES: Including (but not limited to) Amaranth (Leafy Amaranth, Chinese Spinach, Tampala), Arrugula, Celery, Celtuce, Chervil, Cilantro, Corn Salad, Chrysanthemum (edible leaved), Chrysanthemum (garland), Cress (garden), Upland Cress (yellow rocket, winter cress), Dandelion, Dock (sorrel), Endive (escarole), Fennel (Florence), Lettuce (head and leafy), Orach, Parsley, Purslane (garden and winter), Rhubarb, Spinach, Fine Spinach (Malabar, Ceylon), Spinach (New Zealand), and Swiss Chard.

BRASSICA (COLE) LEAFY VEGETABLES: Including (but not limited to) Broccoli, Chinese Broccoli (Gai Lan), Broccoli Raab (Rapini), Brussels Sprouts, Cabbage, Chinese Cabbage (Bok Choy), Chinese Mustard Cabbage (Gai Choy), Cauliflower, Collards, Kale, Kohlrabi, Mustard Greens, and Rape Greens.

LEGUME VEGETABLES (SUCCULENT OR DRIED): Including (but not limited to) Adzuki Beans, Asparagus Beans, Black-eyed Peas, Broad Beans (Fava Beans), Catjang, Chick Peas (Garbanzo Beans), Chinese Longbeans, Cowpeas, Chowder Peas, Field Beans, Guar, Jackbeans (Sword Bean), Kidney Beans, Lablab Bean (Hyacinth Bean), Lentils, Lima Beans, Moth Beans, Mung Beans, Navy Beans, Peas (Garden Peas, Field Peas, Sugar Peas), Pigeon Peas, Pinto Beans, Rice Beans, Runner Beans, Snap Beans, Southern Peas, Soybeans, Tepary Beans, Urd Beans, Wax Beans, and Yard-Longbeans.

FOLIAGE OF LEGUME VEGETABLES: Including (but not limited to) the plant part of any legume vegetable included in the legume vegetable group that will be used as animal feed including any variety of Beans, Field Peas, and Soybeans.

FRUITING VEGETABLES: Including (but not limited to) Eggplant, Ground Cherry, Okra, Pepino, Pepper (Bell Pepper, Chili Pepper, Cooking Pepper, Pimento, Sweet Pepper), Tomatillo, and Tomato.

CUCURBIT VEGETABLES: Including (but not limited to) Balsam Pear (Bitter Melon), Chinese Waxgourd, Citron Melon, Cucumber, Edible Gourds, Gherkin, Melons (including hybrids, Cantaloupe, Casaba, Crenshaw, Honeydew Melon, Honey Balls, Mango Melon, Muskmelon, Persian Melon), Pumpkin, Squash (summer and winter), and Watermelon (including hybrids).

CITRUS FRUITS: Including (but not limited to) Calamondin, Citrus Citron, Citrus Hybrids, Grapefruit, Kumquat, Lemon, Lime, Mandarin (Tangerine), Orange (sweet and sour), Pummelo, and Satsuma Mandarin.

POME FRUITS: Including (but not limited to) Apple, Crabapple, Loquat, Pear, Oriental Pear, and Quince.

STONE FRUITS: Including (but not limited to) Apricot, Cherry (sweet and sour), Chickasaw Plum, Damson Plum, Japanese Plum, Nectarine, Peach, Plum, and Prune.

SMALL FRUITS AND BERRIES: Including (but not limited to) Blackberry, Blueberry, Cranberry, Currant, Dewberry, Elderberry, Gooseberry, Grape, Huckleberry, Loganberry, Olallie Berry, Raspberry (black and red), Strawberry, and Youngberry.

ORIENTAL VEGETABLES: Including (but not limited to) Balsam Pear (Bitter Melon), Chinese Broccoli (Gai Lan), Chinese Cabbage (Bok Choy), Chinese Longbean, Chinese Mustard Cabbage (Gai Choy), Chinese Spinach, Chinese Waxgourd, Citron Melon, Dasheen, Ginger, Ginseng, Japanese Artichoke, Japanese Radish (Daikon), and Mung Bean

ADDITIONAL CROPS: Such as Asparagus, Onion (bulb and green), and Rice.

ORNAMENTALS: Such as African Violet, Aster, Azalea, Begonia, Calceolaria, Calendula, Calla, Camellia, Carnation, Cineraria, Chrysanthemum, Cypress, Daffodil, Dahlia, Dogwood, Elm, Eucalyptus, Fern, Ficus, Geranium, Gladiolus, Gypsophila, Holly, Juniper, Lily, Marigold, Oak, Palm, Peony, Petunia, Philodendron, Pine, Roses, Snapdragon, Sweet Pea, Tulips, Viburnum, Wandering Jew, Yew, and Zinnia.

FOR THE CONTROL OF INSECTS: Such as Ants, Aphids, Armyworms, Asparagus Beetles, Blister Beetles, Cabbage Loopers, Caterpillars, Cockroaches, 12-spotted Cucumber Beetles, Colorado Potato Beetles, Corn Earworms, Crickets, Cross-striped Cabbageworms, Cucumber Beetles, Deer Flies, Diamondback Larvae, Fireworms, Flea Beetles, Fruit Flies, Fruittree Leafrollers, Grape Leafhoppers, Green Peach Aphids, Greenhouse Thrips, Gypsy Moths (adults and larvae), Harlequin Bugs, Heliothis spp., Hornets, Horn Flies, Horse Flies, Houseflies, Imported Cabbageworms, Leafhoppers, Leafrollers, Leaf-tier, Lice, Mexican Bean Beetles, Mosquitoes, Potato Leafhoppers, Psyllids, Silverfish, Skippers, Stable Flies, Stink Bugs, Tabanidae, Thrips, Vinegar Flies, Wasps, Webworms, Whiteflies, and Yellow Jackets.

FOR USE AROUND HOMES AND OTHER BUILDINGS: In grassy undeveloped areas use EVERGREEN® Emulsifiable 60-6 at 1 part to 50 parts water to control foraging fire ants. Also liberally spray grassy areas around yard borders to control ticks that may carry Lyme disease.

FOR USE ON HARVESTED FRUITS AND VEGETABLES: To control *Drosophila* spp., *Tephritid* spp., and Fruit Flies dilute EVERGREEN® Emulsifiable 60-6 at the rate of 1 part with 600 parts water (1 pint EVERGREEN® Emulsifiable 60-6 per 75 gallons or 1 tablespoonful EVERGREEN® Emulsifiable 60-6 with 2 gallons water). Thoroughly mix the emulsion in the spray tank and treat as follows:

- 1) Apply liberally to fruits and vegetables in baskets, on trucks, and in plants. For maximum coverage of baskets and hampers, use sprayers at a high pressure for applying at the rate of five or six (5 - 6) pints of diluted spray to a 2-ton load of produce. EVERGREEN® Emulsifiable 60-6 kills flies, and the emulsion loosens any dead flies so they are readily washed from the fruit.
- 2) Spray the raw stock stacked in the yard.

3) Dip baskets in the diluted spray after dumping the produce to kill adhering larvae and pupae.

FOR USE IN CANNERIES: Spray the entire space inside of the cannery, after washing and cleaning up and just before bringing produce into it, with EVERGREEN® Emulsifiable 60-6 diluted 1 part to 29 parts of water (1 quart with 7.5 gallons water) up to 1 part to 11 parts of water (1 quart with 3 gallons water). Use 1 gallon of the spray per 750 square feet, directing it on walls, ceiling, and floors, paying special attention to forcing the spray into all cracks and crevices for the control of Ants, Cheese Mites, Crickets, Roaches, Silverfish, and Spiders. This same dilution used as a space spray will give excellent control of Fruit Flies, Gnats, Grain Moths, Hornets, Houseflies, Mosquitoes, and Skipper Flies. Use one (1) ounce diluted spray per 1,000 cubic feet of space. Do not spray while plant is in operation as dead flies may fall into containers or the products being processed.

FOR USE IN FOOD AND NONFOOD AREAS OF FOOD PROCESSING PLANTS, INDUSTRIAL INSTALLATIONS, BAKERIES, RICE AND WHEAT MILLS, RESTAURANTS, TOBACCO WAREHOUSES, GRAIN ELEVATORS, AND WAREHOUSES: To kill flying insects such as Fruit Flies, Gnats, Grain Moths, Hornets, Houseflies, Mosquitoes, Skipper Flies, and Wasps, dilute EVERGREEN® Emulsifiable 60-6 at the rate of 1 part with 29 parts water (1 quart with 7.5 gallons water) up to 1 part to 11 parts water (1 quart with 3 gallons water). Use at the rate of 1/2 to 1 ounce of diluted spray per 1,000 cubic feet of space. Direct the space treatment upward and whenever practical, keep doors and windows closed for at least 10 minutes after application. Confine use of EVERGREEN® Emulsifiable 60-6 in food processing or food handling establishments to times when the plant is not in operation. Cover or remove food before treatment. Cover all food processing surfaces before treatment or thoroughly clean before use following treatment.

Where oil residues are not undesirable, EVERGREEN® Emulsifiable 60-6 can be diluted at the rate of 1 part to 29 parts deodorized base oil (instead of water) up to 1 part to 11 parts deodorized base oil instead of water and applied as a space spray with an applicator such as mechanical or ULV fogger capable of producing particles of aerosol size.

FOR USE ON STORED PRODUCTS: EVERGREEN® Emulsifiable 60-6 can be safely used on the following crops at the rate of 1 part to 29 parts water or deodorized base oil up to 1 part to 11 parts water or deodorized base oil: Almond Nutmeat and Shells, Barley, Beans, Corn, Dried Apricots, Dried Fruit, Dried Prunes, Figs, Grain Nuts, Oats, Peanuts, Pistachios, Raisins, Rice, Rye, Tobacco, Walnut Nutmeat and Shells, and Wheat held in storage for control of the accessible stages of Almond Moths, Angoumois Grain Moths, Cadelle Beetles, Cigarette Beetles, Confused Flour Beetles, Flat Grain Beetles, Granary Weevils, Indian Meal Moths, Red Flour Beetles, Rice Weevils, Rusty Grain Beetles, Saw-toothed Grain Beetles, Square-Necked Grain Beetles, and Tobacco Moths.

FOR USE ON SWEET POTATOES IN STORAGE: For control of Fruit Flies (*Drosophila* spp.), dilute EVERGREEN® Emulsifiable 60-6 at 1 part to 19 parts water. Apply as a space fog with a mechanical fogger capable of producing particles of aerosol size at the rate of 1 gallon diluted spray per 100,000 cubic feet of space.

FOR USE IN STORAGE SITES: EVERGREEN® Emulsifiable 60-6 can be used in Bin Hoppers, Cargo Ships, Conveying Equipment, Elevators, Mills, Trucks, and Warehouse Bins as a clean up prior to using these areas for storage. In Elevators and Mills, remove all infested accumulations of grain from the bin hoppers. Thoroughly clean all storage areas and conveying equipment by sweeping out the waste grain, cobwebs, and other debris from the walls and rafters as well as on the floor and door frames, paying special attention to material lodged in the cracks and crevices. Remove and burn all debris to kill eggs and insects that might be present.

For farms, pay special attention to cleaning up around used feed and grain bags, grain residues from wagons, harvesting equipment, and feed troughs. Do not place newly harvested grain in the same bin with carry-over grain. Fumigate all carry-over grain stocks not treated with grain protectant. Perform these cleaning operations within two or three (2 - 3) weeks before harvest.

After above sanitation measures have been employed, spray all areas prior to use for storage with 1 part EVERGREEN® Emulsifiable 60-6 to 29 parts water (1 quart with 7.5 gallons water) up to 1 part EVERGREEN® Emulsifiable 60-6 to 11 parts (1 quart with 3 gallons water). Apply at the rate of one gallon diluted solution per 750 square feet on walls, floors, ceilings, and partition boards of bins, paying special attention to forcing the spray into all cracks and crevices.

FOR USE AS A GRAIN PROTECTANT: When diluted with water and sprayed directly on grain, EVERGREEN® Emulsifiable 60-6 will effectively protect the grain against grain storage insects for a full season or approximately 8 months. Dilute at the rate of 1 part EVERGREEN® Emulsifiable 60-6 to 29 parts water (1 quart with 7.5 gallons water). Thoroughly mix the emulsion and apply at the rate of 4 to 5 gallons per 1,000 bushels of grain as it is carried along a belt or as it enters the auger or elevator. EVERGREEN® Emulsifiable 60-6 may be used in combination with a registered fumigant for use on heavily infested stored products.

Conduct monthly inspections. If the top 2 or 3 inches of grain are infested, re-treat, applying at the rate of 1 to 2 gallons of diluted solution per 1,000 bushels of stored product.

FOR USE ON LIVESTOCK:

- 1) To kill and repel Gnats, Horn Flies, Houseflies, and Mosquitoes, dilute at the rate of 1 to 2 fluid ounces EVERGREEN® Emulsifiable 60-6 per gallon of water and apply to thoroughly wet the hair, paying special attention to topline, underline, flanks, withers, and other infested areas. Repeat treatment at intervals of 5 to 12 days for small insect populations or as needed when flies are emerging in large numbers.
- 2) To kill and repel Deer Flies, Horse Flies, and Stable Flies, dilute at the rate of 2 to 3 fluid ounces EVERGREEN® Emulsifiable 60-6 per gallon of water and apply diluted solution at rate of one (1) quart per adult animal to wet the hair thoroughly, paying special attention to the legs, flanks, barrel, topline, and other body areas commonly attacked by these flies. Repeat treatment each week as needed.
- 3) For effective control of biting and sucking lice on Cattle, Goats, Hogs, Horses, and Sheep, dilute EVERGREEN® Emulsifiable 60-6 at the rate of 1 quart with 75 gallons of water (1 fluid ounce with 2 gallons) and spray to thoroughly wet the hair of the animal, including the head and brush of the tail. Repeat treatment in 10 days to kill newly hatched lice.
- 4) To control poultry lice, dilute EVERGREEN® Emulsifiable 60-6 at the rate of 2 to 3 ounces per gallon of water. Thoroughly spray roosts, walls, and nests or cages. Then spray a fine mist over birds.
- 5) For control of Bedbugs and Mites on poultry and in poultry houses, dilute EVERGREEN® Emulsifiable 60-6 at the rate of 2 to 3 fluid ounces per gallon of water and spray crevices of roost poles, cracks in walls, and cracks in nests where Bedbugs and Mites hide. Then spray a fine mist over the birds.
- 6) To control sheep "tick" or ked, dilute EVERGREEN® Emulsifiable 60-6 at the rate of 1 to 2 fluid ounces per 4 gallons of water and thoroughly wet all portions of the body by dipping or spraying with sufficient pressure and with a nozzle adjustment to give penetration of the wool. Treat at a rate sufficient to wet the animal.

- 7) To kill Fleas and Ticks on livestock and pets and to obtain protection against reinfestation, dilute EVERGREEN® Emulsifiable 60-6 at the rate of 2 fluid ounces per gallon of water and wet the animal by dipping or spraying. For best results against fleas and ticks on dogs and cats, treat kennels and/or animal quarters and bedding.

FOR USE IN BARNs, DAIRIES, MILKING PARLORS, MILKING ROOMS, AND POULTRY HOUSES: To control Flies, Gnats and Mosquitoes, dilute EVERGREEN® Emulsifiable 60-6 at the rate of 2 fluid ounces per gallon of water. Apply as a fog or fine mist (at approximately 2 ounces per 1,000 cubic feet of space), directing the nozzle for maximum coverage of area. For best results, close doors and windows before spraying and keep them closed for 10 to 15 minutes. Applicator should vacate the treated area and ventilate it prior to returning. Repeat application as necessary.

[] Indicates alternate or optional wording

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage

Store in a cool, dry area. Post as a pesticide storage area. Always store pesticides in the original container. Store away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Place liquid formulations on lower shelves and dry formulations above.

Pesticide Disposal

To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

Container Handling

Nonrefillable container. Do not reuse or refill this container.

[For Plastic Containers:]

[For containers with capacities of 5 gallons or less:]

[Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.]

[For containers with capacities greater than 5 gallons:]

[Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.]

[For Metal Containers:]

[For containers with capacities of 5 gallons or less:]

[Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

[For containers with capacities greater than 5 gallons:]

[Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

