



PYROCIDE™ FORMULA 7013

July 20, 1970
U.S. DEPARTMENT OF AGRICULTURE
FEDERAL INSECTICIDE AND
ACARICIDE ADMINISTRATION
FOR THE REGISTRATION OF
PESTICIDES
EPA REG. NO. 1021-1104

1715 S.E. Fifth Street / Minneapolis, Minnesota

ACTIVE INGREDIENTS:

Pyrethrins	10.0
*Piperonyl butoxide, technical	10.0
Malathion (0,0-dimethyl dithiophosphate of diethyl crotono succinate)	10.0
**Methoxychlor, technical	10.0
***Carbaryl (1-naphthyl methylcarbamate)	10.0
Aromatic petroleum distillate	10.0
Petroleum distillate	10.0
INERT INGREDIENTS:	
	10.0
Total	100.00

*Consists of .40% (butylcarbonyl)(o-propylpiperonyl) ether and .10%
other related compounds.

**Equivalent to 7.33% 2,2-bis(p-ethoxyphenyl)-1,1,1-trichloroethane and
1.01% other isomers and reaction products.

***Insecticide Sevin - Union Carbide Corporation, U.S. Pat. No. 2,903,478.

DIRECTIONS FOR USE

FOR RE-PACKAGING AND MANUFACTURING ONLY

This product may not be re-sold under this label.

Label if allowed. Harmful if absorbed through the skin. Avoid contact with
vapor. Remove spillage from skin with soap and water. Wash thoroughly
with eye. Flush eyes with plenty of water. Remove contaminated clothing and
clothing, bathe and change to clean clothing. Do not eat, drink or work
with this material. Avoid contamination of food, feed and water.


NOTE TO PHYSICIAN: Both malathion and methoxychlor are anticholinergic. Atropine
is antidotal. 2 PAM is also antidotal and should be administered in
conjunction with atropine.

Mix contents in drum thoroughly. Store in a cool, dry place.
Keep container closed. Mix well in drum before sampling and each use.

Manufactured by

LAUGHLIN GORMLEY KING COMPANY
MINNEAPOLIS, MINN., U.S.A. 55417


USDA Reg. No. 1021-1104



1715 S.E. Fifth Street / Minneapolis, Minnesota

PYROCIDIC INTERMEDIATE 6779

USDA Reg. No. 1021-1107



ACTIVE INGREDIENTS:

Pyrethrins	5.00%
*Piperonyl butoxide, technical	10.00%
¹ N-octyl bicycloheptene dicarboximide	16.67%
**2,2-Dichlorovinyl dimethyl phosphate	31.62% ³¹⁰⁰
**Related compounds	2.38%
Petroleum distillate	30.93%
INERT INGREDIENTS: (Epichlorohydrin)	3.40%
Total	100.00%

*Consists of 8.0% (butylcarbityl)(6-propylpiperonyl) ether and 2.0% other related compounds.

¹MCK 264, Insecticide Synergist.

**From 34.00% dichlorvos, technical (DDVP).

DIRECTIONS FOR USE

FOR MANUFACTURING USE ONLY

This Intermediate is designed for use at the rate of 0.6% (wt.) in acceptable solvents for preparation of space sprays.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Wherever possible, DDVP formulations should be stored in full containers. Warm contents thoroughly to room temperature and agitate thoroughly in drum before use if this drum has been exposed to below freezing weather. Keep away from open flame. Keep containers tightly closed.

This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate feed or foodstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for protection against DDVP. Keep all unprotected persons out of operational area.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and keep him warm and quiet. Call a physician immediately. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

If on the skin, wash with large amounts of soap and water. If inhaled, remove the victim to fresh air. Keep him warm and quiet. Call a physician immediately.

Do not re-use empty drum. Return to drum reconditioner or destroy by perforation or crushing and burying in a safe place.

**2,2-Dichlorovinyl dimethyl phosphate	31.62%
**Related compounds	2.38%
Petroleum distillate	30.93%
INERT INGREDIENTS: (Epichlorohydrin)	3.40%
Total	100.00%

*Consists of 8.0% (butylcarbityl)(6-propylpiperonyl) ether and 2.0% other related compounds.

¹MKG 264, Insecticide Synergist.

**From 34.00% dichlorvos, technical (DDVP).

DIRECTIONS FOR USE

FOR MANUFACTURING USE ONLY

This Intermediate is designed for use at the rate of 0.6% (wt.) in acceptable solvents for preparation of space sprays.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Wherever possible, DDVP formulations should be stored in full containers. Warm contents thoroughly to room temperature and agitate thoroughly in drum before use if this drum has been exposed to below freezing weather. Keep away from open flame. Keep containers tightly closed.

This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate feed or foodstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for protection against DDVP. Keep all unprotected persons out of operational area.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and keep him warm and quiet. Call a physician immediately. Atopine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

If on the skin, wash with large amounts of soap and water. If inhaled, remove the victim to fresh air. Keep him warm and quiet. Call a physician immediately.

Do not re-use empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. This warranty is in lieu of all other warranties, express or implied, including warranties of merchantability and fitness for a particular purpose.

Manufactured by

MC LAUGHLIN GORMLEY KING COMPANY, MINNEAPOLIS, MINN., U.S.A. 55414

N-octyl bicycloheptene dicarboximide	16.67%
**2,2-Dichlorovinyl dimethyl phosphate	31.62%
**Related compounds	2.38%
Petroleum distillate	30.93%
INERT INGREDIENTS: (Epichlorohydrin)	3.40%
Total	100.00%

*Consists of 3.0% (butylcarbityl)(6-propylpiperonyl) ether and 2.0% other related compounds.

**MCK 264, Insecticide Synergist.

**From 34.00% dichlorvos, technical (DDVP).

DIRECTIONS FOR USE

FOR MANUFACTURING USE ONLY

This Intermediate is designed for use at the rate of 0.6% (wt.) in acceptable solvents for preparation of space sprays.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Wherever possible, DDVP formulations should be stored in full containers. Warm contents thoroughly to room temperature and agitate thoroughly in drum before use if this drum has been exposed to below freezing weather. Keep away from open flame. Keep containers tightly closed.

This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate feed or foodstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for protection against DDVP. Keep all unprotected persons out of operational area.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and keep him warm and quiet. Call a physician immediately. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

If on the skin, wash with large amounts of soap and water. If inhaled, remove the victim to fresh air. Keep him warm and quiet. Call a physician immediately.

Do not re-use empty drum. Return to drum reconditioner or destroy by perforating or crushing; and burying in a safe place.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under a normal condition, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. This warranty is in lieu of all other warranties, express or implied, including warranties of merchantability and fitness for a particular purpose.

Manufactured by

THE FACILEX GORLEY KING COMPANY, MINNEAPOLIS, MINN., U.S.A. 55414