

**ACCEPTED**

APR 16, 1971

UNDER THE FEDERAL PESTICIDE  
FUNGICIDE AND MOLLUSCICIDE ACT  
FOR ECONOMIC PEST CONTROL  
ED UNDER NO. 1021-1150 SUBJECT  
TO ATTACHED CONDITIONS

1715 S.E. Fifth Street / Minneapolis, Minnesota

**ACTIVE INGREDIENTS:**

Pyrethrins	1.0%
*Piperonyl butoxide, technical	1.2%
W-octyl bicycloheptene dicarbonimide	2.0%
**o-troponephenyl methylcarbamate	3.0%
***2,2-Dichlorovinyl dimethyl phosphate	4.7%
***Related compounds	.50%
Petroleum distillate	4.00%
<b>INERT INGREDIENTS:</b>	<b>60.90%</b>
Total	<b>100.00%</b>

1021-1150

\*Consists of 1.2% (butylcarbityl)(6-propylpiperonyl) ether and .3% other related compounds.

†MSK 264, Insecticide Synergist.

\*\*Baygon, U.S. Pat. No. 3,111,539.

\*\*\*From 5.1% (wt.) of dichlorvos, technical (DDVP).

**DIRECTIONS**

**FOR MANUFACTURING USE ONLY**

This Intermediate is designed for use at the rate of 10% with approved solvents and propellents in the preparation of roach and ant sprays for spot treatment. This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Wherever possible, DDVP formulations should be stored in full containers. Warm contents thoroughly to room temperature and agitate well in drum before sampling and each use, especially if this drum has been exposed to below freezing weather.

**WARNING FLAMMABLE** KEEP AWAY FROM HEAT OR OPEN FLAME. Keep containers tightly closed. **DANGER POISON**

This material is poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes, on skin, or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate feed or foodstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for protection against DDVP. Keep all unprotected persons out of operational area.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and keep him warm and quiet. Call a physician immediately. Atropine and 2-PAM is also antidotal and may be administered in conjunction with atropine.

If on the skin, wash with large amounts of soap and water. If inhaled, move victim to fresh air. Keep him warm and quiet. Call a physician immediately. Prolonged exposure will result in cholinesterase depression.

This product is toxic to fish, wildlife and birds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse drum. Dispose of drum through drum reconditioning service or by perforating or crushing and burying in a safe place.

consists of 1.1% (butylcellyl) (n-propylpiperonyl) ether and .5%  
other related compounds.  
\*MCK 264, Insecticide Synergist.  
\*\*Baygon, U.S. Pat. No. 3,111,539.  
\*\*\*For .1% (wt.) of dichlorvos, technical (DDVP).

#### DIRECTIONS

##### FOR MANUFACTURING USE ONLY

This intermediate is designed for use at the rate of 10% with approved solvents and propellants in the preparation of roach and ant sprays for spot treatment. This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Wherever possible, DDVP formulations should be stored in full containers. Warm contents thoroughly to room temperature and agitate well in drum before sampling and each use, especially if this drum has been exposed to below freezing weather.

**WARNING: FLAMMABLE** **KEEP AWAY FROM HEAT OR OPEN FLAME.** Keep containers tightly closed. **DANGER POISON**

**KEEP OUT OF REACH OF CHILDREN.**  
This material is poisonous if swallowed, inhaled, or absorbed through skin or eyes. Do not get in eyes, on skin, or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate feed or foodstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a mask or respirator of a type passed by the U.S. Department of Agriculture for protection against DDVP. Keep all unprotected persons out of operational area.

ANTIDOTE: If swallowed, give a tablespoonful of salt in a glass of warm water and repeat until vomit is clear. Have victim lie down and keep him warm and quiet. Call a physician immediately. Atropine is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

If on the skin, wash with large amounts of soap and water. If inhaled remove victim to fresh air. Keep him warm and quiet. Call a physician immediately. Prolonged exposure will result in cholinesterase depression.

This product is toxic to fish, wildlife and birds. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse drum. Dispose of drum through drum reconditioning service or by perforating or crushing and burying in a safe place.

Do not use in commercial food preparation areas or in edible products areas of food processing plants.

#### WARRANTY

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty, nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. This warranty is voided by all other warranties, express or implied, including warranties of merchantability and fitness for a particular purpose.