

Company

840 East Ave. N. Minneapolis, Minn. 55417

ACTIVE INGREDIENTS:

*d-trans-chrysanthenyl 2-methyl-4-hydroxy-3-methyl-2-cylohexanone	42.0%
Other inert	.03%
**Hyperpylorin, technical	2.50%
**Methyl 2-cyanoethylphosphorothioate	13.30%
**1,1,1-trichloro-2,2,2-trifluoroethane	9.50%
**Methyl 2-cyanoethylphosphorothioate	.50%
Inert	6.60%
INERT INGREDIENTS:	67.0%
Total	100.0%

- *3-isobutylthrin from Irgacel[®], Dow Chemical Co.
- **Equivalent to 2.5% (2-cyanoethyl)(2-propylthioethyl) ether and .5% related compounds.
- **Equivalent to 11.7% 2,2,2-trifluoro-1,1,1-trichloroethane and 1.0% other isomers and reaction products. U.S. Pat. No. 2,811,321.
- ***MSK repellent 574, technical. U.S. Pat. No. 2,893,749.

DIRECTIONS FOR USE
FOR FORMULATION OF INTERMEDIATES ONLY

This Intermediate is designed for use at 15% with solvents, deionized water and hydrocarbon propellants in the preparation of a water-based, pressurized particulate formulation. Specific density at 20°C: 1.173 (1.75 pounds per gallon). Reference MSK Interim Technical Bulletin on ESBJOL(-1).

Formulators who use this product are responsible for providing data to support their registration.

PRECAUTIONS

Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin and eyes. In case of spillage on skin, remove with soap and water. In case of contact with eyes, flush with plenty of water. Avoid contamination of feed and feedstuffs.

This product is toxic to fish. Do not contaminate any body of water by cleaning of equipment or disposal of wastes.

Do not re-use empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Mix contents well in drum before sampling and each use. Keep container closed when not in use. Store in a cool, dry place.

Manufactured by

MC LAURHIN GUNDEL KING COMPANY
MINNEAPOLIS, MINN., U.S.A. 55427

FPA Reg. No. 10-1-1729