

ACTIVE INGREDIENTS:

Ń

PYROCIDE® FOGGING CONCENTRATE 7206

For Application by Trained Personnel Only

TELEPHONE (612) 544 0341

For Use in Homes; Restaurants, Food Processing Plants, Warehouses, Industrial Installations and Outdoors.

32

62

81%

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427.

1007

Pyrethrins *Piperonyl butoxide, technical _N-octyl bicycloheptene dicarboximide Petroleum distillate

*Equivalent to 4.8% (butylcarbityl)(6-propylpiperonyl) ethers and 1.2% related compounds. _HIGK-264, Insecticide Synergist.

DIRECTIONS FOR USE

<u>General</u>: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size, such as the LECC Mini ULV or Micro-Gen Micron Generator. It can be diluted with refined kerosenes which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

<u>Space Spray - Undiluted in Aerosol Generators - to Kill Flies, Mosquitoes, Snall</u> <u>Flying Moths and Gnats:</u> Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 ounce of undiluted Concentrate per 1000 cu. ft. of space. Direct output from aerosol generator upward toward upper corners of room and ceiling. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry.

<u>Space Spray - Diluted for Ordinary Nechanical Fogging Equipment - To Kill Flies,</u> <u>Mosquitoes, Small Flying Noths and Gnats:</u> Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl oz. dilute spray (0.4 gal.) per 25,000 cu. ft. of space. Direct fog upward toward upper corners of room and ceiling area. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry.

Contact Spray - Diluted for Use with Sprayers that Give Large, Netting Spray Particles to Kill Cockroaches and Accessible Stages of Granary Insects: Granary Neevils, Rice Weevils, Confused Flour Beetles, Red Flour Beetles, Meal Moth Larvae and Adults, Cadelles, Grain Mites and Saw-Toothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain birs, flooring, about base of milling machinery, valls and baseboards, area behind cabinets, around pipes and other insect harbourages using 1 gallon spray per 1000 sq. ft. of space. Force spray into all cracks and crevices. Repeat application as necessary. <u>Contact and Space Spray - Undiluted - to Fill Cockroaches, Silverfish, Earwigs,</u> <u>Ants, Spiders, in Sheltered Situations:</u> With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 1/2 fl. oz. per 1,600 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

To Kill Flies, Hosquitoes and Gnats in and around Feedlots and Other Outdoor Areas: When properly used, this formulation will control house flies, stable flies, mosquitoes and gnats in feedlots. Use this concentrate undiluted. Apply when the temperature is cool (75°F or less) and the wind velocity is between 5 and 10 mph. Using the recommended equipment, spray at a dosage rate of 6 ounces per minute upwind of the area to be controlled. Also, good sanitation practices must be maintained in addition to spraying.

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas, apply only when the facility is not in operation.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before re-use.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Mix well in drum before sampling and each use. DO NOT POUR OR SPILL NEAR OPEN FLAME.

<u>NOTE</u>: This spray when diluted properly as described and applied per the directions and cautions given above conforms with Food Additive Regulation 21 CFR 172.884 and the food additive tolerances established thereunder.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

<u>Pesticide Disposal</u>: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

<u>Container Disposal</u>: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Net Contents or

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis MN 55427

EPA Reg. No. 1021-1301

EPA Est. No. 1021-MN

<u>1</u>

:h

14

)S

.

١Ż

ie ib

Ι**Π**

İS

S

9

įΣ,

n

n r


f

P

a' o

Ľ

e



32

107

[4] : : (1

 $\overline{\mathbf{D}}$

OCT 1 5 1994

ACTIVE INGREDIENTS: 1007. Pyrethrins *Piperonyl butoxide, technical ¹N-octyl bicycloheptene dicarboximide Petroleum distillate

(

*Equivalent to 4.8% (butylcarbityl)(6-propylpiperonyl) ethers and 1.2% related compounds. HKK-264, Insecticide Synergist.

DIRECTIONS FOR USE

<u>General</u>: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size, such as the LECO Mini ULV or Micro-Gen Micron Generator. It can be diluted with refined kerosenes which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than serosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

<u>Space Spray - Undiluted in Aerosol Generators - to Kill Flies, Mosquitoes, Small</u> <u>Flying Moths and Gnats</u>: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 ounce of undiluted Concentrate per 1000 cu. ft. of space. Direct output from serosol generator upward to ward upper corners of room and ceiling. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry.

<u>Space Spray - Diluted for Ordinary Hechanical Fogging Equipment - To Kill Flies,</u> <u>Hosquitoes, Small Flying Noths and Gnats:</u> Cover or remove exposed food and foud handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gal.) per 25,000 cu. ft. of space. Direct fog upward toward upper corners of room and ceiling area. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry.

Contact Spray - Diluted for Use with Sprayers that Give Large, Netting Spray Particles to Kill Cockroaches and Accessible Stages of Grenery Insects: Granary Neevils, Rice Weevils, Confused Flour Beetles, Red Flour Beetles, Meal Moth Larvae and Adults, Cadelles, Grain Mites and Saw-Toothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, area behind cabinets, around pipes and other insect harbourages using 1 gallon spray per 1000 sq. ft. of space. Force spray into all cracks and crevices. Repeat application as pecessary. Ants, Spiders, in Sheltered Situations: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 1/2 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

To Kill Flies, Mosquitoes and Gnats in and around Feedlots and Other Outdoor Areas: When properly used, this formulation will control house flies, stable flies, mosquitoes and gnats in feedlots. Use this concentrate undiluted. Apply when the temperature is cool (75°P or less) and the wind velocity is between 5 and 10 mph. Using the recommended equipment, spray at a dosage rate of 6 ounces per minute upwind of the area to be controlled. Also, good sanitation practices must be maintained in addition to spraying.

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Pood should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas, apply only when the facility is not in operation.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before re-use.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Mix well in drum before sampling and each use. DO NOT POUR OR SPILL NEAR OPEN FLAME.

NOTE: This spray when diluted properly as described and applied per the directions and cautions given above conforms with Food Additive Regulation 21 CFR 172.884 and the food additive tolerances established thereunder.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

<u>Pesticide Disposal</u>: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

<u>Container Disposal</u>: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Net Contents

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis MN 55427

EPA Reg. No. 1021-1301

EPA Est. No. 1021-MN