

United States Environmental Protection Agency

Ms. Julie B. Schlekau, Registration Specialist
McLaughlin Gormley King Co.
8810 Tenth Avenue North
Minneapolis, MN 55427-4372

JAN 12 2004

Subject: Submission of an amendment in accordance to PR Notices 2001-1.
Product Name: Pyroicide Fogging Concentrate 7206
Registration Number: 1021-1301

Dear Ms. Schlekau;

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

1. Revise the Hazards to Humans and Domestic Animals statements as follows:
"Harmful if swallowed inhaled or absorbed through the skin. Do not get in eyes, on skin, or on clothing. Remove and wash contaminated clothing before reuse, Avoid breathing vapor or spray mist. Causes moderate eye irritation. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration and the National Institute for Occupational Safety and Health under the provisions of 30 CFR part II. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco."

A stamped copy is enclosed for your records. If you have any questions, you may contact Richard J. Gebken, at (703) 305-6701.

Sincerely,



Linda Arrington
Acting Product Manager 10
Insecticide Branch
Registration Division (7505C)

001021-01301 5748184.wpd

CONCURRENCES

SYMBOL	H7505C							
SURNAME	RGEBKEN							
DATE	Jan 12, 2004							

MGK®
McLAUGHLIN
GORMLEY
KING COMPANY

PYROCIDE® Fogging Concentrate 7206

RECOMMENDED FOR COMMERCIAL OR INDUSTRIAL USE

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

For use in Homes, Restaurants, Food Processing Plants, Warehouses, Industrial Installations.

ACTIVE INGREDIENTS:

Pyrethrins-----	3.00%
* Piperonyl butoxide, Technical-----	6.00%
** N-Octyl bicycloheptene dicarboximide-----	10.00%

*** OTHER INGREDIENTS-----

81.00%

* Equivalent to 04.80% (butylcarbityl) (6-propylpiperonyl) ether and 01.20% related compounds.

** MGK® 264, Insecticide Synergist

*** Contains Petroleum Distillate

PYROCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Co.

ACCEPTED
with COMMENTS
In EPA Letter Dated

JAN 12 2004

Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under EPA Reg. No.

1021-1301

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: This product contains petroleum distillate and may pose an aspiration pneumonia hazard. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Wearing a respirator if product will be confined to indoor use.

Remove pets, birds, and cover fish aquariums before spraying.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product may not be used to formulate products for the following uses: 1) food producing livestock - direct applications to meat and dairy animals, treatment of occupied premises or when animal food or feed is present, 2) growing crops- edible crops and pre- and postharvest sprays, 3) fumigated commodities and 4) aquatic uses.

GENERAL: This concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size. It can be diluted with refined kerosenes which meet Food Additive Regulation 21 CFR 172.884 and can be applied in fogging equipment that gives larger than aerosol particle size. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

SPACE SPRAY - UNDILUTED IN AEROSOL GENERATORS - TO KILL FLIES, GNATS, MOSQUITOES AND SMALL FLYING MOTHS: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 ounce of undiluted concentrate per 1,000 cubic feet of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for 1/2 hour. Ventilate room thoroughly before reentry.

SPACE SPRAY - DILUTED FOR ORDINARY MECHANICAL FOGGING EQUIPMENT - TO KILL FLIES, GNATS, MOSQUITOES AND SMALL FLYING MOTHS: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute concentrate with oil at the rate of 1 part of concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gal.) per 25,000 cu. ft. of space. Direct fog upward toward upper corners of room and ceiling. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry.

CONTACT SPRAY - DILUTED FOR USE WITH SPRAYERS THAT GIVE LARGE, WETTING SPRAY PARTICLES TO KILL COCKROACHES AND ACCESSIBLE STAGES OF GRANARY INSECTS:

CADELLES, CONFUSED FLOUR BEETLES, GRAIN BEETLES, GRANARY WEEVILS, MEAL MOTH LARVAE AND ADULTS, RED FLOUR BEETLES, RICE WEEVILS, SAW-TOOTHED GRAIN BEETLES: Cover or remove exposed food and close room as described above. Dilute concentrate with oil at the rate of 1 part of concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, flooring about base of milling machinery, walls and baseboards, area behind cabinets, around pipes and other insect harborages using 1 gallon of spray per 1,000 sq. ft. of space. Force spray into all cracks and crevices.

CONTACT AND SPACE SPRAY - UNDILUTED - TO KILL ANTS, COCKROACHES, EARWIGS, SILVERFISH, SPIDERS, IN SHELTERED SITUATIONS: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at the dosage rate of approximately 1/2 fl. oz. per 1,000 cu. ft. of room space. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

NOTE: This spray when diluted properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 21 CFR 172.884 and the Food Additive tolerances established thereunder.

Mix well in drum before sampling and each use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

Net Contents _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-1301

EPA Est. No. 1021-MN-2