

[1021-1301] - 2 pages

PYROCYDE FOGGING CONCENTRATE 7206


For Application by Trained Personnel Only

For Use in Homes, Restaurants, Food Processing Plants, Warehouses, Industrial Installations and Outdoors



681 North Avenue N., Minneapolis, Minn. 55427

ACTIVE INGREDIENTS:	100%	
Pyrethrins		3%
*Piperonyl butoxide, technical		6%
*N-octyl bicyclohexane dicarboximide		10%
Petroleum distillate		81%
*Equivalent to 4.3% (butylcarbityl)(6-propylpiperonyl) ether and 1.2% related compounds.		
*MSK 264, Insecticide Synergist.		



1021-1301

DIRECTIONS FOR USE

General: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size, such as the MCO Mini HLV or Micro-Cen Micron Generator. It can be diluted with refined kerosene which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Micro-fog or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Spray - Diluted in Aerosol Generators - to Kill Flies, Mosquitoes, Spiders, and other insects: Lower or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for 1 hour. Ventilate room thoroughly before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

Space Spray - Diluted in Fogging Equipment - to Kill Flies, Mosquitoes, Spiders, and other insects: Lower or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gal.) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for 1 hour. Ventilate room thoroughly before re-entry.

Contact Spray - Diluted for Use with Sprayers that Give Large Droplet Spray Particle Size: Lower or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, floors, along base of milling machinery, walls and boardwalk, and behind cabinets, around pipes and other insect harborage using 1 gal. spray per 1000 sq. ft. of space. Spray into all cracks and crevices. Repeat application as necessary.

[1021-1301] Pyrocyde Fogging Concentrate 7206 (continues)

Contact and Space Spray - Diluted - to Kill Cockroaches, Silverfish, Parasitic Fleas, Spiders, in sheltered situations: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 1/2 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

To Kill Flies, Mosquitoes and Gnats in and around Feedlots and Other Outdoor Areas: When properly used, this formulation will control house flies, stable flies, mosquitoes and gnats in feedlots. Use this concentrate undiluted. Apply when the temperature is cool (75°F or less) and the wind velocity is between 5 and 10 mph. Using the recommended equipment, spray at a dosage rate of 6 ounces per minute upwind of the area to be controlled. Also, good sanitation practices should be maintained in addition to spraying.

PRECAUTIONS

Harmful if swallowed. Food should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. When using the product in these areas, apply only when the facility is not in operation.

Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and water before re-use.

Remove pets, birds and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not apply when weather conditions favors drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Do not re-use empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Mix well in drum before sampling and each use. Keep container closed and store in a cool place. DO NOT LOCK OR SPILL NEAR OPEN FLAME.


Note: This spray when diluted properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereunder.

Manufactured by

MC LAUGHLIN GORMLEY KING COMPANY
Minneapolis, Minn., U.S.A. 55427

EPA Reg. 1021-1301

EPA Est. 1021-130-1



[1021-1302]



DIRECTIONS FOR USE

Because of the small micron size particles emitted from the MICRO-GEN, Mist Loco or other cold aerosol foggers, this dual sprayed insecticide formula- tion is extremely effective on those insects listed. The small particle size permits greater insecticide contact than previously at- tainable by other methods of space spraying.

Prior to application, close all doors and windows. Turn off air-condition- ing or ventilating systems. Cover or move all food and food handling surfaces.

Space Spray to Kill Fleas, Mosqui- toes, Small Flying Nests and Gnats: Using a spraying device similar to the Micro-Gen or Mist Loco, apply 1/2 ounce per 1,000 cu. ft. of room space. The applicator should be cen- trally located or move around the room as necessary to achieve uni- form distribution of the insecticide mist. Vacate premises and leave room closed for one hour. Ventilate room thoroughly prior to re-entry. Repeat as necessary for control.

Use Spray to Kill Bees, Silverfish, Washburn, Zebra, Aka, Spiders, and Bees in Sheltered Structures: With equipment de- scribed above, apply the spray into all cracks and crevices in wood- work, walls, floors, underneath slabs, belted pipes and in all places where these insects shelter. Control

Aug. 15, 1976

1021-1302

ACCEPTED



PYROCID® Fogging Formula 7207

For Use in Meat, Poultry, Egg, and Rabbit Processing Plants
This sprayed pyrethrin insecticide formulation is especially designed for use in Meat, Poultry, Egg and Rabbit Processing Plants. It may also be used in other indoor facilities where the below-named insects are present.

ACTIVE INGREDIENTS:

- Pyrethrins 100%
- Piperonyl butoxide, technical 2.0%
- N-octyl bicycloheptene dicarboximide 2.5%
- Petroleum distillate 8.0%
- Mineral Oil 88.0%

Equivalent to 2.6% Deltamethrin 0.5% Residual emulsifier

EPA Reg. 1021-1302 EPA Est. 1021-302-1

CAUTION

as many insects as possible. Do not allow spray to contact stored food. Repeat damage as necessary for control. Leave tag rolling closed, for one hour. Do not remain in treated areas and ventilate area before re-entry.



CAUTION

Keep Out of Reach of Children

Harmful if swallowed. Do not apply directly to food. Cover or remove any food and food processing equipment during applica- tion. Do not apply while food processing is underway. After spraying in meat packing plants, bakeries and other food process- ing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. Use a respirator approved by the U.S. Bureau of Mines.

Remove pets, birds and cover fish aquariums before spraying. Do not re-use empty drum. Re- turn to drum recycler or destroy by perforating or crushing and burying in a safe place.

Warm to room temperature and mix well in container before each use. Keep container closed and store in a cool place. DO NOT POUR OR SPILL NEAR OPEN FLAME