

021-1302

6/29/2004

1/2

7207-504



PYROCID® FOGGING FORMULA 7207

For use in Meat, Poultry, Egg, and Rabbit Processing Plants

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

This synergized-pyrethrins insecticide formulation is especially designed

ACTIVE INGREDIENTS:

Pyrethrins	2.00%
* Piperonyl butoxide, Technical	2.50%
** N-Octyl bicycloheptene dicarboximide	2.50%
OTHER INGREDIENTS	93.00%
	100.00%

- * Equivalent to 02.0% (butylcarbityl) (6-propylpiperonyl) ether and 00.50% related compounds.
- ** MGK® 264, Insecticide Synergist

PYROCID®, MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 for an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, and then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate - vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed, inhaled, or absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

If product will be confined to indoor use, use either a respirator with an organic-vapor-removing cartridge with a prefilter approved for pesticides (MSHA/NIOSH approval number prefix TC-23C), or a canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or a NIOSH approved respirator with an organic vapor (OV) cartridge or canister with any R, P, or HE prefilter.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Because of the small, micron-size particles emitted from cold aerosol foggers, this dual-synergized insecticidal formulation is extremely effective on the insects listed. The small particle size permits greater insect-insecticide contact than previously attained by other methods of space spraying.

Prior to application, close all doors and windows. Turn off air-conditioning or ventilating systems. Cover or remove all food and food handling surfaces.

Space Spray to Kill Flies, Gnats, Mosquitoes and Small Flying Moths: Use a mechanical sprayer that gives particles of aerosol size. Apply 1/2 fluid ounce per 1,000 cubic feet of room space. The applicator should be centrally located or move around the room as necessary to achieve uniform distribution of the insecticide mist. Vacate premises and leave room closed for one hour. Ventilate room thoroughly before re-entry. Repeat as necessary for control.

Contact Spray to Kill Ants, Beetles, Cockroaches, Earwigs, Waterbugs, Silverfish and Spiders in Sheltered Situations: With equipment described above, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat dosage as necessary for control. Leave the room closed for one hour. Do not remain in treated areas and ventilate area before re-entry.

Mix well in drum before sampling and each use.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

Net Contents _____
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1302

EPA Est. No. 1021-MN-2

ACCEPTED

JUN 29 2004

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 1021-1302