

1021-1306

4/29/2003

Page 182

7211-902

**MIGK** McLAUGHLIN  
GORMLEY  
KING COMPANY

PYROCID® Fogging Concentrate 7211

RECOMMENDED FOR COMMERCIAL OR INDUSTRIAL USE

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (763) 544-0341

For use in Homes, Restaurants, Industrial Installations, Dairy and Beef Barns, Poultry Houses and Swine Housing, Feedlots.

ACTIVE INGREDIENTS:

- Pyrethrins -----
- Piperonyl butoxide, Technical -----

\*\* OTHER INGREDIENTS -----

- Equivalent to 06.00% (butylcarbityl) (6-propylpiperonyl) ether and 01.50% related compounds.
- \*\* Contains Petroleum Distillate

PYROCID® - Registered trademark of McLaughlin Gormley King Co.

**ACCEPTED**

APR 29 2003

1.50%  
7.50%  
91.00%

Under Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1306

KEEP OUT OF REACH OF CHILDREN  
**CAUTION**

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> <li>• Immediately call a poison control center or doctor.</li> <li>• Do not give any liquid to the person.</li> <li>• Do not induce vomiting unless told to do so by a poison control center or a doctor.</li> <li>• Do not give anything by mouth to an unconscious person.</li> </ul>
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> <li>• Take off contaminated clothing.</li> <li>• Rinse skin immediately with plenty of water for 15-20 minutes.</li> <li>• Call a poison control center or doctor for treatment advice.</li> </ul>
IF IN EYES:	<ul style="list-style-type: none"> <li>• Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> <li>• Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li> <li>• Call a poison control center for treatment advice.</li> </ul>
IF INHALED:	<ul style="list-style-type: none"> <li>• Move person to fresh air.</li> <li>• If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.</li> <li>• Call a poison control center or doctor for further treatment advice.</li> </ul>
NOTE TO PHYSICIAN: This product contains petroleum distillate and may pose an aspiration pneumonia hazard. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Wear a respirator if product will be confined to indoor use.

Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs.

Do not apply directly to food, water or feed supplements. Do not contaminate milk or milk handling equipment. Wash udder and teats of dairy animals before milking.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

2/2

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

**DIRECTIONS FOR USE**

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**GENERAL:** This concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size. It can be diluted with refined kerosenes which meet Food Additive Regulation 21 CFR 172.884 and can be applied in fogging equipment that gives larger than aerosol particle size. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

**FOR USE IN HOMES, INDUSTRIAL INSTALLATIONS AND RESTAURANTS:** Space Spray - Undiluted in Aerosol Generators - to kill Flies, Gnats, Mosquitoes and Small Flying Moths: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 0.5 ounce of undiluted concentrate per 1,000 cubic feet of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for 1/2 hour. Do not remain in treated areas. Ventilate room thoroughly before re-entry.

Space Spray - Diluted For Ordinary Mechanical Fogging Equipment - to kill Flies, Gnats, Mosquitoes And Small Flying Moths: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute concentrate with oil at the rate of 1 part concentrate plus 14 parts of oil and mix well. Apply at the rate of 50 fluid ounces of dilute spray (0.4 gallon) per 25,000 cubic feet of space. Direct fog upward toward upper corners of room and ceiling. Leave room closed for 1/2 hour. Do not remain in treated areas. Ventilate room thoroughly before re-entry.

Contact Spray - Diluted for use with Sprayers that give large, wetting spray particles to kill Accessible Stages of Granary Insects and Cockroaches: Cadellies, Confused Flour Beetles, Indian Meal Moth Adults and Larvae, Grain Mites, Granary Weevils, Red Flour Beetles, Rice Weevils, Rust Grain Beetles and Saw-Toothed Grain Beetles: Cover or remove exposed food and close room as directed above. Dilute concentrate with oil at the rate of 1 part of concentrate plus 14 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harborages using 1 gallon of spray per 1,000 square feet of space. Force spray into all cracks and crevices.

**FOR USE IN POULTRY HOUSES, DAIRY AND BEEF BARN, SWINE HOUSING:** Space Spray - Use Undiluted or Diluted for use in aerosol generators to kill Exposed Cockroaches, Flies, Mosquitoes and Small Flying Moths: Cover or remove exposed food and watering troughs and close house or barn as tightly as possible. Apply undiluted at the rate of 0.5 ounces per 1,000 cubic feet of space. May also be diluted with refined kerosene at 1 part concentrate plus 2 parts kerosene and applied at the rate of 1.5 fluid ounces of dilute spray per 1,000 cubic feet of space. Direct fog upward toward upper corner of room and ceiling area. Keep closed for 1/2 hour and ventilate thoroughly prior to re-entry.

Space Spray - Diluted for ordinary mechanical fogging equipment to kill Flies, Gnats, Mosquitoes and Small Flying Moths: Prepare for application as above. Dilute concentrate with refined kerosene at the rate of 1 part concentrate plus 14 parts of refined kerosene and mix well. Apply at the rate of 50 fluid ounces dilute spray (0.4 gallon) per 25,000 cubic feet of space above animals. Direct fog upward toward upper corners of room and ceiling. Vacate room and leave closed for 1/2 hour.

For use around Feedlots to Kill Flies, Gnats, Mosquitoes and Small Flying Moths: Apply undiluted using ULV aerosol generators emitting particles of aerosol size. Apply when wind is 5 m.p.h. or less. Apply at the rate of 10 ounces per minute over no more than a 300-foot swath. If machine is vehicle-mounted, the speed should be maintained at 5 m.p.h. Information on determination of droplets size will be made available upon request.

Mix well in drum before sampling and each use.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

Net Contents \_\_\_\_\_

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427