



PYROCIDE® FOGGING CONCENTRATE 7210

For Use in Homes, Restaurants, Food Processing Plants, Warehouses, and Industrial Installations, Feedlots, Barns.

8810 Leath Avenue N Minneapolis, Minnesota 55427

TELEPHONE (612) 544-0143

ACTIVE INGREDIENTS:

100%

Pyrethrins	1.50%
*Piperonyl butoxide, technical	3.00%
‡N-octyl bicycloheptene dicarboximide	5.00%
Petroleum distillate	90.50%

*Equivalent of 2.4% (butylcarbityl)(6-propylpiperonyl) ether and .60% related compounds.
‡MGK 264, Insecticide Synergist.

OCT 15 1964
1021-1307

DIRECTIONS FOR USE

General: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size.

INDOOR USE:

Kills the Accessible Stages of INDIAN MEAL MOTH, DRIED FRUIT BEETLE, and CONFUSED FLOUR BEETLE: in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use an aerosol spraying device to dispense this product. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cu. ft. of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.

Kills the Accessible Stages of RICE WEEVIL, YELLOW MEALWORM CADELLE, CONFUSED FLOUR BEETLE, SAW-TOOTHED GRAIN BEETLE, ANGOUMOIS GRAIN MOTH, MEDITERRANEAN FLOUR MOTH, and INDIAN MEAL MOTH in food warehouses, storage rooms and similar areas. Close room or warehouse and shut off all ventilating systems. Use an aerosol spraying device to direct spray into corners, under pallets and around stacks of packaged goods, hitting as many insects as possible. Then spray at the rate of one fluid ounce of spray per 1,000 cu. ft. of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using an approved product intended for this purpose.

To Kill ROACHES, SILVERFISH, EARWIGS, ANTS, and SPIDERS: Apply in aerosol generator equipment adjusted to coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Contact as many insects as possible. Do not allow spray to contact stored food.

OUTDOOR USE:

To Kill FLIES, ADULT MOSQUITOES and GNATS in Open Areas and Feedlots: Use undiluted at a time when the temperature is cool (75°F or less) and the wind velocity is approximately 5 mph. With ULV aerosol equipment, spray at a dosage rate of 10 ounces per minute upwind of the area to be controlled. Treat shrubbery and vegetation where mosquitoes may rest. Shrubby and vegetation around stagnant pools, marshy areas, and ponds may be treated. Application of this product to any body of water is prohibited.

If the equipment is truck-mounted, keep the speed at approximately 5 mph and treat a swath width of no more than 300 feet. Machines that could be used should produce particles in the 5 to 30 micron range. The name of a company that determines droplet size will be supplied on request.

CAUTION
KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against this material. Wear protective clothing. Wash hands, arms and face with soap and water after handling and before re-use.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Remove pets, birds, and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of any body of water. Do not apply when weather conditions favor drift from areas treated. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Mix well in drum before sampling and each use. DO NOT POUR OR SPILL NEAR OPEN FLAME.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Net Contents _____

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis MN 55427