



[1021-1310]



PYROTHIN FOGGING FORMULA 7216

For Use in Homes, Restaurants, Food Processing Plants, Warehouses, Industrial Installations and Outdoors.

FOR APPLICATION BY TRAINED PERSONNEL ONLY

8810 Teledale Avenue N. Minneapolis, Minnesota 55427

ACTIVE INGREDIENTS:	100%	
Pyrethrin		1.00%
*Piperonyl butoxide, technical		5.00%
Petroleum distillate		94.00%

\*Equivalent to 4.0% (Butylcarbityl) (6-propylpiperonyl) ether and 1.0% related compounds.

DIRECTIONS FOR USE

General: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size. It can be diluted with refined kerosene or mineral oil which meet food additive regulation 121.1102 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger models. It can also be diluted with oil specified above and applied as a contact spray to kill certain insects shown later on this label.

Note: This spray when used properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1205 and the food additive tolerances established thereafter.

Kills the feed-storable stages of INDIAN MEAL MOTHS, BROWN BOTTLE BEETLE, and CONFUSED FLOUR BEETLE in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use ULV aerosol equipment to dispense this product. Do not spray directly on dried fruit. Direct spray into areas of the room frequented by these insects, hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 10,000 cubic feet of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective means using an approved product intended for this purpose.

Kills the feed-storable stages of RICE WEevil, YELLOW MEALMOTH, CONFUSED FLOUR BEETLE, SAWTOOTH BEETLE, and other stored product insects in food warehouses, storage rooms and similar areas. Close room or warehouse and shut off all ventilating systems. Use a ULV aerosol generator. Direct spray into corners, under pallets and around stacks of packaged goods. Hitting as many insects as possible. Then spray at the rate of one fluid ounce of spray per 1,000 cubic feet of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using an approved product intended for this purpose.

To Kill ROACHES, SPIN TRIERS, NA MEALS, and SPINERS. Apply in all areas where they are likely to occur. Apply the spray into all cracks and crevices, in wallboards, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat treatment as necessary for control.

To Kill FLIES, MOSQUITOES and GNATS in open areas. Use as a treatment when the temperature is cool (75° to 100°) and the wind velocity is 1-3 mph. Use ULV aerosol equipment, spray at a dosage rate of 15 ounces per acre to control the insects to be controlled.

If the equipment is truck mounted, keep the speed at approximately 5 mph and treat a swath width of no more than 300 feet.

CAUTION
KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Do not breathe spray mist. Wear mask or respirator of a type recommended by the U.S. Bureau of Mines to give adequate protection against irritants. Wear protective clothing. Wash hands, arms and face with soap and water after handling, and before eating. Wash all contaminated clothing with soap and water before re-use. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before use. Do not apply the product in these areas, applying only when the necessity is indicated.

Remove pets, birds, and cover fish aquariums before spraying.

This product is toxic to fish. Keep out of lakes, streams, or ponds. Do not apply under weather conditions favoring drift from areas treated. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse drum. Return to drum reconitioner or destroy by perforating or crushing and burying in a safe place.

Mix well in container before each use. Keep container closed and store in a cool place. DO NOT POUR OR SPILL NEAR OPEN FLAME.

Manufactured by
MC LAUGHLIN GORMLEY KING COMPANY
MINNEAPOLIS, MINN., U.S.A. 55427