



8810 Tenth Avenue N., Minneapolis, Minnesota 55427

PYROCIDE® Fogging Formula 7216

For Application by Trained Personnel Only

For Use in Homes, Restaurants, Food Processing Plants, Warehouses, Industrial Installations including: Schools, Offices, Theatres, Hotels, Motels, Hospitals, Kennels, Poultry Houses and Other Animal Holding Areas and Outdoors.

TELEPHONE (612) 544-0341

ACTIVE INGREDIENTS:

Pyrethrins	1.00%
*Piperonyl butoxide, technical	5.00%
Petroleum distillate	94.00%
	<u>100.00%</u>

*Equivalent to 4.00% (butylcarbityl)(6-prppylpiperonyl) ether and 1.00% related compounds.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Statement of Practical Treatment

- IF SWALLOWED:** Consult a physician or Poison Control Center. Do not induce vomiting because of aspiration hazard.
- IF IN EYES:** Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN:** Wash contaminated skin with soap and warm water. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTSHazards to Humans and Domestic Animals

May be harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration hazard. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs. After spraying in meat packing plants, bakeries and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled.

Do not breathe spray mist. Wear protective clothing. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II. Wash hands, arms and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use.

When using in animal housing areas, do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds and cover fish aquariums before spraying.

Environmental Hazards

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

General: This Concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size. It can be diluted with refined kerosenes or mineral oil which meet Food Additive Regulation 172.884 and can be applied in fogging equipment that gives larger than aerosol particle size, such as the Microsol or Challenger machines. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

Note: This spray, when used properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075, and 121.1205 and the food additive tolerances established thereafter.

FOR USE IN HOMES, RESTAURANTS AND INDUSTRIAL INSTALLATIONS: Space Spray: Kills the Accessible Stages of Indian Meal Moth, Dried Fruit Beetle, and Confused Flour Beetle in dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use ULV aerosol equipment to dispense this product. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cubic feet of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using approved product intended for this purpose.

USE IN DAIRY AND BEEF BARNS, HORSE BARNS, POULTRY, HOUSES, SWINE HOUSING: Space Spray: For Use In Aerosol Generators To Kill Flies, Mosquitoes, Gnats, Small Flying Moths and Exposed Cockroaches: Cover or remove exposed food and watering troughs and close house or barn as tightly as possible. Spray at the rate of .5 fl. oz. per 1,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Keep closed for one half hour and ventilate thoroughly prior to re-entry.

Kills the Accessible Stages of Rice Weevil, Yellow Mealworm Cadelle, Confused Flour Beetle, Saw-toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth in food warehouses, storage rooms and similar areas. Close room or warehouse and shut off all ventilating systems. Use a ULV aerosol generator. Direct spray into corners, under pallets and around stacks of packaged goods, hitting as many insects as possible. Then spray at the rate of one fluid ounce of spray per 1,000 cubic feet of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using an approved product intended for this purpose.

Contact Spray: To Kill Roaches, Silverfish, Earwigs, Ants and Spiders. Apply in ULV or similar equipment adjusted to coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat treatment as necessary for control.

To Kill Flies, Mosquitoes and Gnats in open areas. Use at a time when the temperature is cool (75° to less) and the wind velocity is approximately 5 mph. With ULV aerosol equipment, spray at a dosage rate of 15 ounces per minute upwind of the area to be controlled. If the equipment is truck mounted, keep the speed at approximately 5 mph. and treat a swath width of no more than 300 feet.

Mix well in container before each use.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Net Contents _____
Manufactured by:
MC LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis MN 55427

ACCEPTED

MAY 24 1988
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1310