

# MGK<sup>®</sup> McLAUGHLIN GORMLEY KING COMPANY

## PYROCIDE<sup>®</sup> FOGGING CONCENTRATE 7216

RECOMMENDED FOR COMMERCIAL OR INDUSTRIAL USE

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

For Application in Homes, Restaurants, Food Processing Plants, Warehouses, Industrial Installations including: schools, offices, theatres, hotels, motels, hospitals, kennels, poultry houses and other animal holding areas and outdoors.

**ACTIVE INGREDIENTS:**

Pyrethrins.....	1.00%
*Piperonyl butoxide, Technical.....	5.00%
**INERT INGREDIENTS.....	94.00%
	100.00%

\*Equivalent to 04.00 % (butylcarbityl) (6-propylpiperonyl) ether and 01.00 % related compounds.

\*\*Contains petroleum distillate

PYROCIDE<sup>®</sup> - Registered trademark of McLaughlin Gormley King Co.

**KEEP OUT OF REACH OF CHILDREN**

### CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs. Wearing a respirator if product will be confined to indoor use.

Do not apply space spray while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. Food processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above in those establishments which do NOT operate under Federal meat, poultry, shell egg grading and egg products inspection programs.

Do not apply directly to food, water or feed supplements. Do not apply directly to animals. Wash teats of dairy animals before milking.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish and other aquatic invertebrates. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public water unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL: This concentrate is designed for use undiluted in mechanical sprayers which give particle size of aerosol size. It can be diluted with refined kerosenes or mineral oil which meet Food Additive Regulation 172.884 and can be applied in fogging equipment that gives larger than aerosol particle size. It can also be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

NOTE: This spray, when used properly as described, and applied per the directions and cautions given above, conforms with Food Additive Regulations 121.1074, 121.1075, and 121.1205 and the food additive tolerances established thereafter.

FOR USE IN HOMES, RESTAURANTS AND INDUSTRIAL INSTALLATIONS: Space Spray: Kills the Accessible Stages of Confused Flour Beetle, Dried Fruit Beetle and Indian Meal Moth: In dried fruit products storage areas or processing areas. Close room or warehouse and shut off all ventilating systems. Use ULV aerosol equipment to dispense this product. Do not apply to dried fruit directly. Direct spray into areas of the room frequented by these insects hitting as many insects as possible. Then spray into the air above the trays at a rate of 1/2 gallon of spray per 50,000 cubic feet of space. Repeat application every 30 days. Leave room closed for one hour after application. Do not remain in treated areas and ventilate before re-entry. Infested stored dried fruit should be fumigated or treated by other effective methods using an approved product intended for this purpose.

FOR USE IN BEEF AND DAIRY BARN, HORSE BARN, POULTRY HOUSES, SWINE HOUSING: Space Spray: For use in aerosol generators to kill Exposed Cockroaches, Flies, Gnats, Mosquitoes and Small Flying Oths: Cover or remove exposed food and watering troughs and closed troughs and closed house or barn as tightly as possible. Spray at the rate of 0.5 fluid ounces per 1,000 cubic feet of space. Direct fog upward towards upper corners of room and ceiling area. Keep closed for one half hour and ventilate thoroughly prior to re-entry.

Kills the Accessible Stages of Angoumois Grain Moth, Confused Flour Beetles, Indian Meal Moth, Mediterranean Flour Moth, Rice Weevils, Saw-toothed Grain Beetle and Yellow Mealworm Cadelle: In food warehouses, storage rooms and similar areas. Close room or house and shut off all ventilating systems. Use a ULV aerosol generator. Direct spray into corners, under pallets and around stacks of packaged goods, hitting as many insect as possible. Then spray at the rate of one fluid ounce of spray per 1,000 cubic feet of space. Repeat applications as necessary. Leave room closed for one hour after application. Do not remain in treated areas and ventilate prior to re-entry. Infested package goods should be fumigated or treated by other effective means using an approved product intended for this application.

Contact Spray: To kill Ants, Cockroaches, Earwigs, Silverfish and Spiders: Apply in ULV or similar equipment adjusted to coarse spray. Apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects hide. Contact as many insects as possible. Do not allow spray to contact stored food. Repeat treatment as necessary for control.

To kill Flies, Gnats and Mosquitoes: In open areas. Use at a time when the temperature is cool (75 F to less) and the wind velocity is approximately 5 mph. With ULV aerosol equipment, spray at a dosage rate of 15 ounces per minute upwind of the area to be controlled. If the equipment is truck mounted, keep the speed at approximately 5 m.p.h. and treat a swath width of no more than 300 feet.

Mix well in drum before sampling and each use.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

Do not contaminate water, food, or feed by storage or disposal.

Net Contents \_\_\_\_\_

Manufactured by:  
Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1310

EPA Est. No. 1021-MN-1

