


Pyrocid Intermediate 725



8810 Tenth Avenue N. / Minneapolis, Minnesota 55417

ACTIVE INGREDIENTS:

Pyrethrins	4.00%
*Piperonyl butoxide, technical	6.00%
¹ N-octyl bicycloheptene dicarbenimide	10.00%
Chlorpyrifos /O,O-diethyl O-(3,5,6-trichloro-2-pyridyl) phosphorothioate/	20.00%
**2,2-Dichlorovinyl dimethyl phosphate	9.49%
**Related compounds	.71%
Petroleum distillate	35.30%
Aromatic Petroleum distillate	11.25%


INERT INGREDIENTS:

3.25%
100.00% Total

- *Equivalent to 4.8% (butylcarbityl)(6-propylpiperonyl) ether and 1.2% related compounds.
- ¹MGR-264 Insecticide Synergist.
- **From 10.20% (wt.) dichlorvos, technical (DDVP).

**DIRECTIONS
FOR FORMULATION OF INSECTICIDES ONLY**

This Intermediate is designed for use at the rate of 2.5% with approved solvents and propellents in the preparation of roach and ant sprays for spot treatment. This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Whenever possible, DDVP formulations should be stored in full containers. Warm contents thoroughly to room temperature and agitate well in drum before sampling and each use, especially if this drum has been exposed to below-freezing weather. The user of this product is responsible for providing adequate ventilation.



This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. If the chemical gets into the eyes, immediately flush with water for at least 15 minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water. Wash thoroughly with soap and water before eating or smoking. Do not contaminate feed or forage. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, water-proof protective clothing and goggles when working with this material. Wear a mask or respirator of a type approved by the U.S. Bureau of Mines for protection against DDVP. Keep all unapplied portions of operational areas.

NOTE TO PHYSICIAN: Warning symptoms: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea, and abdominal cramps. Treatment: Atropine is the specific therapeutic antidote for DDVP poisoning. The antidote should be administered to patients with symptoms of poisoning. In severe cases, atropine sulfate should be administered intravenously in doses of 1 to 2 milligrams until complete atropinization has occurred. 2-PAM is also **antidotal and may be administered in conjunction with atropine.**