



ACCEPTED
 SEP 30 1977
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1325

140
 PYROCIDE® Intermediate 7229

8810-Tenth Avenue N. / Minneapolis, Minnesota 55427

ACTIVE INGREDIENTS:

Pyrethrins	1.50%
*Piperonyl butoxide, technical	3.00%
†N-octyl bicycloheptene dicarboximide	5.00%
**o-Isopropoxyphenyl methylcarbamate	10.00%
***2,2-Dichlorovinyl dimethyl phosphate	4.74%
***Related compounds	.36%
Petroleum distillate	8.00%
INERT INGREDIENTS:	67.40%

Total - 100.00%

*Equivalent to 2.4% (butylcarbityl)(6-propylpiperonyl) ether and .6% related compounds.

†MGK-264, Insecticide Synergist.

**Baygon®, U.S. Pat. No. 3,111,539.

***From 5.10% (wt.) of dichlorvos (DDVP), technical

**DIRECTIONS
 FOR MANUFACTURING USE ONLY**

This Intermediate is designed for use at the rate of 50% with approved solvents and propellents in the preparation of roach and ant sprays for spot treatment. This formulation should be stored under as cool conditions as possible, and the contents should be used promptly after the container has been opened. Whenever possible, DDVP formulations should be stored in full containers. Warm contents gently to room temperature and agitate well in drum before sampling and each use, especially if this drum has been exposed to below-freezing weather. Weight per gallon at 20°C ca. 10.04 lbs. The user of this product is responsible for providing the necessary efficacy data.

DANGER POISON

KEEP OUT OF REACH OF CHILDREN

This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Corrosive. Causes eye damage. Do not get in eyes, on skin or on clothing. If the chemical gets into the eyes, immediately flush with water for at least 15 minutes and get medical attention. In case of contact, remove all contaminated clothing and wash skin with soap and water. Wash thoroughly with soap and water before eating or smoking. Do not contaminate feed or foodstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, waterproof protective clothing and goggles when working with this material. Wash all contaminated clothing with hot water and soap before re-use. Wear a mask or respirator of a type passed by the U. S. Bureau of Mines for protection against DDVP. Keep all unprotected persons out of operational areas.

ANTIDOTE AND FIRST AID TREATMENT - see back panel.

This product is toxic to fish, wildlife and birds. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of any body of water.

Do not re-use empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place.

Do not pour, store or spill near open flame. Keep container closed when not in use.

NOTICE

Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. This warranty is in lieu of all other warranties, express or implied, including warranties of merchantability and fitness for a particular purpose.

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY
 MINNEAPOLIS, MINN., U.S.A. 55427

1021-1325 2

PYROCIDE® Intermediate 7229
EPA Registration 1021-1325

ANTIDOTE AND FIRST AID TREATMENT

ATROPINE is the emergency antidote. Consult your physician about obtaining an adequate supply of 1/100-grain atropine tablets for emergency use. CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING.

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water).
NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

EXTERNAL: If the material has been spilled on the skin, immediately remove patient from the vicinity of the insecticide, remove all contaminated clothing, and wash skin with soap and running water. If the material gets into eyes, wash immediately with running water for at least ten minutes.

IF WARNING SYMPTOMS APPEAR: Administer two 1/100-grain atropine tablets immediately. NEVER ADMINISTER ATROPINE UNLESS WARNING SYMPTOMS APPEAR. (See WARNING SYMPTOMS below).

Keep patient prone and quiet.

Start artificial respiration immediately if patient is not breathing.

Transport the patient immediately to the nearest physician.

NOTE TO PHYSICIAN

WARNING SYMPTOMS: Symptoms include weakness, headache, tightness in chest, blurred vision, non-reactive pin-point pupils, salivation, sweating, nausea, vomiting, diarrhea and abdominal cramps.

TREATMENT: Atropine is the specific therapeutic antagonist of choice against parasympathetic nervous stimulation. If there are signs of parasympathetic stimulation, atropine sulfate should be injected at 10-minute intervals, in doses of 1 to 2 milligrams until complete atropinization has occurred. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Morphine is contraindicated.

Clear chest by postural drainage.

Observe patient continuously for 48 hours.

Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor.

Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood test.