

021-1382

1021-1382
4-13-1979

Insecticide Aerosol d-Phenothrin 2%

ACTIVE INGREDIENTS:

3-phenoxybenzyl d-cis and trans* 2,2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	1.92%
Other isomers	0.08%
INERT INGREDIENTS:	98.00%
	100.00%

*cis/trans isomer ratio: max. 25% (+ or -) cis
min. 75% (+ or -) trans

KEEP OUT OF REACH OF CHILDREN
CAUTION
See Back Panel for Additional Precautionary Statements

For Public Health, Plant Protection and Quarantine Pests. For use by or under the direction of Federal and State personnel in accordance with manuals issued by governmental agencies.

Net Weight 12 Ounces

MC LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1382

EPA Est. No. 1021-MN-1

Precautionary Statements
Hazardous to Humans
CAUTION
Harmful if swallowed. Do not use in commercial food serving areas while food is exposed. Do not contaminate feed or foodstuffs.
PHYSICAL HAZARDS
Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE
GENERAL CLASSIFICATION
It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
Storage: Store in a cool area away from heat or open flame.
Disposal: Do not re-use empty container. Wrap container and put in trash collection.

DIRECTIONS FOR USE ON AIRCRAFT
To Kill Mosquitoes, Gnats, Houseflies and Caribbean Fruit Flies: Use while aircraft is in flight or on ground prior to takeoff. Use at least 30 minutes prior to landing. Stop ventilation system for a period of not less than 3 minutes after spraying. Spray 10 grams (10 seconds) per 1000 cubic feet. Push button to spray. Move arm from side to side in a sweeping motion. Spray all spaces.

DIRECTIONS FOR USE IN BUILDINGS, VANS, SHIPS AND IN TENTAGE
FOR INDOOR USE ONLY
For Use By Department of Defense Personnel Only
To Kill Flying Insects (Mosquitoes, Houseflies and Gnats): Close space to be treated. Release 3 feet from any surface, holding dispenser above the head. Moving the dispenser about while spraying aids in dispersion only for time indicated. Ten seconds of spraying is ample for each 1,000 cubic feet (10 feet x 10 feet x 10 feet). Keep treated area closed at least 30 minutes. Ventilate area before re-entry. Repeat as necessary.
To Kill Cockroaches: Contact as many insects as possible with the spray in addition to thoroughly spraying all parts of the room suspected of harboring cockroaches. Special attention should be paid to cracks, hidden surfaces and where these pests are suspected of hiding.

ACCEPTED
APR 13 1979
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 1021-1382

11