ALAUGHLIN			1 of 2 11 17 11 17 10 10 21-	
GORMLEY			1349	
King Company	D≁TPANS®≑F	UUGER AND CONT	ACT SPRAY 2147	
8810 Tenth Avenue N. / Minneapolis, Minnesota 55427	For Use in Homes, Industrial Plants and Food Processing Plants. TELEPHONE (612) 544 0341			
ACTIVE INGREDIENTS:	_			
d-trans Allethrin (allyl homolog of Cinerin I)			0.250%	
*Piperonyl butoxide, technical		0.5		
-N-Octyl bicycloheptene dicarboximide Petroleum distillate		0.8 98.4		
		100.0		
*Equivalent to 0.400% (butylcarbityl)(6-prop ther and 0.100% related compounds	oylpiperonyl)			

'MGK⊕ 264, Insecticide Synergist.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Space Spray to Kill Flies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply with mechanical or compressed air sprayer, or with fogger which gives small particle size. Direct spray upwards toward upper corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1,000 cu. ft. of space to be treated. Leave room closed for one-half hour. Ventilate room thoroughly before re-entry. Repeat as necessary for insect control

f tact or Surface Spray to Kill Cockroaches, Waterbugs, Crickets and Ants: Cover or remove houd before application as described under space spray. Apply with a sprayer that gives large wetting droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harborages. Use one gallon of spray per 1,000 sq. ft. of surface to be treated. For ants, spray trails and all points of entry into the building. Spray ant nests directly with a soaking application. In all cases contact as many insects as possible directly with the spray. Repeat applications as necessary for control.

KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed. Do not apply directly to food - follow directions given above for covering or removing food, utensils and food processing surfaces. Do not apply while food processing is underway. Clean thoroughly all food processing or storage surfaces before reuse.

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

<u>Pesticide Disposal</u>: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to appli ble Federal, State or Local procedures. -N-Octyl bicyclo'ieptene dicarboximide Petroleum distillate

U. 825% 98.425% 100.000%

*Equivalent to (,400% (butylcarbityl)(6-propylpiperonyl) ether and (.100% related compounds. MGK@ 264, Insecticide Synergist.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Space Spray to Kill F ies, Mosquitoes, Small Flying Moths and Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply with mechanical or compressed air sprayer, or with fogger which gives small particle size. Direct spray upwards toward upper corners of room and ceiling. Apply at the rate of 0.5 to 1.0 fluid ounce per 1,000 cu. ft. of space to be treated. Leave room closed for one-half hour. /entilate room thoroughly before re-entry. Repeat as necessary for insect control

f stact or Surface Spray to Kill Cockroaches, Waterbugs, Crickets and Ants: Cover or remove tood before application as described under space spray. Apply with a sprayer that gives large wetting droplets. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harborages. Use one gallon of spray per 1,000 sq. ft. of surface to be treated. For ants, spray trails and all points of entry into the building. Spray ant nests directly with a soaking application. In all cusco control. applications as necessary for control. KEEP OUT OF REACH OF CHILDREN application. In all cases contact as many insects as possible directly with the spray. Repeat

CAUTION

Harmful if swallowed. Do not apply directly to food - follow directions given above for covering or removing food, utensils and food processing surfaces. Do not apply while food processing is underway. Clean thoroughly all food processing or storage surfaces before reuse.

Do not use, pour, spill or store near heat or open flame.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

Net Contents

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis MN 55427

EPA Reg. No. 1021-1394

ACCEPTED
OCT 3 1 1984
Under the Fall of Insection of Fungicide, and Follonboide Acro as amended, by the periods registered under
PA Reg. No. 1021-1394
EPA Est. No. 1021-MN-