7 SEP 1984

20 127,732

McLaughlin Gormley King Company 8810 Tenth Ave., North Minneapolis, MN 55427

### Gentlemen:

Subject: MGK Big Game Repellent Powder - BGR-P

EPA Registration No. 1021-1420

MGK Big Game Repellent

EPA Registration No. 1021-1398 Your Letters of August 6, 1984

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, is acceptable subject to the comments listed below. Make the labeling changes listed below before you release the product for shipment:

1. Revise "Storage and Disposal" statements as follows:

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE:

Store in a cool, dry place inaccessible to children and pets. [Develop statements based on "Storage Instructions" factors 1 and 5 in PR Notice 83-3, pp 2, 3, if needed.]

PESTICIDE DISPOSAL: [See Appendix A on Page 7 of PR Notice 83-3.]

Submit five (5) copies of your final printed labeling before you
release the product for shipment. Refer to the A-79 Enclosure for a
further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

CONCURRENCES								
SYMBOL -								
SURNAME								
DATE >				<b></b>				<u> </u>

EPA Form 1320-1 (4-81)

OFFICIAL FILE COPY

A stamped copy of the label is enclosed for your records.

Sincerely yours,

William H. Miller Product Manager (16) Insecticide-Rodenticide Branch Registration Division (TS-767)

## Enclosure

RD/IRB:Miller:DCR-40729:WANG-0417K:bgt:Raven:479-2013:8/28/84:Del. 9/7/84



# MGK\* **BIG GAME** REPELLENT

# POWDER - BGR\*P

For repelling Black-tailed deer (mule deer), White-tailed deer and Roosevelt elk that browse or uproot conifer seedlings. Also repets White-tailed deer from listed ornamentals.

**ACTIVE INGREDIENTS:** Powdered Inedible Egg Solids INERT INGREDIENTS:

36% 64% 100%

U.S. Patents 3,980,773; 4,065,576; 4,065,577 Canadian Patent 1,048,408

ACCEPTED with COMMENTS in EPA Letter Dated:

1984 SEP 7

Under the Pole-1 Insecticide Fungicide, and Renenticide Ac as amended, for the pesticid registered under EPA Reg. No

1021-1420

**WARNING: KEEP OUT OF REACH OF CHILDREN** 

## PRECAUTIONARY STATEMENTS

# HAZARDS TO HUMANS AND DOMESTIC ANIMALS

# WARNING

Causes eye irritation. Do not get in eyes, on skin, or on clothing. Avoid inhalation of dust. Harmful if swallowed. Wash contaminated skin with soap and water. In case of eye contact, flush eyes with plenty of water. Get medical attention.

#### ENVIRONMENTAL HAZARDS

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

### STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed. PESTICIDE DISPOSAL: Pesticide that cannot be used should be disposed of in a landfill approved for pesticides or buried in a safe place away from water. Consult Federal, State or Local disposal authorities.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

WEATHER CONDITIONS: BGR-P can be applied only to plants that are moist: during a light rain, after a rain or heavy dew, or after light misting of dry plants.

CONIFERS: TIMING OF TREATMENT: To protect young seedlings from Winter browsing, apply repellent before onset of browsing. To protect against Spring browsing of new growth, treat wet seedlings after bud break and before new shoots exceed 1" in length.

METHOD OF APPLICATION: TO TREAT PLANTS IN THE FIELD: Using a suitable shaker duster, apply a light dusting of powder to the plant. Too heavy a dusting will cause the repellent to slide to the ground where it will not be an effective deterrent to browsing. If only the terminal whorl is to be treated, apply approximately one gram of BGR-P to it. If applying BGR-P in the rain, do not allow the powder in the applicator to become wet, as plugging will result.

TO TREAT PLANTS IN THE NURSERY OR FIELD JUST BEFORE OUT-PLANT-ING: Using one bundle of conifer seedlings at a time, briefly immerse seedling tops in a bucket of water, then dust wet tops lightly with BGR-P, striving to deposit some repellent on each seedling. Proceed with planting as usual.

ORNAMENTAL SHRUB PLANTINGS: Not recommended for use during bud break or flower bloom, as foliage injury and petal drop may occur. To protect yew, arborvitae, Douglas fir, Scotch pine, hemlock, flowering crab, honeysuckle, azalea, and rhododendron, apply a light dusting when the plant is moist, to those parts of the shrub to be protected from browsing. Do not overtreat since excess powder will fall from the treated surface to the ground.

MFD. BY MCLAUGHLIN GORMLEY KING COMPANY, 8810 TENTH AVE. N., MINNEAPOLIS, MN 55427

EPA Reg. No. 1021-1420

EPA Est. No. 1021-MN-1