

M cLAUGHLIN
G OREALLY
K ING

ESBIOL® Residual Contact Spray F-2236

**Chlorpyrifos Liquid Residual Spray with
Synergized ESBIOL®**

For Use in Homes and Non-Food Areas of Commercial Buildings:
Warehouses, Theatres, Office Buildings, Schools,
Motels, Hotels, Restaurants, and
Food Processing Facilities.

ACTIVE INGREDIENTS:

*d-trans-chrysanthemum monocarboxylic acid ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one	0.036%
*Other isomers	0.004%
†N-Octyl bicycloheptene dicarboximide	0.250%
**Chlorpyrifos [O,O,-diethyl O-(3,5,6-trichloro- 2-pyridyl) phosphorothioate]	0.500%
Aromatic petroleum distillate	0.280%
Petroleum distillate	98.895%

INERT INGREDIENTS:

0.035%
100.000%

- * S-bioallethrin from ESBIOL®
- † MGK 264, Insecticide Synergist
- ** U.S. Patent No. 3,244,586 - Dow Chemical Company

ESBIOL® - Registered Trademark of Roussel-Uclaf; Paris, France.

Precautionary Statements

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush skin or eyes with plenty of water. Get medical attention if irritation persists. Wash thoroughly with soap and water after handling. If swallowed do not induce vomiting because of aspiration hazard. Get prompt medical aid.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Give a glass of milk or water. Do not induce vomiting because of aspiration hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN: Wash off with soap and water.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection, is an antidote.

Do not use in commercial food processing or preparation areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.