



001021-01438-061899

Printed: 11:07:58 Thursday, 22 Jul, 1999 # 10 / 3712

Systems Integration Group, Inc.

PM 04 1021-1438

6/18/99

page 1 of 2

2247-499

ACCEPTED
JUN 18 1999
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1438

MGK McLAUGHLIN GORMLEY KING COMPANY

D-TRANS® INTERMEDIATE 2247

An Insecticide for Manufacturing Use Only

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

ACTIVE INGREDIENTS:

d-trans allethrin	0.902%
* N-Octyl bicycloheptene dicarboximide.....	6.670%
** Chlorpyrifos [0,0-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate].....	8.363%
OTHER INGREDIENTS	84.065%
	100.000%

- * MGK® 264, Insecticide Synergist
- ** U.S. Patent No. 3,244,586

D-TRANS® - Registered trademark of McLaughlin Gormley King Co.
 MGK® - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

WARNING

FIRST AID

- IF IN EYES:** Hold eyelids open and flush with a steady, gentle stream of water for 15 minutes. Get medical attention.
- IF SWALLOWED:** Drink promptly a large quantity of milk, egg white, gelatin solution, or, if these are not available, large quantities of water. Avoid alcohol. Get medical attention.
- IF INHALED:** Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.
- IF ON SKIN:** Wash with plenty of soap and water. Get medical attention.

For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes substantial but temporary eye injury. Harmful if swallowed, inhaled, or absorbed through skin. Do not get in eyes or on clothing. Avoid contact with skin. Avoid breathing vapor or spray mist. Wear goggles or face shield. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated contact may cause allergic reaction in some individuals.

NOTE TO PHYSICIAN: This product contains a cholinesterase inhibitor. Atropine, by injection, is antidotal and should be administered only if signs of cholinesterase inhibition have appeared. 2-PAM is also antidotal and may be used in conjunction with atropine.

