

**M** cLAUGHLIN  
**G**ORMLEY  
**K**ING

*Company*

NOV 14 1984

1021-1453

ESBIOL® FOGGING CONCENTRATE 2263

For Use Undiluted or  
Diluted with Oil

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427

TELEPHONE (612) 544-0341

For Use in the Home, and Non-Food and Food Areas of:  
Food Processing Plants, Schools, Warehouses,  
Office Buildings, Theatres, Garages,  
Hotels, motels, Kennels.

ACTIVE INGREDIENTS:

*d-trans-chrysanthemum monocarboxylic acid ester of d-2-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one	0.928%
Other isomers	0.072%
**Piperonyl butoxide, technical	2.000%
†N-Octyl bicycloheptene dicarboximide	3.000%
Petroleum distillate	93.969%

INERT INGREDIENTS:

	0.031%
	100.000%

- \*S-bioallethrin from ESBIOL®
- \*\*Equivalent to 1.6% (butylcarbityl)(6-propylpiperonyl) ether and .40% related compounds.
- †MGK-264, Insecticide Synergist.

ESBIOL® - Registered Trademark of Roussel-Uclaf; Paris, France.

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

PRACTICAL TREATMENT

- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF SWALLOWED: Get medical attention immediately.

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**BEST AVAILABLE COPY**

**CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement Safety Administration and the National Institute for

Occupational Safety and Health under the provisions of 30 CFR Part II.  
Contains petroleum distillate. If swallowed do not induce vomiting.

Get immediate medical attention. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use.

Remove pets, birds and cover fish aquariums before spraying.

#### PHYSICAL HAZARDS

Do not store near heat or open flame.

215 #  
10/1 11 55  
PM 7  
1-2-82

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

#### STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

#### Undiluted Application

General: This product can be used undiluted in mechanical sprayers which produce particles of aerosol size, such as the LECO or MICRO-GEN.

To Kill Houseflies, Mosquitoes, Gnats and Small Flying Moths: Close room and shut off all air conditioning or ventilating equipment. Using a cold fog generator, apply at the rate of one-half (.5) ounce per 1,000 cu. ft. of space. Direct output from aerosol generator upwards toward upper corners of room and ceiling. Leave room closed for one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.

To Kill Cockroaches, Rice Weevils, Sawtoothed Grain Beetles, Confused Flour Beetles, Black Carpet Beetles and Indianmeal Moth Larvae: Close room and shut off all air conditioning or ventilation equipment. Using a cold fog aerosol generator, direct discharge into areas suspected of harbouring these pests. Special attention should be paid to cracks, hidden surfaces under sinks, behind stoves and refrigerators, and wherever these pests are suspected of hiding. Spray until treated surfaces are moist with deposit. Leave room closed for one half hour. Ventilate room thoroughly before re-entry. Repeat as necessary.