

United States Environmental Protection Agency

Ms. Julie Schlekau
Mclaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis MN 55427-4372

MAR 27 2000

Subject: Amendment to address changes in formulation uses.
Product Name: ESBIOL® Fogging Concentrate 2263
EPA Registration Number 1021-1453
Submission Dated: February 4, 2000
OPP Identifier: 271371

Dear Ms. Schlekau,

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), is acceptable subject to the comments listed below. Five copies of the finished labeling must be submitted prior to releasing the product for shipment.

- 1. The statements "Keep Out of Reach of Children" and "Caution." should be presented on the front display panel, but outside of the box enclosing the "First Aid" title and statements. The affected language statements are exclusive FIFRA requirements, independent of any First Aid statements, and positioning is mandated by 40 CFR, and the Label Review Manual. If you have any questions, please contact Richard J. Gebken @ (703) 305-6701.

Sincerely,



Marion Johnson
Product Manager 10
Insecticide Branch
Registration Division (7505C)

enclosure
001021-01453 S576841.wpd

CONCURRENCES

SYMBOL ▶	H7505C							
SURNAME ▶	RGEBKEN							
DATE ▶	Mar 27, 2000							

2263-200



ESBIOL® Fogging Concentrate 2263

For Use Undiluted or Diluted With Oil

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

For Use in the Home and Non-Food/Feed Areas of: Restaurants, Food Processing Plants, Schools, Warehouses, Office Buildings, Apartment Buildings, Theatres, Garages, Hotels, Motels, Kennels, and Hospitals.

PRECAUCION AL CONSUMIDOR: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente. (TO THE USER: If you cannot read English, do not use this product until the label has been fully explained to you.)

ACTIVE INGREDIENTS:

* d-trans chrysanthemum monocarboxylic acid ester of d-allyl-4-hydroxy-3-methyl-2-cyclopenten-1-one	1.00%
** Piperonyl butoxide, Technical	2.00%
*** N-Octyl bicycloheptene dicarboximide	3.00%
**** OTHER INGREDIENTS	94.00%
	100.00%

- * S-bioallethrin from ESBIOL®, Hoechst Schering AgrEvo, S.A.
- ** Equivalent to 1.60% (butylcarbityl) (6-propylpiperonyl) ether and 0.40% related compounds.
- *** MGK® 264, Insecticide Synergist
- **** Contains Petroleum Distillate

ESBIOL® - Registered trademark of Hoechst Schering AgrEvo, S.A.
MGK® - Registered trademark of McLaughlin Gormley King Co.

ACCEPTED
with **COMMENTS**
In EPA Letter Dated:
MAR 27 2000

Under the Federal Insecticide, Fungicide, and Herbicide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1453

KEEP OUT OF REACH OF CHILDREN
CAUTION
FIRST AID

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Do not breath vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage areas (after canning or bottling).

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

General: This product can be used undiluted in mechanical sprayers, such as Actisol® equipment, which produces particles of aerosol size or diluted 1 part to 1 1/2 (1.5) parts petroleum distillate and applied as directed below.

Space Spray to Kill Gnats, Houseflies, Mosquitoes and Small Flying Moths: Close room and shut off all air conditioning and ventilating equipment. Apply with mechanical or compressed air sprayer or with fogger that gives small particle size. Direct spray upwards toward upper corners of room and ceiling. Apply at a rate of 0.5 to 1.0 fluid ounce per 1,000 cubic feet of space treated. Vacate room and leave closed for 10 to 15 minutes. Ventilate thoroughly prior to reentry. Sweep up and destroy fallen insects. Repeat as necessary.

Contact or Surface Spray to Kill Ants, Cockroaches, Crickets, Earwigs, Firebrats, Silverfish, Sowbugs and Spiders: Apply with a sprayer such as Actisol® equipment that will give coarse wet droplets or deep harborage treatment. Force spray into cracks and crevices in walls and floors, areas at base of machinery, behind cabinets, around pipes and openings, along baseboards and other insect harborages. Use one gallon of spray per 1,000 square feet of surface to be treated. For ants, spray trails and all points of entry into building. Spray ant nests directly with a soaking application. In all cases, contact as many insects as possible with spray. Repeat as necessary.

To Kill Carpenter Ants: Apply as a coarse wet spray around doors, door frames, windows, and other places where ants enter premises and where they crawl and hide. Also force spray into infested wood through existing openings or newly drilled small holes. When possible, locate and treat nests and surrounding areas.

To Kill Black Carpet Beetles and Dermestids: Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards, floor boards and wall cracks and crevices. Allow spray to dry before contact. Repeat frequently.

To Kill Exposed Forms of Confused Flour Beetles, Indian Meal Moth Larvae, Lesser Grain Borers, Rice Weevils and Saw-Toothed Grain Beetles: Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

To Kill Fleas and Ticks: Remove and destroy animal's old bedding and spray sleeping quarters freely. Direct spray into cracks and crevices. Allow spray to dry and replace clean bedding. Do not spray animals directly. Animals should be treated with a registered flea and tick control product prior to reentering treated areas. Repeat as necessary.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: For containers one gallon and under: Do not reuse empty container. Wrap container and put in trash. For containers over one gallon: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.

Net Contents _____
Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1453

EPA Est. No. 1021-MN-2

