


An Insecticide for Formulating Use Only



## ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido)methyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate]	8.00%
*3-Phenoxybenzyl d-cis and trans**2,2-dimethyl-3- (2-methylpropenyl) cyclopropanecarboxylate	15.29%
*Other isomers	0.71%
***2,2-Dichlorovinyl dimethyl phosphate	18.60%
***Related compounds	1.40%
Petroleum distillate	33.33%
INERT INGREDIENTS:	22.67%
	100.00%

\*d-cis trans phenothrin

\*\*cis/trans isomer ratio: max. 25% (+ or -) cis  
min. 75% (+ or -) trans

\*\*\*From 20.00% (wt.) of dichlorvos, Technical (DDVP)

MULTICIDE® - Registered trademark of McLaughlin Gormley King Company

SUMITHRIN® - Registered trademark of Sumitomo Chemical Company, Ltd.

KEEP OUT OF REACH OF CHILDREN

D/A

## PRACTICAL TREATMENT

IF SWALLOWED: If victim is conscious and not convulsing: call a physician immediately. Give a glass or two of milk or water and induce vomiting by touching back of throat with finger. It is preferable to induce vomiting under medical supervision or to use gastric lavage with a cuffed endotracheal tube because of aspiration hazard. If victim is unconscious or convulsing, do not induce vomiting, keep warm and call a physician or Poison Control Center immediately.

IF INHALED: Remove victim to fresh air. If unconscious or showing signs of cholinesterase inhibition, get immediate medical attention.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists or signs of cholinesterase inhibition develops.

37

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

Precautionary Statements**DANGER**Hazards to Humans and Domestic Animals

This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate food or feedstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II for protection against DDVP. Keep all unprotected persons out of operational areas.

EMERGENCY TREATMENT: If swallowed: Call a physician or Poison Control Center

Hazards to Humans and Domestic Animals

This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate food or feedstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II for protection against DDVP. Keep all unprotected persons out of operational areas.

PRACTICAL TREATMENT: If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Atropine, by injection, is antidotal.

Environmental Hazards

This product is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Physical or Chemical Hazards

Do not use or store near open flame.

INSTRUCTIONS FOR FORMULATING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinsate that cannot be used according to label directions should be disposed of according to Federal, State or Local procedures under the Resource, Conservation and Recovery Act.

Container Disposal: Metal

- a) Containers of 30 gallons or more - reseal container and offer for reconditioning, or:
- b) All containers - triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved sanitary landfill, or by other approved state and local procedures.

General: Consult Federal, State or local disposal authorities for approved alternative procedures.

MULTICIDE® Intermediate 2242 is to be used at the rate of 2.5% with appropriate solvents, carriers, propellents, etc. in the manufacture of insecticide sprays only.

Formulators using this product are responsible for obtaining EPA registration for their formulated products. Refer to Technical Bulletin for instructions for formulating and other information.

Mix well in drum before sampling and each use. Keep drum tightly closed when not in use.

Net Contents

MC LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis MN 55427

EPA Reg. No. 1021-1456

EPA Est. No. 1021-MN-1