

ACTIVE INGREDIENTS: Tetramethrin ∠(1-Cyclohexene-1,2-dicarboximido)methyl	
2.2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate	8 .0 0%
*3-Phenoxybenzyl d-cis and trans**2,2-dimethyl-3-	
(2-methylpropenyl) cyclopropanecarboxylate	15.29%
*Other isomers	0.71%
***2,2~Dichlorovinyl dimethyl phosphate	18.60%
***Related compounds	1.40%
Petroleum distillate	33.33%
INERT INGREDIENTS:	22.67%
	100.00%

*d-cis trans phenothrin

**cis/trans isomer ratio: max. 25% (+ or -) cis min. 75% (+ or -) trans

***From 20.00% (wt.) of dichlorvos, Technical (DDVP)

MULTICIDE® - Registered trademark of McLaughlin Gormley king Company SUMITHRING - Registered trademark of Sumitomo Chemical Company, Ltd.

CCEPTED

KEEP OUT OF REACH OF CHILDREN

JUL = 8 1981

es in community see Finance

PRACTICAL TREATMENT

IF SWALLOWED: If victim is conscious and not convulsing: call a physician immediately. Give a glass or two of milk or water and induce vomiting by touching back of throat with finger. It is preferable to induce vomiting under medical supervision or to use gastric layage with a cuffed endotracheal tube because of aspiration hazard. If victim is unconscious or convulsing, do not induce vomiting, keep warm and call a physician or Poison

Control Center immediately.

IF INHALED:

Remove victim to fresh air. If unconscious or showing signs of cholinesterase inhibition, get immediate medical attention.

IF ON SKIN OR CLOTHING.

Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists or signs of cholinesterase inhibition develops.

To both with a family of the Tritation or in

Prejugitional Confedent

DANC

mazards to Humans and Domestic Animals

This material is poisonous if swallowed, innair atsorbed through skin or eyes. Do not not in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-usr. Do not contaminate food or feedstuff. Do not breathe fumes. Avoid exposite to fumes. Wear natural rubber gloves, protective clothing and gongles was about the paint to approve Mr. Santana Santania at Cara

immediately. Give a glass or two of milk or water and induce vomiting by touching back of throat with finger. It is preferable to induce vomiting under medical supervision or to use gastric lavage with a cuffed endotracheal tube because of aspiration hazard. If victim is unconscious or convulsing, do not induce vomiting, keep warm and call a chysteria in the foot control Center immediately

TE INHA .

Semove victim to fresh at. If unconscious or showing signs to cholinesterase inhibition, get immediate medical attention

IF ON SKIN
OR CLOTHING:

Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irritation persists or signs of cholinesterase inhibition develops.

IF IN EYES:

Flush with pleny of water — Get medical attention if irritation persists.

Precautionary Statements

DANCER

Hazards to Humans and Domestic Animals

This material is poisonous if swallowed, inhaled or absorbed through skin or eyes. Do not get in eyes, on skin or on clothing. In case of contact, wash immediately with soap and water. Wash thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate food or feedstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II for protection against DDVP.

PRACTICAL TREATMENT: If swallowed: Call a physician or Poison Control Center. Drink I or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Atropine, by injection, is antidotal.

Environmental Hazards

This product is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regional Office of the Environmental Protection Agency.

Physical or Chemical Harzards

Do not use or store near open flame.

INSTRUCTIONS FOR FORMULATING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinsate that cannot be used according to label directions should be disposed of according to Federa, State or Local proceedures under the Resource, Conservation and Recovery Act.

Container Disposal: Metal

- a) Containers of 30 gailons or more reseal container and offer for reconditioning, or:
- b) All containers—tripl sinus on equivalent and often for recycling, reconditioning in disposal is approved sanitar. Fandto: . or by other approved state and local procedure...

General: Consult Federal, State of Tokal disposal outhors in for approved alternative procedure.

eyes. Do not get in eyes, on skin or on clothing. In case of contact, was immediately with soap and water. Was! thoroughly with soap and water before eating or smoking. Wash all contaminated clothing with soap and water before re-use. Do not contaminate food or feedstuffs. Do not breathe fumes. Avoid exposure to fumes. Wear natural rubber gloves, protective clothing and goggles when working with this material. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part !I for protection against DDVP.

PRACTICAL TREATMENT: If swallowed: Call a physician or Poison Control Center. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Atropine, by injection, is antidotal.

Environmental Hazards

This product is toxic to fish and wildlife. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with an NPDES permit. For guidance, contact your Regi nal Office of the Environmental Protection Agency.

Physical or Chemical Harzards

Do not use or store near open flame.

INSTRUCTIONS FOR FORMULATING

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

<u>Pesticide Disposal</u>: Pesticide, spray mixture or rinsate that cannot be used according to label directions should be disposed of according to Federa, State or Local proceedures under the Resource, Conservation and Recovery Act.

Container Disposal: Metal

- a, Containers of 30 gallions or more reseal container and offer for reconditioning, or:
- All containers triple rinse (or equivalent) and offer for recycling, reconditioning or disposal in approved sanitary landfill, or by other approved state and local procedures.

General: Consult Federal, State or local disposal authorities for approved alternative procedures.

MULTICIDEs Intermediate 2242 is to be used at the rate of 2.5% with appropriate solvents, carriers, propellents, etc. in the manufacture of insecticide sprays only.

Formulators using this product are responsible for obtaining EPA registration for their formulated products.

Mix well in drum before sampling and each use. Keep drum tightly closed when not in use.

Het Contents

MC LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis MN 55427

EPA Reg. No. 1021-1456

EPA Est. No. 1021-MN-