

ESBIOL® Intermediate 2266 1001-1450

FEB 3 2 1982

FOR FORMULATING USE ONLY

TELEPHONE (612) 544-0341

ACTIVE INGREDIENTS:

*d-trans-chrysanthemum momocarboxylic acid ester of	
d-2-ally1-4-hydroxy-3-methy1-2-cyclopenten-1-one	2.628%
*Other isomers	0.205%
**Piperonyl butoxide, technical	5.667%
-N-Octyl bicycloheptene dicarboximide	9.467%
***Chlorpyrifos \(\int 0, 0, -diethyl 0 - (3, 5, 6 - trichloro -	
2-zyridyl) phosphorothioate/	28.331%
Xylene range aromatic solvent	15.893%
Petroleum distillate	9.212%
INERT INGREDIENTS:	28.597%
	100,000%

* S-bioallethrin from ESBIOL®.
** Equivalent to 4.534% (butylcarbityl) (6-propylpiperonyl) ether and 1.133% related compounds.

MGK 264. Insecticide Synergist.

*** U. S. Patent No. 3,244,586 - The Dow Chemical Company.

ESBIOL® - Registered Trademark of Roussel-Uclaf; Paris, France.

KEEP OUT OF REACH OF CHILDREN WARNING

PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical

attention if irritation persists.

IF ON SKIN Remove contaminated clothing. Wash skin OR CLOTHING: with soap and warm water. Get medical

attention if irritation persists.

IF SWALLOWED: Drink a glass of water. Get immediate medical

attention. Do not give anything by mouth to an unconscious person. It is preferable to induce :---vomiting under medical supervision, otherwise induce vomiting by touching finger to back of throat