



MULTICIDE Intermediate 2320

FOR MANUFACTURING USE ONLY

ACTIVE INGREDIENTS:

d-cis, trans* Allethrin (allyl homolog of Cinerin I)	2.87
Other isomers	0.14
¹ H-Octyl bicycloheptene dicarboximide	24.00
**O,O-Dimethyl O-(4-nitro-m-tolyl) phosphorothioate	25.02
Heavy Aromatic Naphtha	45.76
INERT INGREDIENTS:	2.21
	100.00%

*cis/trans isomer ratio: Max. 25% (+ or -) cis
Min. 75% (+ or -) trans

¹MGK- 264, Insecticide Synergist.

**SUMITHION - Registered Trademark of Sumitomo Chemical America, Inc.

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

WARNING

May be fatal if swallowed. Harmful if inhaled or absorbed through skin. Do not breathe vapors. Do not get in eyes, on skin or on clothing. Thoroughly wash skin or clothing with soap and warm water if they become contaminated.

When used in dwellings, avoid deposits which could be frequently contacted by children. Do not permit children or pets in treated areas until surfaces are dry.

Do not use in kitchens or food serving areas while food is exposed. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas of food handling establishments.

Keep out of domestic or animal water supplies.

Do not store or transport with food or animal feed.

STATEMENT OF PRACTICAL TREATMENT

If poisoning occurs or is suspected, immediately start the recommended procedures below and simultaneously contact a physician, the nearest hospital, or a poison control center for advice.

NOTE: Be sure to advise the physician that the compound is a cholinesterase inhibitor, and follow his or her advice.

FIRST AID:

If Swallowed: Do NOT induce vomiting. This product contains hydrocarbon solvent. Immediately give large quantities of water. If vomiting does occur, give fluids again. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician immediately.

For Eye Contact: Hold eyelids apart and flush eyes with large amounts of running water for at least 15 minutes. Get medical attention.

For Skin Contact: Flush with plenty of water for at least 15 minutes. Remove contaminated clothing and shoes. Get medical attention if irritation occurs. Wash clothing before reuse.

If Inhaled: Remove from contaminated atmosphere. Get medical attention if respiratory irritation occurs.

NOTE TO PHYSICIAN: Atropine, by injection, is antidotal only if symptoms of cholinesterase inhibition are present. 2-PAM is also antidotal when administered early and in conjunction with atropine.

Physical Hazards

Do not use, pour, spill, or store near heat or open flame. Keep container closed when not in use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

Pesticide Disposal: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved State and Local procedures.

MULTICIDE: Intermediate 2320 is to be used at 2.00% (wt.) with appropriate solvents, carriers and propellents to manufacture pressurized or liquid residual insecticide sprays.

Formulators who use this product may be responsible for providing data to support their own registrations with the appropriate regulatory agencies.

Net Contents _____

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY
2910 Tenth Avenue North
Minneapolis MN 55427

EPA Reg. No. 1021-

EPA Est. No. 1021-MN-1



- d. In the proposed Statement of Practical Treatment the following revisions are appropriate:

"...that the compound is a cholinesterase inhibitor..." should be "...that the compound contains a cholinesterase inhibitor."

In the If swallowed statement: "Do not induce vomiting or give anything by mouth to an unconscious person." can be revised to something like: "Do not give anything by mouth to an unconscious or convulsing person."

In the For Eye Contact statement: "Get medical attention." should be something like: "Get medical attention if irritation persists."

- e. With respect to the specimen end-use product label for a liquid residual spray:

The appropriate signal word is CAUTION, not WARNING.

- f. The IF SWALLOWED statement of practical treatment, if it appears, should be revised to something like:

IF SWALLOWED: Call a physician or Poison Control Center. Give a glass of water. Do not induce vomiting except under medical supervision due to aspiration hazard. Do not give anything by mouth to an unconscious or convulsing person.

- g. In the Hazards to Humans & Domestic Animals statement WARNING should be revised to CAUTION.

- h. Since this product contains such a small amount of Sumithion, and this would be of comparatively minor toxicological significance, the proposed note to physician identifying Sumithion as a cholinesterase inhibitor, with atropine as an antidote, should be deleted.

Note: The data submitted have been designated the accession numbers 248110 and 248111.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(a). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Franklin D. R. Gee
Franklin D. R. Gee
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (25-767)

(ah03)

Enclosure