

CONTROL WHINTS

EVERCIDE Concentrate 2362

(Contains 1/2 pound Fenvalerate per gallon)

the Federal Insecticide ricide, and Rodentickie Act adou, for the posticude red under EPA Reg. No.

Water or Oil Dilutable -

The American M.

TELEPHONE (612) 544 0341

CONTROLS NUMEROUS PESTS IN AND AROUND STRUCTURES

TO BE APPLIED ONLY BY OR UNDER THE SUPERVISION OF PEST CONTROL OPERATORS, PUBLIC HEALTH ORGANIZATIONS, AND OTHER TRAINED PERSONNEL RESPONSIBLE FOR INSECT CONTROL PROGRAMS.

for Use in and Around the Home and Food and Non-Food Areas of: Schools, Warehouses, Office Buildings, Apartment Buildings, Theatres, Hotels, Motels, Kennels, Food Processing Plants, Food Service Establishments, and Food Manufacturing and Warehousing Establishments.

Also for Use on Lawns to Kill Fleas.

ACTIVE INGREDIENTS:

*Cyano (3-phenoxyphenyl) methyl 4-chloro-alpha-(1-methylethyl benzeneacetate INERT INGREDIENTS:

7.12% 92.88% 100.00%

*Licensed under U. S. Patent No. 4,062,968 of Sumitomo Chemical Company.

EVERCIDE: - Registered Trademark of McLaughlin Gormley King Company,

Kills Common Premise Pests - Cockroaches, Crickets, and others listed on label.

BEST DOCUMENT AVAILABL

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush with plenty of water. Get medical atten-

tion if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Get medical attention if irrita-

tion persists.

IF SWALLOWED: Call a physician or Poison Control Center. Do not

induce vomiting because of aspiration hazard.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because Of aspiration hazard. Avoid breathing vapors. Avoid contact with skin, eves or Joshico, the attribute the property with soap and warm water. For eyes, flush with water and get medical attention if irritation persists. So not apply directly to food. Cover or remove all food and food processing equipment during application. After spraying in meat packing plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelving, etc., where exposed food will be handled. In the home, all food processing symfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food. Do not spray plants used for food or feed,

Remove pets, birds and cover fish aquariums before spraying.

[nvironmental Hazards

This product is toxic to fish and other wildlife. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Physical or Chemical Hazards

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a canner inconsistent with its labeling.

To not tank his broduct with dichloryes (DDVF)-rontaining need have the

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

not tank mix this product with dichlorvos (DDVP)-containing products. It can be mixed ...th methoprene or pyrethrin-containing products.

SHAKE WELL BEFORE USE

FOR INDOOR PESTS

BEST DOCUMENT AVAILABLE

GENERAL: Use EVERCIDE— Concentrate 2362 insecticide to control the pests indicated in the Tisted areas by mixing either two (2) or four (4) fluid ounces of concentrate in one (1) gallon of water or oil and mix thoroughly before use. For initial clean out or heavy infestations use four (4) ounces of concentrate per gallon of spray; for maintenance control or light infestations use two (2) ounces of concentrate per gallon. When using oil as the diluent, an odorless light petroleum hydrocarbon as defined by CFR Title 21, Sec. 121.1182, 121.2594, 121.2507 should be used for all food area and food related applications. For all applications use these sprays at the rate of one (1) gallon (diluted spray) per 1,000 square feet of surface area.

ilication Within Food and Non-Food Areas of Food Service and Handling Establishments (Places Uther Than Private Residences) Including, But Not Limited to: Restaurants, Grocery Stores, Bakeries, Food Manufacturing and Processing Establishments, and Food Warehousing Establishments.

As a Surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles, and Granary Weevils: Apply as a coarse, wet spray to surfaces where these pests are normally found, such as floors, baseboards, around walls, benches, and pieces of equipment. Use a dosage of one (1) gallon of spray per 1,000 square feet. Pay particular attention to cracks, crevices, and similar protected locations in floors and walls. Spray thoroughly around and into floor drains, non-food convexors and other areas where granary insects may be found. Do not apply when food processing facility is in operation or foods are exposed. Do not apply this spray to surfaces or utensils that may come into contact with food; excessive residues in food may result.

To Kill Cockroaches, Silverfish, Waterbugs, Ants, Crickets, Sowbags. Spiders and Centipedes in Sheltered Situations: Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Use a dosage of one (1) gallon of spray per 1,000 square feet. Contact as many insects as possible with direct spray Pepeat applications as needed, but do not exceed more than one application every seven (7) days in restaurants and similar food service establishments or more than one application every fourteen (14) days in other types of food handling establishments.

FOR PREMISE PESTS

BEST DOCUMENT AVAILABLE

Application Within Residential Buildings Including Homes, Apartment Buildings and Kennels, and Non-Food Areas of Industrial, Institutional, and Commercial Buildings, Such as Hospitals, Potels, Warehouses, Theatres, Office Buildings, and Schools.

GENERAL: Apply as a coarse wet spray to thoroughly treat hiding places, such as cracks, crevices, and moist areas around pipes, under refrigerators and along baseboards to control pests listed below. Use at the rate of one (1) gallon of spray mixture per 1,000 square feet. Spray directly on insects when possible. Do not permit humans or pets to contact treated surfaces until the spray has dried. Repeat as necessary.

To Kill Cockroaches, Crickets, Ants, Silverfish, Spiders, Sowbugs, Centipedes and Carpet Beetles: Spray areas where these pests are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath ks, stoves, refrigerators and cabinets and around garbage cans, plumbing and other utility installations. Pests driven out of hiding places should be sprayed directly. For Ants, apply to ant trails, also around doors and windows and wherever these pests may find entrance. Repeat as necessary.

To Kill Brown Dog Ticks and Fleas: For control of Brown Dog Ticks, thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames and localized areas of floor and floor coverings where these pests may be present. For control of Fleas, thoroughly apply a fine particle broadcast spray, using the two (2) ounces per gallon of water dilution only to infested rugs, carpets, and pet resting areas. Prior to treatment, aquariums and fish bowls should be covered and birds, such as canaries, removed from the area. Do not permit humans or pets to contact treated surfaces until the spray has dried. Old bedding should be removed and replaced with clean, fresh bedding after treatment. Do Not Spray Pets With This Product. Treat dogs and Cats with a product registered for use on animals.

I fill Carpenter Ants: Apply four (4) ounces per one (1) gallen of water as a coarse wet spray to the point of run-off around doors, door frames, windows and other areas where these ants enter the premises or hide. Spray into cracks and crevices, through openings or small newly drilled holes into wall voids where these ants or their nests are present.

Kill Carpenter Ants: Apply four (4) ounces per one (1) gallon of water as a coarse wet spray the point of run-off around doors, door frames, windows and other areas where these ants enter the premises or hide. Spray into cracks and crevices, through openings or small newly drilled holes into wall voids where these ants or their nests are present.

BEST DOCUMENT AVAILABLE

11 - - 3

FOR OUTDOOR PESTS

Use EVERCIDE® Concentrate 2362 at the rate of four (4) fluid ounces per one (1) gallon of water to control on contact cockroaches, ants, crickets, sowbugs, spiders and ticks. Use at the rate of one (1) gallon per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water. Do not allow spray to contact ornamental plants or shrubs because of possible injury.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, crickets, spiders, centipedes, and sowbugs (pillbugs), treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Use four (4) fluid ounces of concentrate per gallon of water and apply as a coarse wet spray at the rate of one (1) gallon per 1,000 square feet.

LAWN FLEA CONTROL

To kill fleas harboring in lawns use EVERCIDE—Concentrate 2362 in a spray tank or hose-end sprayer. Place required amount of concentrate in tank or sprayer jar (see chart below) and fill with water to the recommended level. Mix well. Attach to hose or sprayer and spray as recommended. For best results lawn should be moved a day or two before spraying. Spray using a slow, even sweeping motion, being sure to cover the entire lawn surface where pets will normally frequent. Spray under ornamentals and trees, but avoid soaking young or flowering plants. Repeat treatments may be necessary at 7 to 14 day intervals.

Keep pets and children out of the treated area until after the spray has dried. Do not spray animals. Dogs, cats, their kennel or bedding area should also be treated with a registered flea control product in conjunction with this application.

Amount of Product to Use Fluid Ounces*	Amount of Water to Use	Area to be Treated
1/3 Fluid Ounce	3 gallons	500 sq. ft. (50' X 10')
2/3 Fluid Ounce	6 gallons	1,000 sq. ft. (50' X 20')
1 1/3 Fluid Ounce	12 gallons	2,000 sq. ft. (50' X 40')

* NOTE: 1 fluid ounce = 2 Tablespoonsful = 6 Teaspoonsful

STORAGE AND DISPOSAL

Storage: Store in a cool, dry place. Keep container closed.

<u>Pesticide Disposal</u>: Pesticide, spray mixture or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Do not reuse empty container. Wrap empty container in several layers of newspaper and discard in trash.

BEST DOCUMENT AVAILABLE

Net Weight

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis MN 55427

	EPA REGISTRATION NO. DATE OF ISSUANCE
U.S. ENVIRONMENTAL PROTECTION AGENCY	AUG 0 6 1984
OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (#H-567) AASHINGTON, C.C. 2746	TERM OF ISSUANCE
	NAME OF PESTICIDE PRODUCT
NOTICE OF PESTICIDE: THE REGISTRATION	NAME OF PESTICIDE PRODUCT
(Under the Federal Insecticide Fungicide and Rodenticide Act, as awended)	
AME AND ADDRESS OF REGISTRANT (Include ZIP code)	
Г	161 1/24776
L BEST DOCUMENT AVAILAR	BLE
	rom that accepted in connection with this registration must be r to use of the label in commerce. In any correspondence on th ber,
On the basis of information furnished by the registrant, the the Federal Insecticide, Fungicide, and Rodenticide Act.	above named pesticide is hereby Registered/Reregistered und
A copy of the labeling accepted in connection with this Reg	gistration/Reregistration is returned herewith.
by others.	
ATTACHMENT IS APPLICABLE	ិក្ បិថ ០ 3 1984
	1 AUG 0 3 1486

Mr. Charles Edwards
Compound Evaluations Laboratory
Scientific Services, PSQS
Food Ingredient Assessment Division
U.S. Department of Agriculture
Building 306, BARC - East
Beltsville, MD 20705
301-344-2566

- c. Please note that acceptance by USDA or deletion of meat packing plants from the label must be done before you release this product for sale.
- 3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIPRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Just A. Gardner A. Gardner

Product Hanager (17)
Insecticide-Rodenticide Branch
Registration Division (TS-767)

Enclosures

EPA:T.A.GAPDNER:DCF-45325:WANG-0294:WEC:Raven:479-2013:7/24/84 REVISED:RD/IPB:A.GARDNER:DCR-05196:WANG-0294K:KIM:Raven:479-2013:7/30/84

BEST DOCUMENT AVAILABLE