

MGK®

McLAUGHLIN
GORMLEY
KING COMPANY

1021-1558

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

"Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols."

Water-Based Insecticide

[] Indicates alternate or optional wording

Kills Ants, Bed bugs, Cockroaches, Confused Flour Beetles, Crickets, Firebrats, Fleas, Flies, Mosquitoes, Pill Bugs, Rice Weevils, Saw-toothed Grain Beetles, Silverfish, Small Flying Moths, Ticks and Yellow Mealworms

[Kills Fleas, Cockroaches, Ants, Flies, Mosquitoes, Ticks, and similar insects]

Also kills Brown Dog Ticks, Deer Ticks and other Ixodid species that may carry or transmit Lyme disease

[Now Kills 18 Types of Household Bugs]

For Use In Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Garages, Homes, Kennels, Pet Grooming Parlors, Pet Sleeping Areas, Verandas, Veterinary Clinic and Hospitals, and the Non-Food/Feed areas of Drive-ins, Drugstores, Factories, Food Plants, Hospitals, Hotels, Institutions, Kitchens, Motels, Nursing Homes, Office Buildings, Railroad Cars, Rest Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Trucks, Warehouses, and Zoos [Industrial] [Institutional]

One Unit Treats up to 6,000 [5,000] [4,000] Cubic Feet

ACTIVE INGREDIENTS:

Pyrethrins.....	0.050%
* N-Octyl bicycloheptene dicarboximide.....	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate).....	0.400%
Related compounds.....	0.035%
OTHER INGREDIENTS.....	99.115%
	100.000%

* MGK® 264, Insecticide Synergist

** Cis-trans isomers ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

09/12/2005

Net Contents _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1558

EPA Est. No. 1021-MN-2

ACCEPTED

SEP 12 2005

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 1021-1558

1/2

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is extremely toxic to fish and other aquatic organisms. Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

Remove pets and birds and cover fish aquariums before spraying.

Avoid contamination of food or feedstuffs.

Do not apply directly to food. Do not use in food/feed areas of food/feed handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas include areas where prepared foods are served such as dining rooms, but exclude areas where foods may be prepared or held. In the home, cover all food processing surfaces and utensils during treatment or thoroughly wash before use following treatment. Cover or remove exposed food. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to

sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets or cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Cover exposed food, dishes, and food-handling equipment. Open cabinets and doors in area being treated. Shut off fans and air conditioners. Close doors and windows to non-treated areas. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 [5,000] [4,000] cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Vacate treated area and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for two hours before ventilating the treated area. Open all doors and windows in treated area and allow to ventilate for 30 minutes. Repeat spraying in two weeks or when necessary.

OR

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press the valve button all the way down, hooking the catch. [Break off and remove tab on side of sprayer. Tilt sprayer away from face (container sprays straight up). Press down firmly on sprayer pad until it snaps into place.]

To Kill Fleas and Ticks: Destroy pet's old bedding and replace with fresh bedding. Use product as directed above. Treat dogs and cats with registered tick control product prior to re-entry.

STORAGE AND DISPOSAL



STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL:

Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.



2/2