

**UNITED STATES ENVIRONMENTAL PROTECTION AGENCY**

WASHINGTON, D.C. 20460

OFFICE OF
CHEMICAL SAFETY AND
POLLUTION PREVENTION**December 29, 2011**

Thomas A. Lennan
Registration Specialist
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427-4319

Subject: Label Amendment—Adding Agency-mandated mitigation for total release fogger products

Product Name: EVERCIDE® Total Release Fogger 2485

EPA Reg. No.: 1021-1558

Application Dated: September 12, 2011


Decision Number: 458996

Dear Mr. Lennan:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy of the label is enclosed for your records

If you have any questions, you may contact Clayton Myers at (703) 347-8874 or myers.clayton@epa.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Suarez".

Mark Suarez, Product Manager
Insecticide Branch
Registration Division (7505P)

Enclosure:
Stamped Label



**McLAUGHLIN
GORMLEY
KING COMPANY**

EVERCIDE® Total Release Fogger 2485

[RESIDENTIAL USE SECTION OF LABEL]
[This label will be available in Spanish]

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] Indicates alternate or optional wording

Water-Based Insecticide

[For Residential Use]

Kills Ants, Cockroaches, Confused Flour Beetles, Crickets, Firebrats, Fleas, Flies, Mosquitoes, Pill Bugs, Rice Weevils, Saw-toothed Grain Beetles, Silverfish, Small Flying Moths, Ticks and Yellow Mealworms

[Kills Fleas, Cockroaches, Ants, Flies, Mosquitoes, Ticks, and similar insects]

Also kills Brown Dog Ticks, Deer Ticks and other Ixodid species that may carry or transmit Lyme disease

[Now Kills 18 Types of Household Bugs]

For Indoor Use in Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Garages, Homes, Kennels, Pet Sleeping Areas,

[ONE (2 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 16 ft. x 16 ft. WITH AN 8 ft. CEILING OR 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE.

[ONE (3 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 20 ft. x 20 ft. WITH AN 8 ft. CEILING OR 3,000 CUBIC FEET OF UNOBSTRUCTED SPACE

[ONE (4 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 22 ft. x 22 ft. with an 8 ft. CEILING OR 4,000 CUBIC FEET OF UNOBSTRUCTED SPACE.

[ONE (5 ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 25 ft. x 25ft. with an 8 ft. CEILING OR 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE.

[ONE (6 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 27 ft. x 27 ft with an 8 ft. CEILING OR 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
* N-Octyl bicycloheptene dicarboximide	0.380%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate)	0.400%
OTHER INGREDIENTS.....	99.17%
	100.000%

* MGK® 264, Insecticide Synergist

** Cis-trans isomers ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Company

**ACCEPTED
DEC 29 2011**

**Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended, for the
pesticide registered under:**

EPA. Reg. No: 1021-1558

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or a doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. ▪ Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> ▪ Move person to fresh air. ▪ If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible. ▪ Call a poison control center or doctor for further treatment advice.
<p>Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.</p>	

Net Weight _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Breathing spray mist may be harmful. Harmful or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Wear long sleeved shirt and long pants and shoes plus sox. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[STOP!] READ ENTIRE LABEL BEFORE EACH USE.

Does not control bed bugs.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a manner that will contact adults, children or pets either directly or through drift.

For use only when building has been vacated by human beings and pets. Remove pets, birds, and cover fish aquariums before spraying. Do not allow adults, children, or pets to enter the treated area, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Avoid contamination of food or feedstuffs.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hour. If an odor is still detectable, continue ventilating until there is no remaining odor of pesticide

TO USE THIS PRODUCT CORRECTLY:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets or cabinets or under counters or tables. **Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.** Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

- EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"
- EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"
- EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"
- EPA PRE-APPROVED PICTOGRAM 4 representing "No flames or pilot lights"

Use only one canister of fogger to treat a room up to 16 ft. x 16 ft with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space][25 ft. x 25ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.][27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

BEFORE YOU FOG:

In the home, do not apply when food is present. Exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use.

EPA PRE-APPROVED PICTOGRAM 5 representing "Remove or Cover Exposed Food":]

Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance
Remove pets and birds, cover and turn off fish aquariums before activating fogger.

Place a chair, small table or stand in the center of the room to be treated and cover with newspaper

Cover wood floors and wood furniture in the immediate area around fogger with newspapers or a drop cloth. Open cabinets, cupboards, drawers, closets and doors in areas to be treated.

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

TO START FOGGING:Point fogger away from face and eyes when releasing(container sprays straight up). To lock valve in open position for automatic discharge, press valve button down firmly, until it snaps into place. [Break off and remove tab on side of sprayer. Tilt sprayer away from face (container sprays straight up).] Then place the fogger on the stand or table in the center of the room.

Vacate the treated house, individual apartment unit or other structure immediately. Keep treated area closed for two (2) hours. Do not remain in the area during treatment.

Do not Re-enter for 2 hours



AIRING OUT: Wait two (2) hours after application, then open windows, vents and doors for two (2) hour. If an odor is still detectable, additional ventilation is required
EPA PRE-APPROVED PICTOGRAM 6 Representing "Air out the Room Before Entering"

To Kill Fleas and Ticks: Destroy pet's old bedding and replace with fresh bedding. Use product as directed above. Treat dogs and cats with registered tick control product prior to re-entry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage Store in a cool, dry area away from heat or open flame. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.



[Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.]

[DOOR HANG TAG LANGUAGE]

DO NOT ENTER UNTIL: _____ ON THIS DATE: _____

5/8

2485_1021-1558_0911a



McLAUGHLIN
GORMLEY
KING COMPANY

EVERCIDE® Total Release Fogger 2485

[COMMERCIAL / INSTITUTIONAL SECTION OF LABEL]

[This label will be available in Spanish]

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[] Indicates alternate or optional wording

Water-Based Insecticide

Kills Ants, Cockroaches, Confused Flour Beetles, Crickets, Firebrats, Fleas, Flies, Mosquitoes, Pill Bugs, Rice Weevils, Saw-toothed Grain Beetles, Silverfish, Small Flying Moths, Ticks and Yellow Mealworms

[Kills Fleas, Cockroaches, Ants, Flies, Mosquitoes, Ticks, and similar insects]

Also kills Brown Dog Ticks, Deer Ticks and other Ixodid species that may carry or transmit Lyme disease

[Now Kills 18 Types of Household Bugs]

For Indoor Use in Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Garages, Homes, Kennels, Pet Grooming Parlors, Pet Sleeping Areas, Verandas, Veterinary Clinic and Hospitals, and the Non-Food/Feed areas of Drive-ins, Drugstores, Factories, Food Plants, Hospitals, Hotels, Institutions, Kitchens, Motels, Nursing Homes, Office Buildings, Railroad Cars, Rest Rooms, Schools, Ships,

Storage Areas, Supermarkets, Theaters, Trailers, Trucks, Warehouses, and Zoos [Industrial] [Institutional]

[ONE (2 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 16 ft. x 16 ft. WITH AN 8 ft. CEILING OR 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE.

[ONE (3 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 20 ft. x 20 ft. WITH AN 8 ft. CEILING OR 3,000 CUBIC FEET OF UNOBSTRUCTED SPACE

[ONE (4 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 22 ft. x 22 ft. with an 8 ft. CEILING OR 4,000 CUBIC FEET OF UNOBSTRUCTED SPACE.

[ONE (5 ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 25 ft. x 25ft. with an 8 ft. CEILING OR 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE.

[ONE (6 Ounce) CANISTER OF FOGGER (EACH CAN) TREATS A ROOM UP TO 27 ft. x 27 ft with an 8 ft. CEILING OR 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE.]

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
* N-Octyl bicycloheptene dicarboximide	0.380%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate)	0.400%

OTHER INGREDIENTS.....	99.17%
	<u>100.000%</u>

* MGK® 264, Insecticide Synergist

** Cis-trans isomers ratio: Min. 35% (+ or -) cis Max. 65% (+ or -) trans

EVERCIDE, MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> ▪ Immediately call a poison control center or doctor. ▪ Do not induce vomiting unless told to do so by a poison control center or a doctor. ▪ Do not give any liquid to the person. ▪ Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> ▪ Hold eye open and rinse slowly and gently with water for 15-20 minutes. ▪ Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. ▪ Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> ▪ Take off contaminated clothing. ▪ Rinse skin immediately with plenty of water for 15-20 minutes. ▪ Call a poison control center or doctor for treatment advice.

6/8

IF INHALED:

- Move person to fresh air.
- If person is not breathing, call 911 or an ambulance. Then give artificial respiration, preferably mouth-to-mouth if possible.
- Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.

Net Weight _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-1558

EPA Est. No. 1021-MN-2

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION

Breathing spray mist may be harmful. Harmful or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet.

PERSONAL PROTECTIVE EQUIPMENT

Applicators must wear: Long-sleeved shirt and long pants, shoes plus socks, Chemical-resistant gloves made of barrier laminate made of barrier laminate, nitrile rubber, neoprene rubber or viton.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separated from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product. Do not reuse them

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating drinking, chewing gum, using tobacco , or using the toilet. Users should remove clothing /PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately afte handling this product. Wash the outside of gloves before removing . As soon as possible, wash thoroughly and change into clean clothing.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

[STOP!] READ ENTIRE LABEL BEFORE EACH USE.

Does not control bed bugs.

SHAKE WELL BEFORE USE. KEEP CONTAINER UPRIGHT.

GENERAL PRECAUTIONS AND RESTRICTIONS:

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. For use only when building has been vacated by human beings and pets. Remove pets, birds, and cover fish aquariums before spraying. Do not use in greenhouses where plants are grown for food. Do not use in aircraft cabins. Do not allow adults, children, or pets to enter the treated area, until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Avoid contamination of food or feedstuffs. Remove poultry before treating poultry houses. When use in dairy barns or facilities: Close mil bulk tank lids to prevent contamination from spray and from dead or falling insects. Remove or cover milking utensils before application. Wash teats of animals before milking.

Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, continue ventilating until there is no remaining odor of pesticide.

Do not apply directly to food. Do not use in food/feed areas of food/feed handling establishments, restaurants, or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas include areas where prepared foods are served such as dining rooms, but exclude areas where foods may be prepared or held. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). In homes do not apply when food is present. Exposed food should be covered or removed. All food preparation surfaces and utensils should be covered during treatment or thoroughly washed before use.

TO USE THIS PRODUCT CORRECTLY:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets or cabinets or under counters or tables. **Use of a fogger in an enclosed space may cause the product to explode, resulting in injury to people or damage to property.** Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames, or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

- EPA PRE-APPROVED PICTOGRAM 1 representing "Do Not Use Multiple Canisters in a room"
- EPA PRE-APPROVED PICTOGRAM 2 representing "Do Not Use in Small Confined Spaces"
- EPA PRE-APPROVED PICTOGRAM 3 representing "Unplug and Turn off ignition sources"
- EPA PRE-APPROVED PICTOGRAM 4 representing "No flames or pilot lights"

Use only one canister of fogger to treat a room up to 16 ft. x 16 ft with an 8 ft. ceiling or 2,000 cubic ft. of unobstructed space. [20 ft. x 20 ft. with an 8 ft. ceiling or 3,000 cubic ft. of unobstructed space] [22 ft. x 22 ft. with an 8 ft. ceiling or 4,000 cubic ft. of unobstructed space][25 ft. x 25ft. with an 8 ft. ceiling or 5,000 cubic feet of unobstructed space.][27 ft. x 27 ft. with an 8 ft. ceiling or 6,000 cubic feet of unobstructed space.]

BEFORE YOU FOG:

Remove or cover exposed food and drinking water before application. Remove or cover dishes, utensils, food processing equipment and food preparation surfaces, or wash them before use.

- EPA PRE-APPROVED PICTOGRAM 5 representing "Remove or Cover Exposed Food":]
- [Remove or cover exposed food]

Close outside doors and windows. Shut off fans, air conditioners, and ventilation equipment. Put out all flames, pilot lights and other ignition sources. Call your gas utility or management company if you need assistance
Remove pets and birds, cover and turn off fish aquariums before activating fogger.

Place a chair, small table or stand in the center of the room to be treated and cover with newspaper


Cover wood floors and wood furniture in the immediate area around fogger with newspapers or a drop cloth. Open cabinets, cupboards, drawers, closets and doors in areas to be treated.

Fill out and place hang-tag on the door to the treated area to alert family and others with access to the treated area not to enter for 2 hours.

TO START FOGGING: Point fogger away from face and eyes when releasing(container sprays straight up). To lock valve in open position for automatic discharge, press valve button down firmly, until it snaps into place. [Break off and remove tab on side of sprayer. Tilt sprayer away from face (container sprays straight up).] Then place the fogger on the stand or table in the center of the room.

Vacate the treated house, individual apartment unit or other structure immediately. Keep treated area closed for two (2) hours. Do not remain in the area during treatment.

Do not Re-enter for 2 hours



AIRING OUT: Wait two (2) hours after application, then open windows, vents and doors for two (2) hours. If an odor is still detectable, additional ventilation is required
EPA PRE-APPROVED PICTOGRAM 6 Representing "Air out the Room Before Entering"

To Kill Fleas and Ticks: Destroy pet's old bedding and replace with fresh bedding. Use product as directed above. Treat dogs and cats with registered tick control product prior to re-entry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

Pesticide Storage Store in a cool, dry area away from heat or open flame. Always store pesticides in the original container. Store away from food and pet food.

Pesticide Disposal and Container Handling

Do Not Puncture or Incinerate!

Nonrefillable container. Do not reuse or refill this container

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions.



[Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.]

[DOOR HANG TAG LANGUAGE]

DO NOT ENTER UNTIL: _____ ON THIS DATE: _____