PM 03	1021-1569	9/4/90	P7 161
MGK	McLAUGHLIN GORMLEY KING COMPANY	PYROCIDE [®] MOSQUIT CONCENTRATE FOR U	O ADULTICIDING LV FOGGING 7396
8810 TENTH AVENUE NORT	ΓΗ • MINNEAPOLIS, MN 55427 U.S.A.	SEP 0 4 1990	TELEPHONE (612) 544-0341
Recommended for use by Commerci	al or Governmental Mosquito Control /	Personnel	
*Piperonyl butoxide, T **INERT INGREDIENTS *Equivalent to 20.00 % (bu **Contains petroleum distil	echnical tylcarbityl) (6-propylpiperonyl) eth late ed trademark of McLaughlin Gormley K	er and 05.00 % related compounds	25.00% <u>70.00%</u> 100.00%
	KEEP OUT OF REA CAUT STATEMENT OF PRACT	ION	
IF SWALLOWED: IF ON SKIN OR CLOTHING: IF IN EYES: IF INHALED:	Call a physician or Poison Control aspiration pneumonia hazard. Remove contaminated clothing and was medical attention if irritation per Flush with plenty of water. Get med Remove victim to fresh air if effec	sh before re-use. Wash skin with sists. ical attention if irritation per	n soap and warm water, Get
	PRECAUTIONARY	STATEMENTS	
	HAZARDS TO HUMANS AN	D DOMESTIC ANIMALS	i
Avoid breathing vapors	ontains petroleum distillate. Do not or spray mist. Avoid contact with sk nd warm water after use. Obtain medi	in or eyes. In case of contact,	flush with plenty of
	ENVIRONMENTA	L HAZARDS	
This product is toxic to fish and other aquatic animals. Do not apply directly to any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes.			
	PHYSICAL OR CHE	MICAL HAZARDS	
Do not use or store nea	r heat or open flame.		
	DIRECTIONS	FOR USE	
	It is a violation of Federal in a manner inconsisten		
This concentrate is formulated deodorized kerosene or petroleu	to be diluted with a suitable oil di m distillate, for use in cold fog ae	luent, such as but not restricte rosol generators.	ed to light mineral oil,
This concentrate may be diluted or used as supplied for mosquito control programs involving residential, industrial, recreational and agricultural areas, swamps, marshes, overgrown wastes areas, roadsides and pastures where adult mosquitoes occur.			
Use in agricultural areas should be in such a manner as to avoid residues in excess of established tolerances for pyrethrins and piperonyl butoxide on crops or commodities.			
Best results are expected from application when the meteorological conditions favor an inversion of air temperatures in the area treated, and when the wind is not excessive. Repeated applications may be made as necessary to obtain the desired reduction in adult mosquitoes.			

This pesticide may be applied with equipment designed and operated to produce a suitable ultra low (ULV) spray application, which meets the dosage per acre objective of not more than .0025 pounds of pyrethrins and .0125 pounds of piperonyl butoxide per acre. For control of AEDES TAEIRORHYNCHUS in Florida, it may be necessary to use a dose of up to .008 pounds of pyrethrins per acre.

Back pack application may require a greater rate of dilution than the dilution used for vehicle or aircraft mounted sprayers, in order to achieve the desired rate of application of active ingredients per acre.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

Do not contaminate water, food, or feed by storage or disposal.

!