



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

Mr. Steve Ditto McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372 MAR 2 6 2012

Subject: Label Notification(s) for Pesticide Registration Notice 98-10

Dear Mr. Ditto:

The Agency is in receipt of your Application(s) for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated March 19, 2012 for the following product(s):

PYROCIDE® 60-12, MAC

Alternate Brand Name

The Registration Division (RD) has conducted a review of this request for applicability under PR Notice 98-10 and finds that the label change(s) requested falls within the scope of PRN 98-10. The label has been date-stamped "Notification" and will be placed in our records.

PYROCIDE[®] Mosquito Adulticiding Concentrate for ULV Fogging 7395

Reg. No. 1021-1570

If you have any questions, please contact Linda A. DeLuise at 703-305-5428.

Sincerely,

Richard J. Gebken Product Manager Insecticide Branch

Let A De Luca

Registration Division (7504P)

Please read instructions before comp	oleting form						60. Approval expires 05-31-98
United States					Registratio	n	OPP Identifier Number
SEPA Environmental Protection			Agency		Amendme	nt	
	Washington	n, DC 20460		X	Other		
THE RESIDENCE OF STREET	A	pplication t	for Pesticide	- Section	11		
1. Company/Product Number			2. EPA Product Manager			3. Proposed	Classification
1021-1570			Richard Gebken				
4. Company/Product (Name)			PM#			✓ None ☐ Restricted	
PYROCIDE® Mosquito Adulticiding Concentrate for ULV		Fogging 7395	10				
5. Name and Address of Applicant (Include Zip Code)			6. Expedited Review. In accordance w			FIFRA Secti	on 3(c)(3)(b)(i), my
McLaughlin Gormley King Company			product is similar or identical in composition and labeling to:				
8810 10TH AVE N		NOTI			FICATIO	N	
MINNEAPOLIS, MN 5		EPA Reg. No.					
			MAF	MAR 2 6 2012			
		Product Name			the state of the s		
Check if this	is a new address				San Marian		
			Section - II	Charles and			
Amendment -	- Explain below.					abels in respon	onse to
				Agency letter			
Resubmission	n in response to Agency letter	dated			"Me Too" App	lication.	
V Notification -	Explain below.				Other Funds	a balani	
ITOUIICATION -	al page(s) if necessary. (For	section Land S	ection II \		Other - Explai	in below.	
	PR Notice 98-10 adding a			to the out	iost product		
Notification parsuant i	To thouse so to adding a	an alternate	brana name	to the suc	Jeet product		
				7.27 - 12.			
	A STATE OF THE STA		Section - III				
1. Material This Product Wil							
Child-Resistant Packaging	Unit Packaging		Water Soluble			2. Type of Container	
Yes* Yes		Yes				✓ Metal	
✓ No	✓ No	Na ana		No	No non	✓ Plastic	
*0		No. per container	If "Yes"		No. per	Glass Paper	
*Certification must	Unit Packaging wgt.	container	Package wgt.		container		Specify)
be submitted 3. Location of Net Contents information		4. Size(s) Retail Container		Other (Specify) 5. Location of Label Directions			
Label Container		8 OZ 55 GAL.			○ Cocation of Labert		ons
					On Labeling accompanying product		
6. Manner in Which Label is	Affived to Product	Lithograph			Other	On Labeling	accompanying product
o. Manner in William Laber is		Paper glued			Other		
		Stenciled					
			Section - IV				
1 Contact Point (Complete	items directly below for identif			acted if nece	essany to proc	ace this annli	cation)
Name		Title	iddar to be com	acted, il ricol	ossary, to proc		o. (Include Area Code)
		Regulatory Affairs Specialist				(763) 544-	7.5.5
Steven K. Dillo					(700) 044 0041		
		Certification				CCCCC	6. Date Application
Loorlify that the statement	nts I have made on this form a		ente therete are	true accura	te and complet	0 0 0	Received
	nowingly false or misleading s					ccccc	CCC
		statement may	be pullistiable t	y me or mp	madminent of	(((Stamped)
both under applicable law		3. Title					(Court
2. Signature			Affairs Specia	aliet		cccc	
1		Regulatory /	Thairs Specia	allot			
		5. Date					icecia
4. Typed Name		5. Date 3/19/2012					



March 19, 2012

Document Processing Desk (NOTIF) Mr. Richard Gebken, Project Manager 10 U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs (H7504P) Room S-4900, One Potomac Yard 2777 South Crystal Dr. Arlington, VA 22202-4501

Via Courier

Subject:

PYROCIDE® Mosquito Adulticiding Concentrate for ULV Fogging 7395

EPA Reg. No. 1021-1570

Notification Per PR-Notice 98-10

Dear Mr. Gebken:

By Notification we are adding the alternate brand name PYROCIDE® 60-12, MAC to the subject product.

Enclosed are 2 copies of the label. One copy has changes highlighted.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Steven K. Ditto

Regulatory Affairs Specialist

Enclosure

Minneapolis, MN 55427

8810 Tenth Avenue North TOLL FREE 800.645.6466 TEL 763.544.0341 FAX 763.544.6437 WWW.MGK.COM

PYROCIDE® Mosquito Adulticiding Concentrate for ULV Fogging 7395

LALTERNATE BRAND NAME: PYROCIDE® 60-12, MACI

FOR USE ONLY BY FEDERAL, STATE, TRIBAL OR LOCAL GOVERNMENT OFFICALS RESPONSIBLE FOR PUBLIC HEALTH OR VECTOR CONTROL OR BY PERSONS CERTIFIED IN THE APPROPRIATE CATEGORY OR OTHERWISE AUTHORIZED BY THE STATE OR TRIBAL LEAD PESTICIDE REGULATORY AGENCY TO PERFORM ADULT MOSQUITO CONTROL APPLICATIONS, OR BY PERSONS UNDER THEIR DIRECT SUPERVISION.

ACTIVE INGREDIENTS:

12.00% Piperonyl butoxide, Technical..... 60.00% OTHER INGREDIENTS. 28.00% 100.00%

Equivalent to 48.00% (butylcarbityl) (6-propylpiperonyl) ether and 12.00% related compounds

Contains petroleum distillates

PYROCIDE® - Registered trademark of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN

IE CHALL CHIED	FIRST AID
IF SWALLOWED:	 Immediately call a poison control center or doctor.
	 Do not induce vomiting unless told to do so by a poison control center or doctor.
	Do not give any liquid to the person.
	 Do not give anything by mouth to an unconscious person.
IF IN EYES:	 Hold eye open and rinse slowly and gently with waterfor 15 – 20 minutes.
	 Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
	 Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated dothing.
	 Rinse skin immediately with plenty of water for 15 – 20 minutes.
	 Call a poison control center or doctor for treatment advice.

poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

Manufactured by



8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1570

EPA Est. No. 1021-MN-2

Net Contents:

MAR 2 5 2012

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated dothing before reuse.

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Mixers, loaders, applicators, and other handlers must wear the following:

- Long-sleeve shirt,
- Long pants,
- Shoes and socks.

- Chemical-resistant gloves made of barrier laminate, nitrile rubber, neoprene rubber, or viton.

In addition to the above PPE, applicators using a high pressure handwand in an enclosed area must wear at least a NIOSH-approved respirator with:

- A dust/mist filter with MSHA/NIOSH approval number prefix TC-21C or

Any R, P, or HE filter.

In addition to the above PPE, applicators using hand held foggers in an enclosed area must wear a half-face, full-face, or hood-style NIOSH- approved respirator with:

- A dust/mist filtering cartridge (MSHA/NIOSH approval number prefix TC-21C), or

- A canister approved for pesticides (MSHA/NIOSH approval number prefix TC-14G), or

- A cartridge or canister with any R, P or HE filter.

See engineering controls for additional requirements.

USER SAFETY RECOMMENDATIONS

- User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

 User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on close dething.

 Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/ maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry.

Discard clothing and other absorbert material that have been drenched or heavilycontaminated with the product's concentrate. Do not reuse them.

Engineering Controls

Pilots must use an enclosed cockpit that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d)(6)].

Human flagging is prohibited. Flagging to support aerial application is limited to use of the Global Positioning System (GPS) or mechanical flagger

ENVIRONMENTAL HAZARDS

This pesticide is toxic to aquatic organisms, including fish and invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous b fish and aquatic invertebrates.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply when bees are visiting the treatment area, except when applications are made to prevent or control a threat to public and/or animal healthdetermined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Before making the first application in a season, it is advisable to consult with the state or tribal agency with primary responsibility for pesticide regulation to determine if other regulatory requirements exist.

Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes or estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This concentrate is formulated to be diluted with suitable oil diluent such as (but not restricted to) light mineral oil, deodorized kerosene, or petroleum distillate for use in cold fog aerosol generators.

This concentrate may be diluted or used as supplied for mosquito control programs involving residential, industrial, recreation. It and agricultural areas where adult mosquitoes are present in bothersome numbers in vegetation surrounding swamps, marshes, overgrown waste areas, roadsides, and pastures.

Use in agricultural areas should be in such a manner as to avoid residues in excess of established tolerances for pyrethrins and piperonyl butoxide on crops or commodities.

Best results are expected from application when meteorological conditions favor an inversion of air temperatures in the area treated. Repeated applicationsmay be made as necessary to obtain the desired reduction in adult mosquitoes.

Backpack application may require a greater rate of dilution than the dilution used for vehicle or aircraft mounted sprayers in order to achieve the desired rate of application of active ingredients per acre.

PRECAUTIONS AND RESTRICTIONS

Not for use in outdoor residential misting systems.

Not for use in metered release systems.

For use only by federal, state, tribal or local government officials responsible for public health or vector control, or by persons certified in the appropriate category or otherwise authorized by the state or tribal lead pesticide regulatory agency to perform adult mosquito control applications, or by persons under their direct supervision.

The maximum application rate for wide area mosquito adulticide applications is 0.0025 lbs ai/acre of Pyrethrin and/or 0.025 lbs/acre of PBO, whichever is lower. When targeting *Ochlerotatus Taeniorhynchus* and other difficult species applications may be made up to 0.008 lbs of pyrethrin/acre/day or 0.08 lbs piperonyl butoxide/ace/day, whichever is lower.

Do not apply more than 0.2 lbs of Pyrethrin/acre/year and/or 2.0 lbs of PBO / acre/ year, whichever is lower, in any treated area More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by a state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

EQUIPMENT CALIBRATION PARAMETERS

SPRAY PARTICLE SIZE AND DROPLET SPECTRA

Directions from the equipment manufacture or vendor, pesticide registrant or a test facility using a laser-based measurement instrument must be used to adjust equipment to produce acceptable droplet size spectra. Application equipment must be tested at least annually to confirm that pressure at the nozzle and nozzle flow rate(s) are properly calibrated.

If necessary, contact the distributor or manufacture of this product for undiluted spread factors or the manufacturer of diluting oils for a spread factor to use to determine droplet size with this product if applied undiluted or diluted.

SPRAY DRIFT MANAGEMENT FOR WIDE AREA MOSQUITO ABATEMENT

A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application (e.g., ground, aerial, airblast, chemigation) can influence pesticide drift. The applicator must evaluate all factors and make appropriate adjustments when applying this product.

Wind Speed:

Apply only when wind speed is greater than or equal to 1 mph.

Ground Equipment:

Specifically: Cold Aerosol ULV, Non-Thermal Spray, Mechanical Cold Aerosol, Turbine Spray, and Thermal Aerosol Fogging Equipment

Spray equipment must be adjusted so that the volume median diameter (VMD) is les than 30 microns (Dv 0.5 < 30um) and that 90% of the spray is contained in droplets smaller than 50 microns (Dv 0.9 < 50 um).

Aerial Equipment:

Spray equipment must be adjusted so that the volume median diameter produced is less than 60 microns (Dv 0.5 < 60um) and that 90% of the spray is contained in droplets smaller than 80 microns (Dv 0.9 < 80).

The effects of flight speed and, for non-rotary nozzles, nozzle angle on the droplet size spectrum must be considered.

Fixed wing: Apply using a nozzle height of no less than 100 feet above the ground or canopy. Rotary wing: Apply using a nozzle height of no less than 75 feet above the ground or canopy.

PROHIBITION ON AERIAL USE: Not for aerial application in Florida unless specifically authorized by the Bureau of Entomology, Florida Department of Agriculture and Consumer Services.

Do not apply more than 0.2 lbs of pyrethrin per acre/year (226.75 g/Ha/year) and 2.0 lbs of piperonyl butoxide per acre/year (2,267.5 g/Ha/year), whichever is lower, in any treated area. More frequent treatments may be made to prevent or control a threat to public and /or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease-causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

Do not exceed 25 applications at 0.008 pounds of pyrethrins per acre in any given season.

Apply PYROCIDE® Mosquito Adulticiding Concentrate for ULV Fogging 7395 [PYROCIDE® 60-12, MAC] diluted or undiluted at rates between 0.0018 pounds pyrethrins and no more than 0.008 pounds pyrethrins per acre in any given 24 hour period unless otherwise noted.

More frequent treatments may be made to prevent or control a threat to public and/or animal health determined by state, tribal, or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

<u>PESTICIDE STORAGE</u>: Store in a cool, dry place. Keep container closed. Post as a pesticide storage area. Always store pesticides in the original container. Store away from food, pet food, feed, seed, fertilizers, and veterinary supplies. Place liquid formulations on lower shelves and dry formulations above.

<u>PESTICIDE DISPOSAL</u>: To avoid wastes, use all material in this container by application according to label directions. If wastes cannot be avoided, offer remaining product to a waste disposal facility or pesticide disposal program (often such programs are run by state or local governments or by industry).

CONTAINER HANDLING [For Containers of 5 Gallons or Less]: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container ¼ full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.

CONTAINER HANDLING [For Containers Greater Than 5 Gallors]: Nonrefillable container. Do not reuse or refill this container. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container ¼ full with water. Replace and fighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Then offer for recycling if available, or puncture and dispose of in a sanitary landfill or by incineration. Do not burn unless allowed by state and local ordinances.

Page 4 of 4