

PM 03

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

113

1021-1572

3/14/94

MAR 14 1994

Ms. Marla R. Lenzen  
McLaughlin Gormley King Company  
8810 Tenth Avenue North  
Minneapolis, MN 55427

SUBJECT: Amendment to Delete Precautionary Language  
PYROCIDE CONCENTRATE 7394  
EPA Registration Number: 1021-1572  
Amendment Application Dated March 3, 1994

Dear Ms. Lenzen:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. Therefore you may delete from the label the precautionary paragraph "Do not apply space spray while food processing... and egg products inspection programs." and the statement "Remove pets, birds, and cover fish aquariums before spraying."

A stamped copy is enclosed for your records.

Sincerely,



Robert S. Brennis  
Acting Product Manager 10  
Insecticide & Rodenticide Branch  
Registration Division (7505C)

CONCURRENCES

SYMBOL	7505C						
SURNAME	<i>Blayne</i>						
DATE	3/14/94						



*Piperonyl butoxide, Technical.....	60.00%
**INERT INGREDIENTS.....	<u>34.00%</u>
	100.00%

\*Equivalent to 48.00 % (butylcarbityl) (6-propylpiperonyl) ether and 12.00 % related compounds.

\*\*Contains petroleum distillate

PYROCID® - Registered trademark of McLaughlin Gormley King Co.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water. Get medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Get medical attention if irritation persists.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION**

Harmful if swallowed, absorbed through the skin or inhaled. Causes eye irritation. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid contact with skin, eyes and clothing. Wear goggles or face shield when mixing or loading. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse. Avoid breathing vapors or spray mist. Avoid contamination of food and feedstuffs.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This concentrate is formulated to be diluted with water or a suitable oil diluent, such as but not restricted to light mineral oil, deodorized kerosene or petroleum distillate, for use in cold fog aerosol generators.

This concentrate may be diluted or used as supplied for mosquito control programs involving residential, industrial, recreational and agricultural areas where adult mosquitoes are present in annoying numbers in vegetation surrounding swamps, marshes, overgrown waste areas, roadsides and pastures.

Use in agricultural areas should be in such a manner as to avoid residues in excess of established tolerances for pyrethrins and piperonyl butoxide on crops or commodities.

Best results are expected from application when the meteorological conditions favor an inversion of air temperatures in the area treated, and when the wind is not excessive. Repeated applications may be made as necessary to obtain the desired reduction in adult mosquitoes.

This pesticide may be applied with equipment designed and operated to produce a suitable ultra low volume (ULV) spray application, which meets the dosage per acre objective of not more than .0025 pounds of pyrethrins and .0250 pounds of piperonyl butoxide per acre. For control of Aedes triseriatus in Florida, it may be necessary to use a dose of up to .008 pounds of pyrethrins per acre.

Back pack application may require a greater rate of dilution than the dilution used for vehicle or aircraft mounted sprayers in order to achieve the desired rate of application of active ingredients per acre.

**STORAGE AND DISPOSAL**

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

Net Contents \_\_\_\_\_

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY  
8810 Tenth Avenue North  
Minneapolis, MN 55427

EPA Reg. No. 1021-1572

EPA Est. No. 1021-MN-2