



McLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® Vegetable and Garden Insect Killer 2526

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

Ready-To-Use Spray to Control Ornamental and Outdoor House and Garden Pests Around Residential Structures

ACTIVE INGREDIENT:

(S)-cyano (3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate 0.0033%

OTHER INGREDIENTS 99.9967% 100.0000%

EVERCIDE® - Registered trademark of McLaughlin Gormley King Company


KEEP OUT OF REACH OF CHILDREN CAUTION

Table with 2 columns: Condition (IF SWALLOWED, IF IN EYES, IF ON SKIN OR CLOTHING) and First Aid instructions.

Net Contents Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1582

EPA Est. No. 1021-MN-2



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and other wildlife. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE EACH USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

Avoid contamination of food or feedstuffs.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly throughout the growing season up to days of harvest given of each crop.

FOR USE ON THE FOLLOWING GARDEN VEGETABLES

Table with 4 columns: CROP, DAYS TO HARVEST, CROP, DAYS TO HARVEST. Lists vegetables like Artichoke, Broccoli, Cabbage, etc. with harvest times.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot

1021-1582

11/02/2004

1/10

Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, and Whitefly.

FOR GARDEN TREE FRUITS, NUTS, AND BERRIES: Apply as a full coverage spray to upper and lower leaf surfaces. Apply to the point of drip but not to runoff. As pests are observed, repeat treatment to maintain control up to the number of days listed before the harvest for each crop.

TO CONTROL THE FOLLOWING INSECTS: Apple Aphid, Black Cherry Aphid, Codling Moth, Leafrollers, Leafhoppers, Green Fruit Worm, Plant Bugs, Oblique Banded Leafroller, Variegated Leafroller, Tentiform Leaf Miner, San Jose Scale (on fruit only), Tufted Apple Budmoth, Plum Curculio, Oriental Fruit Moth, Apple Maggot, Red-Banded Leafroller, Lesser Appleworm, Rosey Apple Aphid, Periodical Cicada, Pear Psylla, Pear Slug, Naval Orangeworm, Peach Twig Borer, Filbert Worm, Peach Tree Borer, Lesser Peach Tree Borer, Cherry Fruit Fly, American Plum Borer, Pecan Weevil, Hickory Shuckworm, Pecan Nut Casebearer, Pecan Aphids, Pecan Spittlebug, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphid, Walnut Husk Fly.

FOR USE ON ORNAMENTAL PLANTS (Annuals and Perennials), SHRUBS, ROSES, AND SHADE TREES: Apply to upper and lower leaf surfaces. Apply to the point of drip but not to runoff. Repeat weekly as pests are observed.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, Whitefly, Japanese Beetle, Spittlebugs, Redheaded Pine Sawfly, Balsam Woolly Adelgid, Pine Chafer, Red Pine Sawfly, Pine Coreid Bug, European Pine Sawfly, Northern Pine Weevil.

FOR OUTDOOR PESTS: To control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, pillbugs, sowbugs, spiders, and ticks. Use at the rate of 1 gallon per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, pillbugs, and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Apply as a coarse wet spray at the rate of 1 gallon per 1,000 square feet.

<u>CROP</u>	<u>DAYS TO HARVEST</u>	<u>CROP</u>	<u>DAYS TO HARVEST</u>
Apple	21	Pecans	21
Almond	21	Pears	28
Caneberries		Stone Fruits	
Blackberries	21	Apricot	14
Loganberries	21	Cherries	14
Red Raspberries	21	Nectarines	14
Black Raspberries	21	Peaches	14
Elderberries	21	Plums	14
Gooseberries	21	Prunes	14
Filberts	21	Walnuts	21

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:
 If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

2526-904

EVERCIDE® Vegetable and Garden Insect Killer 2526

[indicates optional text]

READY-TO-USE

[icon] WATER BASED

[icon] OUTDOOR USE ONLY

Contains Esfenvalerate, a Synthetic Pyrethroid

Contains a Pyrethroid Insect Killer


Multi-Purpose Insect Killer

Low Odor

New From Ortho

New Look

New Formula



One Application:

- Kills Beetles (including Japanese Beetle), Caterpillars (including Tomato Hornworm), Ants, Armyworms, Ticks (including ticks carrying Lyme disease [including ticks that transmit Lyme disease]) and [&] other garden and [&] nuisance pests [insects] [bugs] [plus others listed!]
- Kills Beetles, Caterpillars, Ants, Ticks and [&] More
- Kills [Controls over] [more than] 100 insects [bugs] [pests] on vegetables, flowers, small trees and [&] shrubs
- Kills [Controls over] [more than] 100 garden and nuisance pests without harming roses, flower or shrubs
- Kills on Contact
- Kills over 100 insects [bugs] [pests] on contact

On [For] [For use on] Roses, Flowers, Small Trees, Shrubs, Fruits, Vegetables and [&] Other Outdoor Surfaces [Areas]

Can be used on [most popular] fruits and [&] vegetables (see back panel for details)

Use in [on] Vegetable Gardens

Fast Acting Formula

New Improved Formula

[Reapply as directed for a more beautiful garden]

Guaranteed Kill or your money back

Active Ingredient

Esfenvalerate 00.0033%

* Other Ingredients..... 99.9967%

*Contains petroleum distillate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel [booklet] for additional precautionary statements.

- NET 24 FL OZ (1 PT 8 FL OZ) 709 mL**
- 30 FL OZ (1 PT 14 FL OZ) 886 mL**
- 1/2 GAL / 1.89 L**
- 1 GAL / 3.78 L**
- 1.33 GAL/5 L/170 FL OZ**

Shake Well Before Use

Applicator directions for nested sprayers
QUICK CONNECT SPRAYER [illustrations]
<ol style="list-style-type: none"> 1. Remove sprayer. Pull cord <u>ALL THE WAY OUT</u>. 2. Insert red plug into spout (on cap) until it clicks. 3. Flip up spout. Open nozzle at end of sprayer.

Applicator directions for Pull 'N Spray
[Wand sticker] IMPORTANT! Follow directions and illustrations on back to assemble and use Pull 'N Spray correctly.
[Shoulder sticker] [Illustration]
<ul style="list-style-type: none"> • [Illustration] 1. Detach yellow wand and pull plug and tubing from bottom of wand. Insert plug firmly into "T-handle" until it clicks. ONCE CONNECTED, PLUG CANNOT BE REMOVED WITHOUT DAMAGING "T-HANDLE." • [Illustration] 2. Slide white strip on cap, then grab "t-handle" and pull all the way up. JUST PULL UP – NO NEED TO PUMP. • [Illustration] 3. Point wand at area to be treated and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern. • [Illustration] 4. Pull "T-handle" again as needed to continue spraying. JUST PULL UP – NO NEED TO PUMP. When finished, push "T-handle" gently down to cap and follow storage instructions.

Text for booklet labels:

Open Resealable Label
for Directions & Precautions
PRESS TO RESEAL

[Product name] controls more than one hundred garden and nuisance pests. This easy to use one-step bug killer quickly kills insects without harming your roses, flowers or shrubs. Reapply [product name] as directed for a more beautiful garden.

Thank you for choosing Ortho. You'll like the results and so will your [yard] garden.

PRODUCT FACTS	
KILLS BUGS [INSECTS] [PESTS]	<ul style="list-style-type: none"> ▪ Garden Pests: Aphids, beetles, caterpillars, whiteflies and [&] other garden pests [more] ▪ Nuisance Pests (outdoors): Ants, cockroaches, spiders, ticks (including ticks which [that] transmit Lyme disease) and [&] other nuisance pests [more] <p><i>[Option to list other pests here that are listed elsewhere on this label.]</i></p>
WHERE TO USE	<ul style="list-style-type: none"> ▪ On roses, flowers, shrubs, vegetables and [&] fruits ▪ Outdoor surfaces of buildings, porches and [&] patios <p><i>[Option to list other sites here that are listed elsewhere on this label.]</i></p>
<p><i>[phone icon]</i> Questions, Comments or Medical Information call 1-800-225-2883 www.ortho.com</p>	

Specially formulated for residential use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR BEST RESULTS**HOW TO APPLY**
[optional illustration]

- *Text for trigger sprayer:* Adjust spray nozzle to give a fine spray. When done close nozzle.
- *Text for nested sprayer:* Adjust spray nozzle to give a fine spray. When done, flip down spout to close. **NO NEED TO DISCONNECT TRIGGER SPRAYER.** Close nozzle on trigger sprayer. Snap sprayer back in place.
- *Text for Pull 'N Spray:* Adjust nozzle on wand to deliver a narrow or wide spray. Pull up on handle – **DO NOT PUMP.** Follow illustrations and instructions above. Point wand at area to be treated and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern. Pull “T-handle” again as needed to continue spraying. **JUST PULL UP – NO NEED TO PUMP.** Hold wand 12 inches from the insect or surface being sprayed. Use only for spot treatment. Do not spray into the air. Spray until slightly wet without soaking.
- **Garden Pests:** Hold sprayer [wand] about 12 inches from plant. Thoroughly cover all plant surfaces until slightly wet, but not to the point of runoff. *Alternative text:* Spray plant to wet the upper and lower leaf surfaces until wet but not to the point of runoff.
- **Nuisance Pests:** Apply directly to the listed pests in outdoor areas. Also, spray outdoor surfaces of buildings, porches, patios, garages and [&] other areas where these bugs [insects] [pests] have been seen or are found. Do not spray in or near fishponds or other bodies of water.

Alternative text:

- **Nuisance Pests:** Apply directly to the listed pests in outdoor areas.
- **Outdoor Surfaces:** Spray buildings, porches, patios, garages and [&] other areas where the bugs [insects] [pests] have been seen or are found. Do not spray in or near fishponds or other bodies of water.

WHEN TO APPLY
[optional illustration]

Apply as necessary to maintain control waiting at least 7 days between each application.

GARDEN PESTS [BUGS] [INSECTS] CONTROLLED [KILLED]

On Ornamental Plants including: Roses, Flowers, Shrubs and [&] Small* [Shade] Trees

Aphid, Armyworm, Balsam Woolly Adelgid, Buckhorn Aphid, Cabbage Looper, Cucumber Beetle (adults) - spotted and [&] striped, Cutworm, European Pine Sawfly, Fall Webworm, Flea Beetle, Grasshopper, Gypsy Moth, Imported Cabbageworm, Japanese Beetle, Leafhopper, Looper, Northern Pine Weevil, Pine Chafer, Pine Coreid Bug, Red Pine Sawfly, Redheaded Pine Sawfly, Saltmarsh Caterpillar, Spittlebug, Tent Caterpillar and [&] Whitefly

On Listed Vegetables and [&] Melons

Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and [&] striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm and [&] Whitefly

On Listed Berries and [&] Small Fruit and [&] Nut Trees

Apple Aphid, Black Cherry Aphid, Codling Moth, Leafrollers, Leafhoppers, Green Fruit Worm, Plant Bugs, Oblique Banded Leafroller, Variegated Leafroller, Tentiform Leaf Miner, San Jose Scale (on fruit only), Tufted Apple Budmoth, Plum Curculio, Oriental Fruit Moth, Apple Maggot, Red-Banded Leafroller, Lesser Appleworm, Rosey Apple Aphid, Periodical Cicada, Pear Psylla, Pear Slug, Naval Orangeworm, Peach Twig Borer, Filbert Worm, Peach Tree Borer, Lesser Peach Tree Borer, Cherry Fruit Fly, American Plum Borer, Pecan Weevil, Hickory Shuckworm, Pecan Nut Casebearer, Pecan Aphids, Pecan Spittlebug, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphid and [&] Walnut Husk Fly

Vegetables	Days to Wait to Harvest	Vegetables	Days to Wait to Harvest	Vegetables	Days to Wait to Harvest
Artichoke	7	Dry Beans	21	Radishes	7
Broccoli	3	Dry Peas	21	Snap Beans	3
Cabbage	3	Eggplant	7	Squash	3
Carrots	7	Green Peas	3	Sweet Corn	1
Cauliflower	3	Peppers	7	Tomatoes	1
Collards	7	Potatoes	7		
Cucumbers	3	Pumpkin	3		

Berries and [&] Melons	Days to Wait to Harvest	Small Fruit and [&] Nut Trees (such as container grown, dwarf or young trees)	Days to Wait to Harvest
Caneberries (Blackberries, Loganberries, Red Raspberries and [&] Black Raspberries)	21	Almond	21
		Apple	21
		Apricot	14
		Cherries	14
		Filberts	21
Elderberries	21	Nectarines	14
Gooseberries	21	Peaches	14
Melons	3	Pecans	21
		Pears	28
		Plums	14
		Prunes	14
		Walnuts	21

NUISANCE BUGS [INSECTS] [PESTS] CONTROLLED [KILLED]
--

Ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, pillbugs, spiders, and [&] ticks which [that] transmit Lyme disease).

[reentry icon] People and pets may enter treated area after spray has dried.

Avoid contamination of food or feedstuffs.

STORAGE AND DISPOSAL *[optional icon]*

[optional storage illustration]

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

If Empty: Do not reuse this container. Place in trash or offer for recycling if available.

If Partly Filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

STORAGE AND DISPOSAL FOR PULL 'N SPRAY *[optional icon]*

[optional storage illustration]

STORAGE: To store, push "T-handle" gently down to cap. Slide white strip on cap back to closed position. **LEAVE WAND PLUG CONNECTED TO "T-HANDLE."** Snap wand back into place on side of container. Store this product in its original container, in a secure area. Protect container from freezing.

DISPOSAL: To dispose partially used or empty container, securely wrap it in several layers of newspaper and discard in trash. In case of SPILL or LEAK, soak up with paper towels and discard in trash. **DO NOT REUSE EMPTY CONTAINER.**

PRECAUTIONARY STATEMENTS *[optional icon]* **HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION:

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

FIRST AID:

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. Emergency Information call 1-800-225-2883.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and other wildlife. For terrestrial uses: Do not apply directly to water, or to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or

when disposing of equipment wash waters. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

 **Questions, Comments or Medical Information ?**
call 1-800-225-2883 www.ortho.com

The ORTHO Guarantee If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

Ortho®, Registered trademarks of Monsanto Company
EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

EPA Reg No 1021-1582-
EPA Est.
Superscript is first letter of lot number
Made in USA