11/12/2013



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

> OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Mr. Thomas Lennan McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427

NOV 1 2 2013

Dear Mr. Lennan:

Subject: Amendment: Add bee warning EVERCIDE Vegetable and Garden Insect Killer 2526 EPA Reg. No. 1021-1582 Your submission dated August 9, 2013

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA) section 3(c)(7)(a), is acceptable and a stamped copy of the label is enclosed for your records.

Please be reminded that 40 CFR Part 156.140(a)(4) requires that a batch code, lot number, or other code identifying the batch of the pesticide distributed and sold be placed on <u>nonrefillable</u> containers. The code may appear either on the label (and can be added by non-notification/PR Notice 98-10), or durably marked on the container itself.

If you have any questions regarding this letter, please contact Dana Pilitt, Ph.D. at (703) 305-7071 or via e-mail at <u>pilitt.dana@epa.gov</u>.

Sincerely,

1 Cell

Richard Gebken Product Manager 10 Insecticide Branch Registration Division (7505P)

1021-1582 D 483884

**EVERCIDE® Vegetable and Garden Insect Killer 2526** 

Ready-To-Use Spray to Control Ornamental and Outdoor House and Garden Pests Around Residential Structures

ACTIVE INGREDIENT:	·				
	henyl)methyl-(S)-4-chloro-alpha-(1- 0.0033% etate		ACCEPTED		
OTHER INGREDIENTS					
	100.0000%	-	MOV I 2 2013		
EVERCIDE® - Registered trade	emark of McLaughlin Gormley King Company				
			Under the Federal Insecticide,		
	KEEP OUT OF REACH OF CHI	_DREN	Fungicide, and Rodenticide Act,		
		as amended, for the pesticide registered under			
	CAUTION		EPA Reg. No. /02/~1582		
	FIRST AID				
IF SWALLOWED:	Immediately call a poison control center or doctor.				
	<ul> <li>Do not induce vomiting unless told to do so by a poison cont</li> </ul>	rol center or a doct	or.		
	<ul> <li>Do not give any liquid to the person.</li> </ul>				
	<ul> <li>Do not give anything by mouth to an unconscious person.</li> </ul>				
IF IN EYES:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-</li> </ul>				
<ul> <li>Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.</li> </ul>			g eyes.		
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
IF ON SKIN OR CLOTHING:	<ul> <li>Take off contaminated clothing.</li> </ul>				
	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minute</li> </ul>	5.			
	<ul> <li>Call a poison control center or doctor for treatment advice.</li> </ul>				
	abel with you when calling a poison control center or doctor or goir	g for treatment. Fo	or information regarding medical		
emergencies or pesticide incid	ents, call 1-888-740-8712.				



3810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1582

EPA Est. No. 1021-MN-2

Net Contents: \_

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

## CAUTION

Harmful if swallowed or absorbed through the skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

#### ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish and other wildlife. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

DIRECTIONS FOR USE It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE EACH USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

Avoid contamination of food or feedstuffs.

Do not water the treated area to the point of runoff.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack and crevice treatments only, except for the following permitted uses:

- (1) Treatment to soil or vegetation around structures;
- (2) Applications to lawns, turf, and other vegetation;

(3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack--and-crevice applications, only.

To control listed insects, apply the spray to provide thorough coverage of upper and lower leaf surfaces. Repeat treatment weekly throughout the growing season up to days of harvest given of each crop.

CROP	DAYS TO HARVEST	CROP	DAYS TO HARVEST
Artichoke	7	Green Peas	3
Broccoli	3	Melons	3
Cabbage	3	Peppers	7
Carrots	.7	Potatoes	7
Cauliflower	3	Pumpkin	3
Collards	7	Radishes	7
Cucumbers	3	Snap Beans	3
Dry Beans	21	Squash	3
Dry Peas	21	Sweet Corn	1
Eggplant	7	Tomatoes	1

#### FOR USE ON THE FOLLOWING GARDEN VEGETABLES

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, and Whitefly.

FOR GARDEN TREE FRUITS, NUTS, AND BERRIES: Apply as a full coverage spray to upper and lower leaf surfaces. Apply to the point of drip but not to runoff. As pests are observed, repeat treatment to maintain control up to the number of days listed before the harvest for each crop.

TO CONTROL THE FOLLOWING INSECTS: Apple Aphid, Black Cherry Aphid, Codling Moth, Leafrollers, Leafhoppers, Green Fruit Worm, Plant Bugs, Oblique Banded Leafroller, Variegated Leafroller, Tentiform Leaf Miner, San Jose Scale (on fruit only), Tufted Apple Budmoth, Plum Curculio, Oriental Fruit Moth, Apple Maggot, Red-Banded Leafroller, Lesser Appleworm, Rosey Apple Aphid, Periodical Cicada, Pear Psylla, Pear Slug, Naval Orangeworm, Peach Twig Borer, Filbert Worm, Peach Tree Borer, Lesser Peach Tree Borer, Cherry Fruit Fly, American Plum Borer, Pecan Weevil, Hickory Shuckworm, Pecan Nut Casebearer, Pecan Aphids, Pecan Spittlebug, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphid, Walnut Husk Fly.

CROP	DAYS TO HARVEST	CROP	DAYS TO HARVEST
Apple	21	Pecans	21
Almond	21	Pears	28
Caneberries		Stone Fruits	
Blackberries	21	Apricot	14
Loganberries	21	Cherries	14
Red Raspberries	21	Nectarines	14
Black Raspberries	21	Peaches	14
Elderberries	21	Plums	14
Gooseberries	21	Prunes	14
Filberts	21	Walnuts	21

FOR USE ON ORNAMENTAL PLANTS (Annuals and Perennials), SHRUBS, ROSES, AND SHADE TREES: Apply to cover upper and lower leaf surfaces. Apply to the point of drip but not to runoff. Repeat weekly as pests are observed.

TO CONTROL THE FOLLOWING INSECTS: Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Corn Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tamished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm, Whitefly, Japanese Beetle, Spittlebugs, Redheaded Pine Sawfly, Balsam Woolly Adelgid, Pine Chafer, Red Pine Sawfly, Pine Coreid Bug, European Pine Sawfly, Northern Pine Weevil.

FOR OUTDOOR PESTS: To control on contact ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, pillbugs, sowbugs, spiders, and ticks. Use at the rate of 1 gallon per 1,000 square feet to outside surfaces of buildings, porches, patios, garages and other areas where these pests have been seen or are found. Do not spray in or near fish ponds or other bodies of water.

Building Perimeter Treatment: To help prevent infestations of buildings by ants, centipedes, crickets, sowbugs, pillbugs, and spiders, treat a 12-18 inch band of soil or other substrate adjacent to buildings and the building foundation to a height of 2 to 3 feet where these pests are active and may find entrance. Apply as a coarse wet spray at the rate of 1 gallon per 1,000 square feet.

## STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

#### Pesticide Storage

Store in a cool dry area. Always store pesticides in the original container. Store away from food and pet food.

Storage Disposal and Container Handling Nonrefillable container. Do not reuse or refill this container.

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

EVERCIDE® Vegetable and Garden Insect Killer 2526

**READY-TO-USE**  Kills [Controls over] [more than] 100 insects [bugs] [pests] on [lcon] WATER BASED vegetables, flowers, small trees and [&] shrubs [Icon] OUTDOOR USE ONLY · Kills [Controls over] [more than] 100 garden and nuisance pests Contains Esfenvalerate, a Synthetic Pyrethroid without harming Contains a Pyrethroid Insect Killer roses, flower or shrubs Multi-Purpose Insect Killer · Kills on Contact Low Odor Kills over 100 insects [bugs] [pests] on contact **New From Ortho** On [For] [For use on] Roses, Flowers, Small Trees, Shrubs, Fruits, New Look Vegetables and [&] New Formula Other Outdoor Surfaces [Areas] One Application: Can be used on [most popular] fruits and [&] vegetables (see back panel Kills Beetles (including Japanese Beetle), Caterpillars (including for details) Tomato Hornworm), Use in [on] Vegetable Gardens Ants, Armyworms, Ticks (including ticks carrying Lyme disease Fast Acting Formula [including ticks that transmit Lyme disease]) and [&] other garden New Improved Formula and [&] nuisance pests [insects] [bugs] [plus others listed!] [Reapply as directed for a more beautiful garden] Guaranteed Kill or your money back Kills Beetles, Caterpillars, Ants, Ticks and [&] More Active Ingredient 

\*Contains petroleum distillate

2526-1006

[indicates optional text]

# KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel [booklet] for additional precautionary statements.

NET 24 FL OZ (1 PT 8 FL OZ) 709 mL 30 FL OZ (1 PT 14 FL OZ) 886 mL 1/2 GAL / 1.89 L 1 GAL / 3.78 L 1.33 GAL/5 L/170 FL OZ

Shake Well Before Use

#### Applicator directions for nested sprayers

## QUICK CONNECT SPRAYER [illustrations]

- 1. Remove sprayer. Pull cord <u>ALL THE WAY OUT</u>.
- 2. Insert red plug into spout (on cap) until it clicks.
- 3. Flip up spout. Open nozzle at end of sprayer.

#### Applicator directions for Pull 'N Spray

[Wand sticker]

IMPORTANT! Follow directions and illustrations on back to assemble and use Pull 'N Spray correctly.

[Shoulder sticker] [Illustration]

- [Illustration] 1. Detach yellow wand and pull plug and tubing from bottom of wand. Insert plug firmly into "T-handle" until it clicks. ONCE CONNECTED, PLUG CANNOT BE REMOVED WITHOUT DAMAGING "T-HANDLE."
- [Illustration] 2. Slide white strip on cap, then grab "t-handle" and pull all the way up. JUST PULL UP NO NEED TO PUMP.
- [Illustration] 3. Point wand at area to be treated and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern.
- [Illustration] 4. Pull "T-handle" again as needed to continue spraying. JUST PULL UP NO NEED TO PUMP. When finished, push "T-handle" gently down to cap and follow storage instructions.

Text for booklet labels:

Open Resealable Label for Directions & Precautions PRESS TO RESEAL

[Product name] controls more than one hundred garden and nuisance pests. This easy to use one-step bug killer quickly kills insects without harming your roses, flowers or shrubs. Reapply [product name] as directed for a more beautiful garden.

Thank you for choosing Ortho. You'll like the results and so will your [yard] garden. 2526\_1021-1582\_0813

PRODUCT FA	CTS	
KILLS BUGS [INSECTS] [PESTS]		Garden Pests: Aphids, beetles, caterpillars, whiteflies and [&] other garden pests [more] Nuisance Pests (outdoors): Ants, cockroaches, spiders, ticks (including ticks which [that] transmit Lyme disease) and [&] othe nuisance pests [more]
	ther pe	sts here that are listed elsewhere on this label.]
WHERE TO USE		On roses, flowers, shrubs, vegetables and [&] fruits Outdoor surfaces of buildings, porches and [&] patios es here that are listed elsewhere on this label.]
[phone icon]		Questions, Comments or Medical Information         call 1-800-225-2883       www.ortho.com

Specially formulated for residential use.

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

All outdoor applications must be limited to spot or crack and crevice treatments only, except for the following permitted uses:

(1) Treatment to soil or vegetation around structures;

(2) Applications to lawns, turf, and other vegetation;

(3) Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

FOR BEST	RESULTS
HOW TO	Text for trigger sprayer: Adjust spray nozzle to give a fine spray. When done close nozzle.
APPLY [optional	Text for nested sprayer: Adjust spray nozzle to give a fine spray. When done, flip down spout to close. NO NEED TO     DISCONNECT TRIGGER SPRAYER. Close nozzle on trigger sprayer. Snap sprayer back in place.
illustration]	<ul> <li>Text for Pull 'N Spray: Adjust nozzle on wand to deliver a narrow or wide spray. Pull up on handle – DO NOT PUMP. Follow illustrations and instructions above. Point wand at area to be treated and push button to begin spraying. Twist nozzle at end of wand to adjust spray pattern. Pull "T-handle" again as needed to continue spraying. JUST PULL UP – NO NEED TO PUMP. Hold wand 12 inches from the insect or surface being sprayed. Use only for spot treatment. Do not spray into the air. Spray until slightly wet without soaking.</li> </ul>
	<ul> <li>Garden Pests: Hold sprayer [wand] about 12 inches from plant. Thoroughly cover all plant surfaces until slightly wet, but not to the point of runoff. <i>Alternative text:</i> Spray plant to wet the upper and lower leaf surfaces until wet but not to the point of runoff.</li> <li>Nuisance Pests: Apply directly to the listed pests in outdoor areas. Also, spray outdoor surfaces of buildings, porches, patios, garages and [&amp;] other areas where these bugs [insects] [pests] have been seen or are found. Do not spray in or near fishponds or other bodies of water.</li> </ul>
	Alternative text:
	Nuisance Pests: Apply directly to the listed pests in outdoor areas.
	Outdoor Surfaces: Spray buildings, porches, patios, garages and [&] other areas where the bugs [insects] [pests] have been seen or are found. Do not spray in or near fishponds or other bodies of water.
WHEN TO APPLY [optional illustration]	Apply as necessary to maintain control waiting at least 7 days between each application.

#### GARDEN PESTS [BUGS] [INSECTS] CONTROLLED [KILLED]

#### On Ornamental Plants including: Roses, Flowers, Shrubs and [&] Small\* [Shade] Trees

Aphid, Armyworm, Balsam Woolly Adelgid, Buckhorn Aphid, Cabbage Looper, Cucumber Beetle (adults) - spotted and [&] striped, Cutworm, European Pine Sawfly, Fall Webworm, Flea Beetle, Grasshopper, Gypsy Moth, Imported Cabbageworm, Japanese Beetle, Leafhopper, Looper, Northern Pine Weevil, Pine Chafer, Pine Coreid Bug, Red Pine Sawfly, Redheaded Pine Sawfly, Saltmarsh Caterpillar, Spittlebugs, Tent Caterpillar and [&] Whitefly

#### On Listed Vegetables and [&] Melons

Alfalfa Caterpillar, Alfalfa Looper, Aphid, Armyworm, Artichoke Plume Moth, Beet Armyworm, Buckhorn Aphid, Cabbage Looper, Carrot Weevil, Celery Looper, Chinch Bug, Colorado Potato Beetle, Com Earworm, Corn Rootworm (adults), Cowpea Curculio, Cucumber Beetle (adults) - spotted and [&] striped, Cutworm, Diamondback Moth, European Corn Borer, Flea Beetle, Grasshopper, Green Cloverworm, Imported Cabbageworm, Leafhopper, Looper, Lygus Bug, Mexican Bean Beetle, Painted Lady Caterpillar, Pea Aphid, Pea Weevil, Pepper Weevil, Pickleworm, Potato Leafhopper, Potato Psyllid, Potato Tuberworm, Rindworm, Saltmarsh Caterpillar, Sap Beetle, Southwestern Corn Borer, Squash Bug, Squash Vine Borer, Stalk Borer, Stink Bug, Tarnished Plant Bug, Tobacco Hornworm, Tomato Fruitworm, Tomato Hornworm, Tomato Pinworm, Vegetable Leafminer, Velvetbean Caterpillar, Western Bean Cutworm and [&] Whitefly

#### On Listed Berries and [&] Small Fruit and Lut Trees

Apple Aphid, Black Cherry Aphid, Codling Moth, Leafrollers, Leafhoppers, Green Fruit Worm, Plant Bugs, Oblique Banded Leafroller, Variegated Leafroller, Tentiform Leaf Miner, San Jose Scale (on fruit only), Tufted Apple Budmoth, Plum Curculio, Oriental Fruit Moth, Apple Maggot, Red-Banded Leafroller, Lesser Appleworm, Rosey Apple Aphid, Periodical Cicada, Pear Psylla, Pear Slug, Naval Orangeworm, Peach Twig Borer, Filbert Worm, Peach Tree Borer, Lesser Peach Tree Borer, Cherry Fruit Fly, American Plum Borer, Pecan Weevil, Hickory Shuckworm, Pecan Nut Casebearer, Pecan Aphids, Pecan Spittlebug, Pecan Stem Phylloxera, Pecan Leaf Phylloxera, Walnut Aphid and [&] Walnut Husk Fly

Vegetables	Days to Wait to Harvest	Vegetables	Days to Wait to Harvest	Vegetables	Days to Wait to Harvest
Artichoke	7	Dry Beans	21	Radishes	7
Broccoli	3	Dry Peas	21	Snap Beans	3
Cabbage	3	Eggplant	7	Squash	3
Carrots	7 ·	Green Peas	3	Sweet Corn	1
Cauliflower	3	Peppers	7	Tomatoes	1
Collards	7	Potatoes	7		
Cucumbers	3	Pumpkin	3		

Berries and [&] Melons	Days to Wait to Harvest	Small Fruit and [&] Nut Trees (such as container grown, dwarf or young trees)	Days to Wait to Harvest
Caneberries	21	Almond	21
(Blackberries,		Apple	21
Loganberries, Red		Apricot	14
Raspberries and [&]		Cherries	14
Black Raspberries)		Filberts	21
Elderberries	21	Nectarines	14
Gooseberries	21	Peaches	14
Melons	3	Pecans	21
		Pears	28
		Plums	14
		Prunes	14
	1	Walnuts	21

#### NUISANCE BUGS (INSECTS) [PESTS] CONTROLLED [KILLED]

Ants, cockroaches (including German and Asian cockroaches), crickets, palmetto bugs, sowbugs, pillbugs, spiders, and [&] ticks which [that] transmit Lyme disease).

[reentry icon] People and pets may enter treated area after spray has dried.

Avoid contamination of food or feedstuffs.

### **STORAGE AND DISPOSAL** [optional icon]

#### [optional storage illustration]

Do not contaminate water, food or feed by storage and disposal.

#### Pesticide Storage

Store in a cool, dry area, Always store pesticides in the original container. Store away from food and pet food.

#### Pesticide Disposal and Container Handling

Nonrefillable container. Do not reuse or refill this container.

If Empty:

Place in trash or offer for recycling if available.

If Partly Filled:

Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

#### STORAGE AND DISPOSAL FOR PULL 'N SPRAY [optional icon]

#### [optional storage illustration]

**STORAGE**: To store, push "T-handle" gently down to cap. Slide white strip on cap back to closed position. **LEAVE WAND PLUG CONNECTED TO** "T-HANDLE." Snap wand back into place on side of container. Store this product in its original container, in a secure area. Protect container from freezing.

**DISPOSAL:** To dispose partially used or empty container, securely wrap it in several layers of newspaper and discard in trash. In case of SPILL or LEAK, soak up with paper towels and discard in trash. DO NOT REUSE EMPTY CONTAINER.

PRECAUTIONARY STATEMENTS [optional icon] HAZARDS TO HUMANS & DOMESTIC ANIMALS

## **CAUTION:**

Harmful if swallowed or absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

#### FIRST AID:

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give **any** liquid to the person. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center or doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. Emergency Information call 1-800-225-2883.

#### **ENVIRONMENTAL HAZARDS**

This pesticide is highly toxic to fish and other wildlife. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

■ Questions, Comments or Medical Information ? call 1-800-225-2883 www.ortho.com

The ORTHO Guarantee If for any reason you are not satisfied with this product, mail us proof of purchase to obtain a full refund of your purchase price.

Ortho®, Registered trademarks of Monsanto Company EVERCIDE® - Registered trademark of McLaughlin Gormley King Co.

EPA Reg No 1021-1582-EPA Est. Superscript is first letter of lot number Made in USA