2519-902



MULTICIDE® Concentrate 2519

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

FOR USE IN HORSE BARNS, KENNELS, ZOOS AND OTHER LISTED AREAS.

D-cis/trans allethrin	3.75%
d cis + trans 3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl)	
cyclopropanecarboxylate	3.75%
* Piperonyl butoxide, Technical	12.50%
OTHER INGREDIENTS	80.00%
	100.00%

^{*} Equivalent to 10.0% (butylcarbityl) (6-propylpiperonyl) ether and 2.50% related compounds MULTICIDE® - Registered trademark of McLaughlin Gormley King Co.

DANGER

	FIRST AID
IF IN EYES:	 Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice.
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Corrosive. Causes irreversible eye damage. Harmful if swallowed, absorbed through skin, or inhaled. Do not get in eyes, on skin or on clothing. Wear goggles, face shield, or safety glasses. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Do not apply to food, water or feed supplements. Do not apply directly to animals.

ENVIRONMENTAL HAZARDS

This product is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift from treated areas may be hazardous to organisms in adjacent aquatic sites. Cleaning of equipment or disposal of wastes must be done in a manner that avoids contamination of bodies of water or wetlands. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

ACCEPTED

APR 2 9 2003

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Under the Pederel Investible, Fundade, and Boderstoide Ast, as executed, for the partiable refishmed under 1021-1543

EPA Est. No. 1021-MN-2

DO NOT USE OR STORE IN OR AROUND THE HOME

For use in horse barns, kennels and zoos.

Do not use in barns that may contain horses that may be used for human consumption.

THIS PRODUCT IS NOT RECOMMENDED FOR USE IN THERMAL GENERATING EQUIPMENT.

FOR USE THROUGH AUTOMATIC SPRAYING SYSTEMS

Automatic spraying systems must not be programmed to release pesticides when people are in the barn or food or feed are exposed.

To Kill Houseflies, Horn Flies, Stable Flies, Horse Flies, Mosquitoes and Gnats: Add one gallon concentrate to every 50 gallons of water to obtain desired dilution. Agitate well while adding water. Dispense diluted concentrate through automatic spraying system. Set nozzles to deliver one (1) ounce liquid per minute. Locate nozzles to cover a maximum of 2,000 cubic feet of space per nozzle. Set timer to operate in accordance with equipment directions.

FOR USE WITH HAND-HELD SPRAYER, CONVENTIONAL, MECHANICAL OR COMPRESSED AIR SPRAYING OR FOGGING EQUIPMENT

For Use in Non-Food Areas of Horse Stables, Kennels, Storage Areas and Zoos:

To Kill Houseflies, Horn Flies, Stable Flies, Horse Flies, Mosquitoes and Gnats: Add four (4) ounces concentrate to every one and a half (1 1/2) gallons of water. Agitate well while adding water. Dispense diluted material as a fine mist spray to stable area, and over and around stabled horses.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place inaccessible to children. Keep container closed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent) and offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and Local procedures.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1583