

~~"Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed."~~

~~"Remove pets, birds, and cover fish aquariums before spraying."~~

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosures



Richard F. Mountfort
Product Manager (10)
Insecticide-Rodenticide Branch
Registration Division (H7505C)

MGK[®] McLAUGHLIN GORMLEY KING COMPANY

MULTICIDE[®] Fogging Concentrate 2468

A Pyrethroid Formulation for Control of the Listed Insects

8810 TENTH AVENUE NORTH • MINNEAPOLIS, MN 55427 U.S.A.

TELEPHONE (612) 544-0341

For use in Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Pet Sleeping Areas, Cabins and in Non-Food Areas of Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels.

NOT FOR USE IN ESTABLISHMENTS OPERATING UNDER FEDERAL MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS.

ACTIVE INGREDIENTS:

d cis + trans 3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate.....	1.50%
Pyrethrins.....	1.50%

*INERT INGREDIENTS.....	97.00%
	100.00%

*Contains petroleum distillate

MULTICIDE - Registered trademark of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

- IF SWALLOWED: Call a physician or Poison Control Center immediately. Do not induce vomiting because of aspiration pneumonia hazard.
- IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.
- IF ON SKIN OR CLOTHING: Remove contaminated clothing and wash before re-use. Wash skin with soap and warm water. Get medical attention if irritation persists.
- IF INHALED: Remove victim to fresh air. Apply artificial respiration if indicated.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Cleaning of equipment or disposal of wastes must be done in a manner that avoids contamination of bodies of water or wetlands.

PHYSICAL OR CHEMICAL HAZARDS

Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

GENERAL: This Concentrate is designed for use undiluted in mechanical sprayers which produce particles of aerosol size. It can be diluted with refined kerosenes which meet Food Additive Regulation 121.1182 and can be applied in fogging equipment capable of producing particles of aerosol size. It can also be diluted with oil specified above and applied as a coarse, wet contact spray to kill crawling insects shown later on this label.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

SPACE SPRAY - UNDILUTED IN AEROSOL GENERATORS: To Kill Flies, Gnats, Mosquitoes and Small Flying Moths: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for 1/2 hour. Ventilate room thoroughly before reentry.

SPACE SPRAY - DILUTED FOR ORDINARY MECHANICAL FOGGING EQUIPMENT - To Kill Flies, Gnats, Mosquitoes and Small Flying Moths: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 2 fl. oz. dilute spray (0.4 gal.) per 1,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for 1/2 hour. Ventilate room thoroughly prior to reentry.

CONTACT SPRAY - DILUTED FOR USE WITH SPRAYERS THAT GIVE LARGE, WETTING SPRAY PARTICLES - To Kill Ants, Cockroaches and Accessible Stages of Granary Insects: Caddises, Confused Flour Beetles, Grain Mites, Granary Weevils, Indian Meal Moth Larvae and Adults, Red Flour Beetles, Rice Weevils, Rusty Grain Beetles and Saw-toothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, area behind cabinets, around pipes, and other insect harborage using 1 gallon spray per 1,000 sq. ft. of space. Force spray into all cracks and crevices. Repeat applications as necessary.

CONTACT AND SPACE SPRAY - UNDILUTED - To Kill Ants, Cockroaches, Earwigs, Silverfish and Spiders in Sheltered Situations: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 1/2 fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave room closed for one hour. Do not remain in treated areas and ventilate area before reentry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other procedures approved by State and local authorities.

Net Contents _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-

EPA Est. No. 1021-MN-1

ACCEPTED
with COMMENTS
in EPA Letter Dated

AUG 16 1991

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
registered under EPA Reg. No.
1021-1609