McLAUGHLIN GORMLEY KING COMPANY

A Pyrethroid Formulation for Control of Listed Insects

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

For use in Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Pet Sleeping Areas, Cabins and in Non-Food Areas of Food Processing Plants, Restaurants, Industrial Buildings: schools, warehouses, offices, theatres, garages, hotels, motels, hospitals and kennels.

NOT FOR USE IN ESTABLISHMENTS OPERATING UNDER FEDERAL MEAT, POULTRY, SHELL EGG GRADING AND EGG PRODUCTS INSPECTION PROGRAMS.

100.00%

ACTIVE INGREDIENTS:

Contains petroleum distillates

MULTICIDE® - Registered trademark of McLaughlin Gormlev King Company

KEEP OUT OF REACH OF CHILDREN

CAUTION

	FIRST AID
IF SWALLOWED:	 Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

NOTE TO PHYSICIAN: Contains petroleum distillate – vomiting may cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

Net Contents

Manufactured by:

MC LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North
 Minneapolis, MN 55427

EPA Reg. No. 1021=1609* *

EPA Est. No. 1021-MN-2

ACCEPTED

NOV 2 9 2000

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under GPA Fag. No. 1021-109

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water when disposing of equipment wash waters or rinsate. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Combustible. Do not use or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not use in commercial food processing, preparation, storage or serving areas. In the home all food processing surfaces and utensits should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets and birds and cover fish aquariums before spraying.

GENERAL: This Concentrate is designed for use undiluted in mechanical sprayers that produce particles of aerosol size. It can be diluted with refined kerosenes that meet Food Additive Regulation 121.1182 and can be applied in fogging equipment capable of producing particles of aerosol size. It can also be diluted with oil specified above and applied as a coarse, wet contact spray to kill crawling insects shown later on this label.

NOTE: When used in hospitals, patients should be removed prior to treatment. Ventilate for two hours after treatment. Do not return patients to room until after ventilation.

<u>SPACE SPRAY - UNDILUTED IN AEROSOL GENERATORS: To Kill Flies, Gnats, Mosquitoes and Small Flying Moths:</u> Cover or remove exposed food and food handling surfaces. Close



room and shut off all air conditioning or ventilating equipment. Apply at ate of 1 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aer generator towards ceiling and upper corners of room. Leave room closed for 1/2 hour. Ventilate room thoroughly before re-entry.

SPACE SPRAY - DILUTED FOR ORDINARY MECHANICAL FOGGING EQUIPMENT - To Kill Flies, Gnats, Mosquitoes and Small Flying Moths: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 2 fl. oz. dilute spray (0.4 gal.) per 1,000 cu. ft. of space. Direct fog towards ceiling and upper corners of room. Leave room closed for 1/2 hour. Ventilate room thoroughly prior to reentry.

CONTACT SPRAY - DILUTED FOR USE WITH SPRAYERS THAT GIVE LARGE, WETTING SPRAY PARTICLES - To Kill Ants, Cockroaches and Accessible Stages of Granary Insects: Cadelles, Confused Flour Beetles, Grain Mites, Granary Weevils, Indian Meal Moth Larvae and Adults, Red Flour Beetles, Rice Weevils, Rusty Grain Beetles and Saw-toothed Grain Beetles: Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, area behind cabinets, around pipes, and other insect harborages using 1 gallon of spray per 1,000 sq. ft. of space. Force spray into all cracks and crevices.

CONTACT AND SP, SPRAY - UNDILUTED - To Kill Ants, Cockroaches, Earwigs, Silverfish and Spiders in Sheltered Situations: With ULV spraying device, apply the spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Use at a dosage rate of approximately 1/2 fl. oz. per 1,000 cu. ft. of room space. Leave room closed for one hour. Do not remain in treated areas and ventilate area before reentry.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

<u>PESTICIDE DISPOSAL</u>: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

<u>CONTAINER DISPOSAL</u>: Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by other procedures approved by State and Local authorities.