

1021-1615

2/24/2003

Page 1 of 3



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

WASHINGTON, D.C. 20460

FEB 24 2003

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Julie B. Schlekau
McLaughlin Gormley King Company
8810 Tenth Avenue North
Minneapolis, MN 55427

Subject: Label Amendment: revision accordance with PR Notice 2001-1
EVERCIDE Residual Pressurized Spray 2583
EPA Reg. No. 1021-1615
Your Letter Dated December 4, 2002

Dear Ms. Schlekau:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the comments below. Two (2) copies of the finished labeling must be submitted prior to releasing the product for shipment. A stamped copy of the label is enclosed for your records.

1. Based on the first aid statements listed revise the first paragraph under Caution to read:

"Harmful if swallowed, inhaled or absorbed through skin. Causes moderate eye irritation. Avoid breathing vapors or spray mist. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse. Avoid contamination of food."

If you have any questions regarding this action, please contact BeWanda Alexander of my team at (703) 305-7460.

Sincerely,

A handwritten signature in cursive script that reads "BeWanda Alexander for:".

George T. LaRocca
Product Manager (13)
Insecticide Branch
Registration Division (7505C)

MIGK[®] McLAUGHLIN
GORMLEY
KING COMPANY

EVERCIDE[®] Residual Pressurized
Spray 2583

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

FOR COMMERCIAL AND INDUSTRIAL USE ONLY

For Use in the Home and Food and Non-Food Areas of: Food Processing Plants, Schools, Warehouses, Office Buildings, Theatres, Garages, Hotels, Motels, Kennels, Hospitals and other Listed Areas.

ACTIVE INGREDIENT:

(S)-cyano (3-phenoxyphenyl)methyl-(S)-4-chloro-alpha-(1-methylethyl)benzeneacetate ----- 0.25%

OTHER INGREDIENTS----- 99.75%

100.00%

Contains petroleum distillate

EVERCIDE[®] - Registered trademark of McLaughlin Gormley King Co.

ACCEPTED
with COMMENTS
In EPA Letter Dated

KEEP OUT OF REACH OF CHILDREN
CAUTION

FEB 24 2003

Under the Federal Insecticide,
Fungicide, and Fertilizer Act
as amended, for the pesticide
registered under EPA Reg. No.

1021-1615

FIRST AID

IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not give any liquid to the person. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.
IF IN EYES:	<ul style="list-style-type: none"> Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call a poison control center for treatment advice.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
IF INHALED:	<ul style="list-style-type: none"> Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: This product contains petroleum distillate and may pose an aspiration pneumonia hazard. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not apply while food processing is underway. Cover or remove all food processing surfaces. Thoroughly wash all food processing surfaces before reuse. After spraying in bakeries, meat packing plants, food processing plants, etc., all benches, shelving, equipment, etc. where exposed food will be handled must be washed with an effective cleaning compound followed by a potable water rinse to remove all traces of contamination. In the home, cover all food handling surfaces and cover or remove all food and cooking utensils, or wash thoroughly after treatment. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Do not apply this product in patient rooms or in any rooms while occupied by the elderly or infirm. Do not apply to classrooms while in use. Do not apply in institutions (including libraries, sports facilities, etc.) in the immediate area where occupants are present.

Remove pets, birds and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Do not contaminate water when disposing of equipment washwaters.

3 7 3

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Shake well before use. Hold container upright. Apply in short bursts.

DO NOT USE THIS PRODUCT IN OR AROUND ELECTRICAL EQUIPMENT DUE TO THE POSSIBILITY OF SHOCK HAZARD.

Application within food and non-food areas of food-service and handling establishments including, but not limited to: restaurants, grocery stores, bakeries, food manufacturing and processing establishments, and food warehousing establishments.

Do not use in feed handling establishments or where livestock food is present.

AS A SPACE SPRAY:

To Kill Gnats, Hornets, Houseflies, Mosquitoes, Small Flying Moths and Wasps: Close room and shut off all air conditioning or ventilating equipment. Direct spray first into all cracks and crevices, behind all equipment, appliances, cupboards, or any dark harborage areas, then treat as a space spray directing the spray toward the ceiling and upper corners of the room. Do not remain in treated area. Keep area closed for at least 1/2 hour and ventilate thoroughly before reentry. Do not exceed more than one application every fourteen (14) days in food handling establishments.

Spray at the rate of 15-20 seconds per 1,000 cubic feet of space.

To kill the adult and accessible forms of insect pests* of: stored food (stored in Multi-walled paper bags or in cloth bags) in warehouses, storage rooms and similar locations: Infested stored products should be removed and destroyed, fumigated or treated with other products approved for this use. Keep area closed for at least 1/2 hour. Do not remain in treated area and ventilate thoroughly before reentry. Do not repeat application more than once every three days.

*almond moths, anguomois grain moths, ants, cadelle, cigarette beetles, cockroaches, confused flour beetles, flat grain beetles, grain mites, granary weevils, indian meal moths, mediterranean flour moths, red flour beetles, rice weevils, saw-toothed grain beetles and yellow meal worms.

FOR SPOT TREATMENT:

To Kill Ants, Black Widow Spiders, Carpet Beetles, Centipedes, Cockroaches, Crickets, Firebrats, Millipedes, Palmetto Bugs, Scorpions, Silverfish, Sowbugs, Spiders and Water Bugs: Spray areas where these insects are found or may hide, including dark corners of rooms and closets; cracks and crevices in walls; along baseboards and door and window frames; behind and beneath sinks, stoves, refrigerators, and cabinets; and around garbage cans, plumbing, and other utility installations. Pests driven out of hiding places should be sprayed directly. For ants, spray ant trails and around doors and windows, and wherever else these pests may find entrance.

To Kill Brown Dog Ticks and Fleas: Thoroughly apply as a spot treatment to infested areas such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, window and door frames, and localized areas of floor and floor coverings where these pests may be present. Pet's old bedding should be removed and replaced with clean, fresh bedding after treatment. **DO NOT SPRAY PETS WITH THIS PRODUCT.** Pets should be treated with a registered flea and tick control product prior to reentering treated areas.

FOR CRACK AND CREVICE TREATMENT:

To Kill Ants, Black Widow Spiders, Brown Dog Ticks, Carpet Beetles, Cockroaches, Crickets, Fleas, Scorpions, Silverfish, Sowbugs, and Spiders: Apply spray in small amounts directly into cracks and crevices. Equipment capable of delivering a pin stream should be used in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where these insects hide.

Care should be taken to avoid depositing the product onto exposed surfaces. Avoid contamination of food or food handling surfaces.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

Net Contents _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427