

7/18/97

PM 10

1021-1623

11/4

2620-697

Accept- Stamp on pg. 4

MGK McLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® Total Release Fogger 2620

Contains NyLar® Insect Growth Regulator

Total Release Fogger for Fleas with Insect Growth Regulator

Kills Adult and Preadult Fleas

Prevents Reinfestation for 7 Months

Water Based

Contains No CFC's or Other Ozone Depleting Substances

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A.

TELEPHONE (612) 544-0341

BEST AVAILABLE COPY

[] OR () indicates alternate or optional wording

[ONE UNIT (6 OUNCE) TREATS A ROOM OF UP TO 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE (27 X 27 X 8)
[ONE UNIT (5 OUNCE) TREATS A ROOM OF UP TO 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE (26 X 25 X 8)]

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults

[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program

[Nylar®] [brand name] can be a biorational approach to insect control

[Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for [210 days] [30 weeks] [7 months]

Prevents fleas from developing into the biting adult stage

Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas

Flea eggs deposited on treated areas will not develop into adult fleas

Larvae crawling onto treated areas will not develop into adult fleas

[Nylar®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults

Kills fleas you see and those you don't

Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects [troublesome flying and crawling household insects]

Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

Effective long term control

See additional precautionary statements on side [back]

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine.....	0.100%
Pyrethrins.....	0.050%
* N-Octyl bicycloheptene dicarboximide.....	0.400%
Permethrin [**(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate].....	0.400%
Related compounds.....	0.035%
INERT INGREDIENTS.....	99.015%
	100.000%

* MGK® 264, Insecticide Synergist

** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

NYLAR, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED:

Call a physician or Poison Control Center immediately.

IF IN EYES:

Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING:

Remove contaminated clothing and wash before reuse. Wash skin with soap and warm water.

IF INHALED:

Remove victim to fresh air if effects occur, and call a physician.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR®] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months] preventing them from reaching the biting adult stage.

REC'D EPA/OPP/DPD1
97 JUN -4 P 3:06

[NYLAR® Total Release Fogger] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (breaks) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR®] [brand name], an insect growth regulator, that will not allow the flea to reproduce thereby providing long term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active, insecticide, provides activity until [NYLAR®] [brand name] takes effect.

[NYLAR® Total Release Fogger] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR®] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

NYLAR® Total Release Fogger 2620 [brand name] formula provides months of protection by preventing eggs from developing into biting fleas. Use NYLAR® Total Release Fogger 2620 [brand name] whenever a flea infestation occurs in your home. It will allow you to automatically fill a whole room with insect killing fog while you are away. For best results in controlling your flea problem, use NYLAR® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

NYLAR® Total Release Fogger 2620 [brand name] is designed for use whenever a flea infestation occurs in your home. For a complete flea control program, or for particularly heavy flea infestations, use NYLAR® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet dust, [brand name], pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use an EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

- | | | |
|---|---|--|
| Cockroaches [adults] (nymphs)] | Sowbugs | Fleas [adults (larvae) (eggs) (preadult)] |
| Smokey Brown Cockroach [adults] (nymphs)] | Millipedes | Ticks [that may carry and transmit Lyme Disease] |
| Brown Banded Cockroach [adults] (nymphs)] | Beetles | Brown Dog Ticks |
| Asian Cockroach [adults] (nymphs)] | Ground Beetles | Lone Star Ticks |
| German Cockroach [adults] (nymphs)] | Elm Leaf Beetle | Deer Tick |
| American Cockroach [adults] (nymphs)] | Boxelder Bug | Other Ixodid Species |
| Australian Cockroach [adults] (nymphs)] | Earwigs | American Dog Tick |
| Waterbugs [adults] (nymphs)] | Lice | Gulf Coast Tick |
| Palmetto Bugs [adults] (nymphs)] | Pillbugs | Foraging Ants [Fire Ants] [Pharaoh Ants] |
| | Clover Mites | Carpenter Ants [Eastern (Western)] |
| | Dermeestids [Carpet Beetles (Trogoderma)] | Centipedes |

- | | | |
|-------------------------|-----------------------------|-----------------------------------|
| Granary Insects | Midge | Flying Moths [small] |
| Flat Grain Beetle | Flies | Almond Moth |
| Cadelle | Gnats | Chocolate Moth |
| Flour Beetle | Cluster Fly | Tobacco Moth |
| Cigarette Beetle | Mosquito | Indian Meal Moth |
| Drugstore Beetle | Sciarid Fly | Indian Mealworm |
| Lesser Grain Borer | Firebrat | Angoumois Grain Moth |
| Merchant Grain Beetle | Silverfish | Hornets |
| Sawtoothed Grain Beetle | Booklice | Carpenter Bees |
| Grain Weevil | Bedbug | Wasps |
| Warehouse Beetle | Wood Borer (exposed stages) | Yellowjackets [Eastern (Western)] |
| Red Flour Beetle | | |

Grain Mite Cheesemite

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Treehouses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 [5,000] cubic feet (approximately 27 ft x 27 ft x 8 ft [25 ft x 25 ft x 8 ft] ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

NOTE: Do not use more than one unit per average size room. Do not use this unit in a cabinet or under a counter or table. Do not use this unit in an area less than 100 cubic feet.

PREPARATION:

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Put out all flames and pilot lights. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger]. (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach,], [Crickets, (Waterbugs) (Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

BEST AVAILABLE COPY

3/4

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS: After two hours, open all outside doors and windows, turn on air conditioner and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Replace cap and discard container in trash. Do not incinerate or puncture.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Discard container in trash. Do not incinerate or puncture.

Net Contents _____

Manufactured by:

Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427

EPA Reg. No. 1021-1623

EPA Est. No. 1021-MN-2

474

ACCEPTED
JUL 18 1997
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 7021-1623