021-1623 Please read instructions before con	noleting form	0	9104/20	005	Form Approved.	OMB No. 2070-0	060. Approval expires 05-31-98
	se read instructions before completing form United States		<u>_</u>		Registration		OPP Identifier Number
SEPA Environmental Prof			rencv		Amendme		
		ton, DC 20460	, ,	X	Other		1
		Application	for Pesticid				<u></u>
ompany/Product Numb	per		2. EPA Produ			3. Proposed	d Classification
, ,	1021-	1623	Richard Ge	_		<u> </u>	
4. Company/Product (Nam			PM#			✓ None	Restricted
EVERCIDE® Total Re	*		10			1 None	Kestricted
5. Name and Address of A		,		Davious Inc	accordance wit	h EIEBA Soci	tion 3(c)(3)(b)(i), my
		,	· '				
	ILEY KING COMPANY		product is sim	illar or identic	al in compositi	on and labelli	ng to:
8810 TENTH AVENU							
MINNEAPOLIS, MN 5	5427		EPA Reg. N	Ο.			
			Product Nar	ne			
Check if this	is a new address		<u> </u>				
			Section - II				
Amendment	- Explain below.				Final printed	labels in resp	onse to
J	÷			_	Agency letter	•	NOTIFICATION
Resubmissio	n in response to Agency lett	ter dated			"Me Too" App		MOTTETCATION
	recponde to rigoricy loss	.5/ 00.05				J,, CG 10.11.	FEB 0 4 2005
Notification -	Explain below.				Other - Expla	in holow	1 LB 0 4 200J
	al page(s) if necessary. (Fo				Office - Exhia	ill below.	
			Section - III				
¹aterial This Product Wi	1						
.d-Resistant Packaging	Unit Packaging		Water Soluble	Packaging		2. Type of 0	
Yes*	Yes		📮	Yes		Metal	
∐ No	U No			No		Plasti	С
	If "Yes"	No. per	If "Yes"		No. per	Glass	
Certification must	Unit Packaging wgt.	container	Package wgt.		container	Paper	-
e submitted]					Other	(Specify)
Location of Net Contents	information	4. Size(s) Reta	il Container		5. Location of	Label Direct	ions
Label	Container					On Label	
		i			1 7	On Labeling	accompanying product
. Manner in Which Label is	Affixed to Product	Lithograph			Other		
	ī	Paper glued					
	$\overline{\Box}$	Stenciled					
			Section - IV			' 	
Contact Point (Complete	items directly below for ider			tacted if nec	essary, to proc	ess this appli	ication)
	Under just to look	Title			- 302. y, 10 proc		No. (Include Area Code)
1		1	Specialist			(763) 544	•
anne iviane C. Zielinsi	NI .	Registration	Specialist			[(103) 544	-0341
	<u> </u>	Contif41				Ĺ	G Data Application
1	da I hayan wasan Mari A	Certification			** ***********************************		6. Pato Application
	nts I have made on this form					le.	Recaived
•	nowingly false or misleading	statement may	be punishable	by fine or imp	prisonment or		100
both under applicable lav	<u> , , , </u>						(Stamped)
. Signature	$M \mathcal{A}$	3. Title	_			• •	
Mark	1	Registration	Specialist				1:
'worker Le	11-64	<u></u>					
yped Name		5. Date					
		12/21/2004				1	I .



McLAUGHLIN GORMLEY KING COMPANY

EVERCIDE® Total Release Fogger 2620 Contains NYLAR® Insect Growth Regulator

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

Total Release Fogger for Fleas with Insect Growth Regulator Kills Adult and Preadult Fleas Prevents Reinfestation for 7 Months Water-based Contains No CFC's or Other Ozone Depleting Substances

[] OR () indicates alternate or optional wording

[ONE UNIT (6 OUNCE) TREATS A ROOM OF UP TO 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE (27 X 27 X 8)]
[ONE UNIT (5 OUNCE) TREATS A ROOM OF UP TO 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE (25 X 25 X 8)]
[ONE UNIT (2 OUNCE) TREATS A ROOM OF UP TO 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE (15.5 X 16 X 8)]

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults

[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program

[Nylar®] [brand name] can be a biorational approach to insect control

[Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for [210 days] [30 weeks] [7 months]

Kills fleas [plus] [+] [kills] [hatching] eggs for [up to] 4 months

Prevents fleas from developing into the biting adult stage

Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite [Nylar®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas

Prevents [stors] the emergence of adult fleas

Flea eggs deposited on treated areas will not develop into adult fleas

Larvae crawling onto realed areas will not develop into adult fleas

[Nylar®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults

Breaks the Flea Life Cycle

Controls Reinfestation for [210 days] [30 weeks] [7 months]

Kills - Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae

Kills fleas you see and those you don't

Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects [troublesome flying and crawling household insects]

Also kills Deer Ticks and other ixodid species that may carry and transmit Lyme Disease

Effective long-term control

See additional precautionary statements on side [back]

ACTIVE INGREDIENTS:

- 1110	TEDIEITIO.	
	2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
	Pyrethrins	0.050%
*	N-Octyl bicycloheptene dicarboximide	0.400%
**	Permethrin	0.400%
	Related compounds	0.035%
OTH	99.015%	
	•	100 000%

MGK® 264, Insecticide Synergist

** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans EVERCIDE, NYLAR, MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN CAUTION

	FIRST AID
IF ON SKIN OR CLOTHING:	 Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

Net Contents _____ Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1623

EPA Est. No. 1021-MN-2

Federal regulations prohibit CFC propellants in aerosols



NOTIFICATION

FEB 0 4 2005

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR®] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months] preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (breaks) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR®] [brand name], an insect growth regulator, that will not allow the flea to reproduce thereby providing long term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [NYLAR®] [brand name] takes effect.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult harval, heast [hatching eggs (larvae)] before they grow up to bite. [NYLAR®] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult flarval) fleas! [hatching eggs (larvae)] for [210 days] [30 weeks] [7 hatching by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

EVERCIDE® Total Release Fogger 2620 [brand name] formula provides months of protection by preventing eggs from developing into biting fleas. Use EVERCIDE® Total Release Fogger 2620 [brand name] whenever a flea infestation occurs in your home. It will allow you to automatically fill a whole room with insect killing fog while you are away. For best results in controlling your flea problem, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

EVERCIDE® Total Release Fogger 2620 [brand name] is designed for use whenever a flea infestation occurs in your home. For a complete flea control program, or for particularly heavy flea infestations, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet dust, [brand name], pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Saw-toothed Grain Beetles

Grain Weevils

Warehouse Beetles

Red Flour Beetles

Cockroaches [adults] (nymphs)]	Sowbugs	Fleas [adults (larvae) (eggs) (preadult)]		
Smokey Brown Cockroach [adults] (nymphs)]	Millipedes	Ticks [that may carry and transmit Lyme Disease]		
Brown Banded Cockroach [adults] (nymphs)]	Beetles	Brown Dog Ticks		
Asian Cockroach [adults] (nymphs)]	Ground Beetles	Lone Star Ticks		
German Cockroach [adults] (nymphs)]	Elm Leaf Beetles	Deer Ticks		
American Cockroach [adults] (nymphs)]	Boxelder Bugs	Other Ixodid Species		
Australian Cockroach [adults] (nymphs)]	Earwigs	American Dog Ticks		
Waterbugs [adults] (nymphs)]	Lice	Gulf Coast Ticks		
Palmetto Bugs [adults] (nymphs)]	Pillbugs	Foraging Ants [Fire Ants] [Pharaoh Ants]		
, ,	Clover Mites	Carpenter Ants [Eastern (Western)]		
	Dermestids [Carpet Beetles (Trogoderma)]	Centipedes		
Granary Insects Flat Grain Beetles Cadelles	Midges Flies Gnats	Flying Moths [small] Almond Moths Chocolate Moths		
Rice Weevils Flour Beetles Cigarette Beetles Drugstore Beetles Lesser Grain Borers	Cluster Flies Mosquitoes Sciarid Flies Firebrats	Tobacco Moths Indian Meal Moths Indian Mealworms Angoumois Grain Moths		
Merchant Grain Beetles	Silverfish	Hornets		

Booklice

Bedbuas

stages)

Cheese Mites

Wood Borers (exposed

Page 2 of 3

Carpenter Bees

Yellow Jackets [Eastern

Wasps

Grain Mites

(Western)]

<u>W</u>

For use in:

Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Treehouses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas (sites). Use one fogger for each 6,000 [5,000] [2,000] cubic feet (approximately 27 ft x 27 ft x 8 ft

[25 ft x 25 ft x 8 ft] [15.5 ft, x 16 ft, x 8 ft.] ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

PREPARATION:

DO NOT use more than one forger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. [Cover

waxed wood floors and waxed furniture in the immediate area surrounding the fogger). (Newspapers may be used).

For more effective control of storage pests (Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevil. Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach, J. [Crickets, (Waterbugs) (Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. [Break off and remove tab on side of sprayer.] Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS: After two hours, open all outside doors and windows, turn on air conditioner and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

Do Not Puncture or Incinerate!

If empty:

Place in trash or offer for recycling if available.

If partly filled:

Call your local solid waste agency or 1-800-CLEANUP for disposal

instructions.

McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

December 21, 2004

Document Processing Desk (NOTIF)
Office of Pesticide Programs (H7504C)
U.S. Environmental Protection Agency
Aerial Rios Building
1801 South Bell Street
Arlington, VA 22202

Subject:

Notification of label change per PR Notice 2001-6

EVERCIDE® Total Release Fogger 2620

EPA Reg. No. 1021-1623

Dear Sir/Madam:

Please find enclosed a Notification to correct and revise Disposal Statements in response to PR Notice 2001-6. I removed the statements "Do not reuse this container" and "Never place unused product down any indoor or outdoor drain" because this product is packaged in a pressurized container.

This notification is consistent with the guidance in PR Notice 2001-6 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notice 2001-6 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA, and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Enclosed are five (5) copies of our label revised to comply with this PR Notice.

Please contact me at 763-544-0341 or <u>anne.zielinski@mgk.com</u> should you have any questions regarding this submission.

Sincerely.

Anne Marie C. Zielinsk

Registration Specialist

Enclosures