bal-163 Please read instructions before	completing form		08/10/3	2000	Form Approved	OMB No. 2070-00	960. Approval expires 05-31-98
Ş EPA	Unite Environmental Washingt	gency	X	Registration Amendme Other	ξ1 ·	OPP Identifier Number	
	•	Application	for Pesticide	- Sectio	n l		
1. Company/Product Number			2. EPA Product Richard Gebl	-	•••	3. Proposed	Classification
4. Company/Product (Na EVERCIDE® Total	ame) Release Fogger 2620		РМ# 10		:	☑ None •	Restricted
1		,	6. Expedited Reproduct is simila EPA Reg. No.				ion 3(c)(3)(b)(i), my g to:
☐ Check if th	nis is a new address	·	Product Name				-
			Section - II				
☐ Amendme☐ Resubmis☐ Notification			Final printed Agency letter "Me Too" App Other - Expla	olication.	NOTIFICATION AUG 1 6 2005		
Notification to add o	ptional marketing langua	ige per PR N	lotice 98-10.	_			
			Section - III				
Material This Product Child-Resistant Packagir Yes* No			Water Soluble Packaging Yes No If "Yes"		2. Type of Container Metal Plastic No. per Glass		
*Certification must be submitted	Unit Packaging wgt.	container	Package wgt.		container	Paper	Specify)
3. Location of Net Content Label 6. Manner in Which Labe	Container	4. Size(s) Rel Lithograph Paper glued	tail Container		5. Location of	Label Directi On Label	
		Stenciled					·
			Section - IV				

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.) Telephone No. (Include Area Code) Registration Specialist (763) 544-0341 Anne Marie C. Zielinski Certification 6. Date Application I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. Received I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or (Stamped) both under applicable law. 3. Title Signature Registration Specialist 5. Date 4. Typed Name 7/14/2005 Anne Marie C. Zielinski EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete.

McLAUGHLIN MGK[®] **GORMLEY** KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4372 U.S.A. - Telephone (763) 544-0341

Total Release Fogger for Fleas with Insect Growth Regulator Kills Adult and Preadult Fleas Prevents Reinfestation for 7 Months Water-based Contains No CFC's or Other Ozone Depleting Substances

{] OR () indicates alternate or optional wording

(ONE UNIT (6 OUNCE) TREATS A ROOM OF UP TO 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE (27 X 27 X 8)] IONE UNIT (5 OUNCE) TREATS A ROOM OF UP TO 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE (25 X 25 X 8)] IONE UNIT (2 OUNCE) TREATS A ROOM OF UP TO 2,000 CUBIC FEET OF

UNOBSTRUCTED SPACE (15.5 X 16 X 8)]

[3 PACK FOR MULTI-ROOM USE]

[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth and development

[Nylar®] [brand name] stops [prevents] the flea from developing into egg laying adults

[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program

[Nylar®] [brand name] can be a biorational approach to insect control

[Nylar®] [brand name] keeps working in areas exposed to the sun

Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for [210 days] [30 weeks] [7 months]

Kills fleas [plus] [+] [kills] [hatching] eggs for [up to] 4 months

Prevents fleas from developing into the biting adult stage

Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas} [hatching eggs (larvae)]

Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]

Controls (stops (kills) (prevents)) stages of fleas that don't look like fleas

Prevents [stops] the emergence of adult fleas

Flea eggs deposited on treated areas will not develop into adult fleas

Larvae crawling onto treated areas will not develop into adult fleas

[Nylar®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults

Breaks the Flea Life Cycle

Controls Reinfestation for [210 days] [30 weeks] [7 months]

Kills - Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae

Kills fleas you see and those you don't

Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects [troublesome flying and crawling household insects)

Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme Disease

Effective long-term control

See additional precautionary statements on side [back]

ACTIVE INGREDIENTS:

MOTIVE MICHEPIERTO:	
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
Pyrethrins	0.050%
* N-Octyl bicycloheptene dicarboximide	0.400%
** Permethrin	0.400%
Related compounds	0.035%
OTHER INGREDIENTS	99.015%
	100.000%

MGK® 264. Insecticide Synergist

Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

EVERCIDE, NYLAR, MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN CAUTION

FIRST AID

IF ON SKIN OR CLOTHING:

Take off contaminated clothing.

- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.

Net Contents


Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North

Minneapolis, MN 55427 EPA Reg. No. 1021-1623

Federal regulations prohibit CFC propellants in aerosols







NOTIFICATION

AUG 1 6 2005

Page 1 of 3 2620-704a



PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Avoid breathing vapors or spray mist. Avoid contact with skin or eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feedstuffs.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

Remove pets, birds, and cover fish aquariums before spraying.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR®] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months] preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (breaks) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR®] [brand name], an insect growth regulator, that will not allow the flea to reproduce thereby providing long-term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective, quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [NYLAR®] [brand name] takes effect.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR®] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks and open

cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

EVERCIDE® Total Release Fogger 2620 [brand name] formula provides months of protection by preventing eggs from developing into biting fleas. Use EVERCIDE® Total Release Fogger 2620 [brand name] whenever a flea infestation occurs in your home. It will allow you to automatically fill a whole room with insect killing fog while you are away. For best results in controlling your flea problem, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

EVERCIDE® Total Release Fogger 2620 [brand name] is designed for use whenever a flea infestation occurs in your home. For a complete flea control program, or for particularly heavy flea infestations, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet dust, [brand name], pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] outdoor [lawn] [home and garden] spray, [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

(nymphs)] Smokey Brown Cockroach [adults] (nymphs)] Brown Banded Cockroach [adults] (nymphs)] Asian Cockroach [adults] (nymphs)] German Cockroach [adults] (nymphs)] American Cockroach [adults] (nymphs)] Australian Cockroach [adults] (nymphs)] Australian Cockroach [adults] (nymphs)] Australian Cockroach [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Dermestids [Carpet Beetles (Trogoderma)] Granary Insects Midges Files Almond Moths Cadelles Rice Weevils Flour Beetles Cigarette Beetles Mosquitoes Millipedes Ticks [that may carry and transmit Lyme Disease] Brown Dog Ticks Lone Star Ticks Other Ixodid Species Other Ixodid S	Cockreaches [adulte]	Sowbugs	Floor (adulta (langes) (aggs)
Smokey Brown Cockroach fadults (nymphs) Brown Banded Cockroach fadults (nymphs) Asian Cockroach [adults] Ground Beetles Lone Star Ticks (nymphs) Cerman Cockroach [adults] Elm Leaf Beetles Deer Ticks (nymphs) Cerman Cockroach Earwigs American Cockroach (adults (nymphs) Australian Cockroach Earwigs American Dog Ticks (adults (nymphs) Waterbugs (adults (nymphs) Palmetto Bugs [adults (nymphs) Palmetto Bugs [adults (nymphs) Clover Mites Carpenter Ants Eastern (Western) Dermestids Carpet Beetles Centipedes Beetles Carpet Centipedes Carpenter Ants Centipedes		Sowbugs	
Asian Cockroach [adults] (nymphs)]		NAME: I	74
Brown Banded Cockroach [adults] (nymphs)] Asian Cockroach [adults] (nymphs)] American Cockroach [adults] (nymphs)] American Cockroach [adults] (nymphs)] American Cockroach [adults] (nymphs)] Australian Cockroach [adults] (nymphs)] Waterbugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Carpenter Ants [Eastern (Western)] Granary Insects Midges Flying Moths [small] Flat Grain Beetles Grund Beetles Lone Star Ticks Deer Ticks Other Ixodid Species American Dog Ticks Gulf Coast Ticks Foraging Ants [Fire Ants] [Pharaoh Ants] Carpenter Ants [Eastern (Western)] Centipedes Granary Insects Midges Flying Moths [small] Flat Grain Beetles Gnats Chocolate Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Cigarit Flies Indian Meal Moths	1	Millipedes	
[adults] (nymphs)] Asian Cockroach [adults] (nymphs)] German Cockroach [adults] (nymphs)] American Cockroach [adults] (nymphs)] Australian Cockroach [adults] (nymphs)] Waterbugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Carpenter Ants [Eastern (Western)] Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Drugstore Beetles Indian Meal Moths Indian Mea			
Asian Cockroach [adults] (nymphs)] German Cockroach [adults] (nymphs)] American Cockroach [adults] (nymphs)] Australian Cockroach [adults] (nymphs)] Waterbugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Carpenter Ants [Eastern (Western)] Granary Insects Midges Flies Almond Moths Cadelles Gnats Chocolate Moths Flour Beetles Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Cigaret Section (Midges Indian Meal Moths Cigarette Beetles Indian Meal Moths Drugstore Beetles Indian Meal Moths Indian		Beetles	Brown Dog Ticks
German Cockroach [adults] Elm Leaf Beetles Deer Ticks			
German Cockroach [adults]	Asian Cockroach [adults]	Ground Beetles	Lone Star Ticks
(nymphs)] American Cockroach [adults] (nymphs)] Boxelder Bugs Other Ixodid Species Australian Cockroach [adults] (nymphs)] Earwigs American Dog Ticks Waterbugs [adults] (nymphs)] Lice Gulf Coast Ticks Palmetto Bugs [adults] (nymphs)] Pillbugs Foraging Ants [Fire Ants] Palmetto Bugs [adults] (nymphs)] Pillbugs Carpenter Ants [Eastern (Western)] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Centipedes Flat Grain Beetles Flies Almond Moths [small] Cadelles Gnats Chocolate Moths Rice Weevils Cluster Flies Tobacco Moths Flour Beetles Cluster Flies Tobacco Moths Drugstore Beetles Sciarid Flies Indian Meal Moths	(nymphs)]		
American Cockroach [adults] (nymphs)] Australian Cockroach [adults] (nymphs)] Waterbugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Granary Insects Flies Flies Almond Moths Rice Weevils Flour Beetles Cluster Flies Cluster Flies Cloud Species American Dog Ticks American Dog Ticks Gulf Coast Ticks Foraging Ants [Fire Ants] [Pharaoh Ants] Carpenter Ants [Eastern (Western)] Centipedes Flying Moths [small] Almond Moths Chocolate Moths Chocolate Moths Cigarette Beetles Cluster Flies Tobacco Moths Crugstore Beetles Indian Meal Moths	German Cockroach [adults]	Elm Leaf Beetles	Deer Ticks
[adults] (nymphs)] Australian Cockroach [adults] (nymphs)] Waterbugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Granary Insects Flies Almond Moths Cadelles Rice Weevils Flour Beetles Cluster Flies Cigarette Beetles Clarpet Beetles Cluster Flies Clover Mites American Dog Ticks Gulf Coast Ticks Gulf Coast Ticks Floraging Ants [Fire Ants] Foraging Ants [Fire Ants] Carpenter Ants [Eastern (Western)] Centipedes Flying Moths [small] Almond Moths Chocolate Moths Chocolate Moths Cligarette Beetles Cluster Flies Cigarette Beetles Clarpet Bee	(nymphs)]		
Australian Cockroach [adults] (nymphs)] Waterbugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Flat Grain Beetles Flies Grants Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Crugstore Beetles Cligarette Beetles Cligarette Beetles Carpenter Ants [Eastern (Western)] Centipedes Flying Moths [small] Almond Moths Chocolate Moths Tobacco Moths Cigarette Beetles Cluster Flies Indian Meal Moths Drugstore Beetles Cigarite Beetles Cigarette B	American Cockroach	Boxelder Bugs	Other Ixodid Species
Australian Cockroach [adults] (nymphs)] Waterbugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Flat Grain Beetles Flies Grants Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Crugstore Beetles Cligarette Beetles Cligarette Beetles Carpenter Ants [Eastern (Western)] Centipedes Flying Moths [small] Almond Moths Chocolate Moths Tobacco Moths Cigarette Beetles Cluster Flies Indian Meal Moths Drugstore Beetles Cigarite Beetles Cigarette B	[adults] (nymphs)]		'
[adults] (nymphs)] Waterbugs [adults]		Earwigs	American Dog Ticks
Waterbugs [adults] (nymphs)] Palmetto Bugs [adults] (nymphs)] Clover Mites Foraging Ants [Fire Ants] [Pharaoh Ants] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Sciarid Flies Indian Meal Moths Drugstore Beetles Indian Meal Moths	[adults] (nymphs)]	J	,
(nymphs)] Palmetto Bugs [adults] Pillbugs Foraging Ants [Fire Ants] (nymphs)] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Centipedes Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Cluster Flies Tobacco Moths Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal worms		Lice	Gulf Coast Ticks
Palmetto Bugs [adults] (nymphs)] Pillbugs Foraging Ants [Fire Ants] [Pharaoh Ants] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal Moths			
(nymphs)] [Pharaoh Ants] Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal works		Pilibuas	Foraging Ants (Fire Ants)
Clover Mites Carpenter Ants [Eastern (Western)] Dermestids [Carpet Beetles (Trogoderma)] Granary Insects Fliat Grain Beetles Flies Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Drugstore Beetles Sciarid Flies Indian Meal Moths Indian Meal Works			
Centipedes Centipedes		Clover Mites	
Dermestids [Carpet Beetles (Trogoderma)] Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal Moths		Olover Miles	
Beetles (Trogoderma)] Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal works		Dermestids (Carnet	· · · · · · · · · · · · · · · · · · ·
Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal Moths			Ochapedes
Granary Insects Midges Flying Moths [small] Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal Moths		Deenes (Trogoderma)]	
Flat Grain Beetles Flies Almond Moths Cadelles Gnats Chocolate Moths Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal Moths	Granary Insects	Midges	
Rice Weevils Flour Beetles Cluster Flies Tobacco Motifs Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal Moths	Flat Grain Beetles		
Rice Weevils Flour Beetles Cluster Flies Tobacco Moths Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal works	Cadelles	Gnats	Chocolate Moths
Flour Beetles Cluster Flies Tobacco Motifs Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Mealworms	Rice Weevils	· · · · · ·	••••
Cigarette Beetles Mosquitoes Indian Meal Moths Drugstore Beetles Sciarid Flies Indian Meal worms		Cluster Flies	Tobacco Motits
Drugstore Beetles Sciarid Flies Indian Measworms	Cigarette Beetles		
			
Lessel Grain Dolers Friedras Migginios Grain Motins	Lesser Grain Borers	Firebrats	Angoumois Grain Moths

Merchant Grain Beetles	Silverfish	Homets		
Saw-toothed Grain Beetles	Booklice	Carpenter Bees		
Grain Weevils	Bedbugs	Wasps		
Warehouse Beetles	Wood Borers (exposed	Yellow Jackets (Eastern		
	stages)	(Western)]		
Red Flour Beetles	Cheese Mites	Grain Mites		

For use in:

Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree houses, Trucks, Verandas, Warehouses, and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 [5,000] [2,000] cubic feet (approximately 27 ft x 8 ft [25 ft x 25 ft x 8 ft] [15.5 ft. x 16 ft. x 8 ft.] ceiling) of unobstructed area. Use additional units for remote rooms or where free flow of fog is not assured.

PREPARATION:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces, and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding, as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls.

Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets of areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger]. (Newspapers may be used).

For more effective control of storage pests [Flour Beetle, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Saw-toothed Grain Beetle, Grain Weevil, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach,], [Crickets, (Waterbugs) (Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. [Break off and remove tab on side of sprayer.] Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS: After two hours, open all outside doors and windows, turn on air conditioner and/or fans, and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase airing-out time accordingly.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.


DISPOSAL:

Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal

instructions.








McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A. 763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com



July 14, 2005

Document Processing Desk (NOTIF)
Office of Pesticide Programs (H7504C)
U.S. Environmental Protection Agency
Crystal Mall #2
1801 South Bell Street
Arlington, VA 22202

Subject:

Notification in response to PR Notice 98-10

EVERCIDE® Total Release Fogger 2620

EPA Reg. No. 1021-1623

Dear Sir or Madam:

Please find enclosed a Notification per PR Notice 98-10 to add an optional marketing claim. Specifically, "3 PACK FOR MULTI-ROOM USE" was added as an optional marketing claim. I enclosed five (5) copies of the label with this change highlighted on one (1) copy.

This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA, and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please contact me at <u>anne.zielinski@mgk.com</u> or at 763-544-0341 with any questions regarding this submission.

Sincerely.

Anne Marie C. Zielinski

Registration Specialist

Enclosures