

1021-1623

7-20-2007

1/6



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

NOTIFICATION

JUL 20 2007

Thomas A. Lennan
Registration Specialist
McLAUGHLIN GORMLEY KING Company
8810 Tenth Avenue North
Minneapolis, MN 55427

SUBJECT: ✓ Applications for Pesticide Notification – Add Optional Marketing Claims

EVERCIDE® Total Release Fogger 2620	EPA Reg. No. 1021-1623
EVERCIDE® House & Garden Spray 2664	EPA Reg. No. 1021-1667
EVERCIDE® 2.5 Permethrin Concentrate / Repellent	EPA Reg. No. 1021-1758
Applications Dated June 14, 2007	
EVERCIDE® Residual Roach and Ant Spray 27891	EPA Reg. No. 1021-1762
Application Dated June 19, 2007	
MGK® Wasp & Hornet Killer Aerosol	EPA Reg. No. 1021-1775
Application Dated June 21, 2007	

Dear Mr. Lennan:

The Agency is in receipt of your Applications for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above products. The Registration Division (RD) has conducted a review of these requests for their applicability under PRN 98-10 and finds that the actions requested fall within the scope of PRN 98-10. The labels submitted with the applications have been stamped "Notification" and will be placed in our records.

If you have any questions, please me directly at 703-305-6249 or Terri Stowe of my staff at 703-305-6117.

Sincerely,

Linda Arrington
Notifications & Minor Formulations Team Leader
Registration Division (7505P)
Office of Pesticide Programs

216

	United States Environmental Protection Agency Washington, DC 20460		Registration Amendment Other	OPP Identifier Number
		X		
	Application for Pesticide - Section I			

1. Company/Product Number 1021-1623	2. EPA Product Manager Richard Gepken	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) EVERCIDE® Total Release Fogger 2620	PM# 10	
5. Name and Address of Applicant (Include Zip Code) McLAUGHLIN GORMLEY KING COMPANY 8810 TENTH AVENUE NORTH MINNEAPOLIS, MN 55427 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
By Notification we are adding an optional marketing phrase to our label.

NOTIFICATION
JUL 20 2007

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
*Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt.	No. per container
				<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
				<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithograph <input type="checkbox"/> Other <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled					

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Thomas A. Lennan	Title Registration Specialist	Telephone No. (Include Area Code) (763) 544-0341
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature 	3. Title Registration Specialist	
4. Typed Name Thomas A. Lennan	5. Date 6/14/2007	

3/6



McLAUGHLIN GORMLEY KING COMPANY

8810 Tenth Avenue North • Minneapolis, MN 55427-4319 U.S.A.
763-544-0341 • 800-645-6466 • Fax 763-544-6437 • www.mgk.com

NOTIFICATION

JUL 20 2007

June 14, 2007

Document Processing Desk (NOTIF)
U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs (7504P)
Ariel Rios Building
1200 Pennsylvania Avenue
Washington, DC 20460-001

Via Courier

Subject:

EVERCIDE® Total Release Fogger 2620
EPA Reg. No. 1021-1623
Notification Per PR-Notice 98-10

Dear Sir or Madam:

By Notification we are adding an optional marketing phrase to our label.

Enclosed are 2 copies of the label, 1 copy has the change highlighted in yellow.

I certify that no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, then this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

If there are any questions or you need anything further, please contact this office.

Sincerely,

McLAUGHLIN GORMLEY KING COMPANY

Thomas A. Lennan
Registration Specialist

Enclosure

NOTIFICATION
JUL 20 2007

EVERCIDE® Total Release Fogger 2620
[Contains NYLAR® Insect Growth Regulator]

MGK® McLAUGHLIN
GORMLEY
KING COMPANY

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A. - Telephone (763) 544-0341

[Total Release Fogger for Fleas with Insect Growth Regulator
Kills Adult and Preadult Fleas
Prevents Reinfestation for 7 Months
Water-based
Contains No CFC's or Other Ozone Depleting Substances]

[] OR () indicates alternate or optional wording

[[ONE UNIT (6 OUNCE) TREATS A ROOM OF UP TO 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE (27 X 27 X 8)
[ONE UNIT (5 OUNCE) TREATS A ROOM OF UP TO 5,000 CUBIC FEET OF UNOBSTRUCTED SPACE (25 X 25 X 8)
[ONE UNIT (2 OUNCE) TREATS A ROOM OF UP TO 2,000 CUBIC FEET OF UNOBSTRUCTED SPACE (15.5 X 16 X 8)]
[3 PACK FOR MULTI-ROOM USE]]

[[Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones that interferes with [stops] their growth and development
[Nylar®] [brand name] stops [prevents] the flea from developing into egg-laying adults
[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program
[Nylar®] [brand name] can be a biorational approach to insect control
[Nylar®] [brand name] keeps working in areas exposed to the sun]

[Inhibits reinfestation for up to [210 days] [30 weeks] [7 months]
Kills adult and preadult fleas, including flea eggs, for [210 days] [30 weeks] [7 months]
Kills fleas [plus] [+] [kills] [hatching] eggs for [up to] 4 months
Prevents fleas from developing into the biting adult stage
Stops [prevents] hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full-grown [developing into] biting adults
One treatment works for [210 days] [30 weeks] [7 months] against hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]
Kills present [today's] fleas and prevents new [tomorrow's] fleas from growing up to bite
[Nylar®] [brand name] activity keeps working for [210 days] [30 weeks] [7 months]
Controls [stops (kills) (prevents)] stages of fleas that don't look like fleas
Prevents [stops] the emergence of adult fleas
Flea eggs deposited on treated areas will not develop into adult fleas
Larvae crawling onto treated areas will not develop into adult fleas
[Nylar®] [brand name] acts on the immature life stage of the flea, preventing it from developing into biting adults
Breaks the Flea Life Cycle
Controls Reinfestation for [210 days] [30 weeks] [7 months]
Kills - Fleas, Ticks, Mosquitoes, Flea Eggs and Larvae]

[Kills fleas you see and those you don't
Kills [inhibits] Cockroaches, Ticks, Spiders, Ants, and other listed insects [troublesome flying and crawling household insects]

[Also kills Deer Ticks and other Ixodid species that may carry and transmit Lyme disease
Effective long-term control. Use Flea and tick products as part of an integrated pest management program on your pet, around your home and in your yard.
See additional precautionary statements on side [back]]

ACTIVE INGREDIENTS:

2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.100%
Pyrethrins	0.050%
* N-Octyl bicycloheptene dicarboximide.....	0.400%
** Permethrin	0.400%
Related compounds	0.035%
OTHER INGREDIENTS	99.015%
	100.000%

* MGK® 264, Insecticide Synergist
** Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans
EVERCIDE®, NYLAR®, and MGK® - Registered trademarks of McLaughlin Gormley King Company

KEEP OUT OF REACH OF CHILDREN
CAUTION

FIRST AID	
IF SWALLOWED:	<ul style="list-style-type: none"> Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.
IF ON SKIN OR CLOTHING:	<ul style="list-style-type: none"> Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.
Have the product container or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical emergencies or pesticide incidents, call 1-888-740-8712.	

Net Contents _____

Manufactured by:
Mc LAUGHLIN GORMLEY KING COMPANY
8810 Tenth Avenue North
Minneapolis, MN 55427

EPA Reg. No. 1021-1623

EPA Est. No. 1021-MN-2

Federal regulations prohibit
CFC propellants in aerosols



Handwritten initials '1/17'

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco. Remove and wash contaminated clothing before reuse.

PHYSICAL OR CHEMICAL HAZARDS



Highly Flammable Ingredient

Ingrediente Altamente Inflamable

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the Directions for Use on this label very carefully.

[NYLAR®] [brand name], an insect growth regulator, is similar to growth hormones that occur naturally in insects. [NYLAR®] [brand name] inhibits development of the immature stages of the flea for [210 days] [30 weeks] [7 months], preventing them from reaching the biting adult stage.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of three insecticides that stops [blocks (interrupts) (breaks) (terminates)] the flea life cycle in three ways and controls other listed insects. The first insecticide is [NYLAR®] [brand name], an insect growth regulator, that does not allow the flea to reproduce, thereby providing long-term [residual] control. The second insecticide is the botanical Pyrethrum, [an extract of a Chrysanthemum flower], which provides effective quick-kill of insects upon direct contact and an added benefit of flushing the insects from their hiding place to aid in a more complete control [kill]. Permethrin, the third active insecticide, provides activity until [NYLAR®] [brand name] takes effect.

[EVERCIDE® Total Release Fogger 2620] [brand name] contains a combination of ingredients that kills both adult and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]. Kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] before they grow up to bite. [NYLAR®] [brand name] the insect growth regulator in this fogger, continues to kill (control) hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for [210 days] [30 weeks] [7 months] by preventing their development into adults. The fogger reaches fleas [and other listed insects] hidden in carpets, rugs, drapes, upholstery, pet bedding, floor cracks, and open cabinets. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals.

EVERCIDE® Total Release Fogger 2620 [brand name] formula provides months of protection by preventing eggs from developing into biting fleas. Use EVERCIDE® Total Release Fogger 2620 [brand name] whenever a flea infestation occurs in your home. It allows you to automatically fill a whole room with insect-killing fog while you are away. For best results in controlling your flea problem, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

EVERCIDE® Total Release Fogger 2620 [brand name] is designed for use whenever a flea infestation occurs in your home. For a complete flea control program, or for particularly heavy

flea infestations, use EVERCIDE® Total Release Fogger 2620 [brand name] in conjunction with other [brand name] products.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collars, [brand name] pet dusts, [brand name], pet sprays, [brand name] pet dips, [brand name] pet shampoos, flea shampoos or flea and tick shampoos, in conjunction with this application and prior to re-entry. As part of a complete flea control program, use EPA registered [brand name] outdoor [lawn] [home and garden] spray and [brand name] [pressurized] [Ready-to-Use] [RTU] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Cockroaches [adults] (nymphs)	Sowbugs	Fleas [adults (larvae) (eggs) (preadult)]
Smokey Brown Cockroach [adults] (nymphs)	Millipedes	Ticks [that may carry and transmit Lyme Disease]
Brown Banded Cockroach [adults] (nymphs)	Beetles	Brown Dog Ticks
Asian Cockroach [adults] (nymphs)	Ground Beetles	Lone Star Ticks
German Cockroach [adults] (nymphs)	Elm Leaf Beetles	Deer Ticks
American Cockroach [adults] (nymphs)	Boxelder Bugs	Other Ixodid Species
Australian Cockroach [adults] (nymphs)	Earwigs	American Dog Ticks
Waterbugs [adults] (nymphs)	Lice	Gulf Coast Ticks
Palmetto Bugs [adults] (nymphs)	Pillbugs	Foraging Ants [Fire Ants] [Pharaoh Ants]
	Clover Mites	Carpenter Ants [Eastern (Western)]
	Dermestids [Carpet Beetles (Trogoderma)]	Centipedes
Granary Insects	Midges	Flying Moths [small]
Flat Grain Beetles	Flies	Almond Moths
Cadelles	Gnats	Chocolate Moths
Rice Weevils	Cluster Flies	Tobacco Moths
Flour Beetles	Mosquitoes	Indian Meal Moths
Cigarette Beetles	Sciarid Flies	Indian Mealworms
Drugstore Beetles	Firebrats	Angoumois Grain Moths
Lesser Grain Borers	Silverfish	Hornets
Merchant Grain Beetles	Booklice	Carpenter Bees
Saw-toothed Grain Beetles	Bedbugs	Wasps
Grain Weevils	Wood Borers (exposed stages)	Yellow Jackets [Eastern (Western)]
Warehouse Beetles	Cheese Mites	Grain Mites
Red Flour Beetles		

For use in: Apartments, Attics, Basements, Boats, Cabins, Campers, Closed Porches, Condominiums, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Sleeping Areas, Railroad Cars, Restaurants, Rooms, Schools, Ships, Storage Areas, Supermarkets, Theaters, Trailers, Tree houses, Trucks, Verandas, Warehouses, and Zoos.

276

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

Avoid contamination of food or feedstuffs.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use following treatment. Exposed food should be covered or removed. Non-food areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets, and storage (after canning or bottling). Not for use in USDA Meat and Poultry Plants.

Remove pets and birds and cover fish aquariums before spraying.

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 [5,000] [2,000] cubic feet (approximately 27 ft x 27 ft x 8 ft [25 ft x 25 ft x 8 ft] [15.5 ft. x 16 ft. x 8 ft.] ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of fog is not assured.

PREPARATION:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. **Turn off ALL ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.).** Call your gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces, and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperies and upholstered furniture in place. This product will not harm furniture

when used as directed. Open interior closet doors and cabinets of areas to be treated. [Cover waxed wood floors and waxed furniture in the immediate area surrounding the fogger]. (Newspapers may be used).

For more effective control of storage pests [Flour Beetles, Cigarette Beetles, Drugstore Beetles, Lesser Grain Borers, Merchant Grain Beetles, Saw-toothed Grain Beetles, Grain Weevils, Warehouse Beetles, Red Flour Beetles, Confused Flour Beetles] and Cockroaches [Smoky Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach.], [Crickets, (Waterbugs) (Palmetto Bugs)] open all cupboard doors [kitchen, bathrooms, pantry] and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting and upholstered furniture, along baseboards, under furniture, and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

READ ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USING: Hold can at arm's length with top of can pointing away from face and eyes. [Break off and remove tab on side of sprayer.] Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches high in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using multiple units in homes with more than one level and numerous rooms. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS: After two hours, open all outside doors and windows, turn on air conditioner and/or fans and let treated area ventilate for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of fog is not assured, increase ventilation time accordingly.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

DISPOSAL:

Do Not Puncture or Incinerate!

If empty: Place in trash or offer for recycling if available.
If partly filled: Call your local solid waste agency for disposal instructions.